

List of joint publications

- [1] M. Bona *et. al.*, *SuperB: A high-luminosity asymmetric e^+e^- super flavor factory. Conceptual design report*, arXiv:0709.0451 [hep-ex].
- [2] **BABAR** Collaboration, B. Aubert *et. al.*, *The $e^+e^- \rightarrow K^+K^-\pi^+\pi^-$, $K^+K^-\pi^0\pi^0$ and $K^+K^-K^+K^-$ Cross Sections Measured with Initial-State Radiation*, *Phys. Rev.* **D76** (2007) 012008, [arXiv:0704.0630 [hep-ex]].
- [3] J. A. Oller, M. Verbeni, and J. Prades, *Meson - baryon effective chiral Lagrangian at $O(q^3)$* , *JHEP* **09** (2006) 079 (Err.), [hep-ph/0701096].
- [4] J. A. Oller, J. Prades, and M. Verbeni, *Aspects of strangeness -1 meson baryon scattering*, *Eur. Phys. J.* **A31** (2007) 527–533, [hep-ph/0609065].
- [5] **NPLQCD** Collaboration, S. R. Beane *et. al.*, *Hyperon nucleon scattering from fully-dynamical lattice QCD*, *Nucl. Phys.* **A794** (2007) 62–72, [hep-lat/0612026].
- [6] E. Gamiz, M. Jamin, A. Pich, J. Prades, and F. Schwab, *Theoretical progress on the V_{us} determination from tau decays*, arXiv:0709.0282 [hep-ph].
- [7] E. Gamiz, M. Jamin, A. Pich, J. Prades, and F. Schwab, $|V_{us}|$ and m_s from hadronic tau decays, *Nucl. Phys. Proc. Suppl.* **169** (2007) 85–89, [hep-ph/0612154].
- [8] E. Gamiz, M. Jamin, A. Pich, J. Prades, and F. Schwab, $|V_{us}|$ from strange hadronic tau data, hep-ph/0610246.
- [9] M. Ciuchini *et. al.*, *$D - \bar{D}$ mixing and new physics: general considerations and constraints on the MSSM*, *Phys. Lett.* **B655** (2007) 162–166, [hep-ph/0703204].
- [10] J. Portoles, I. Rosell, and P. Ruiz-Femenia, *Vanishing chiral couplings in the large- N_C resonance theory*, *Phys. Rev.* **D75** (2007) 114011, [hep-ph/0611375].
- [11] O. Antuñano, J. H. Kuhn, and G. Rodrigo, *Top quarks, axiguons and charge asymmetries at hadron colliders*, arXiv:0709.1652 [hep-ph].
- [12] B. Blossier *et. al.*, *Light quark masses and pseudoscalar decay constants from $N_f = 2$ lattice QCD with twisted mass fermions*, arXiv:0709.4574 [hep-lat].
- [13] **ETM** Collaboration, P. Boucaud *et. al.*, *Dynamical twisted mass fermions with light quarks*, *Phys. Lett.* **B650** (2007) 304–311, [hep-lat/0701012].

-
- [14] M. Ciuchini *et. al.*, *Soft SUSY breaking grand unification: Leptons vs quarks on the flavor playground*, *Nucl. Phys.* **B783** (2007) 112–142, [hep-ph/0702144].
- [15] U. Aglietti *et. al.*, *Tevatron-for-LHC report: Higgs*, hep-ph/0612172.
- [16] U. Aglietti, R. Bonciani, G. Degrassi, and A. Vicini, *Analytic results for virtual QCD corrections to Higgs production and decay*, *JHEP* **01** (2007) 021, [hep-ph/0611266].
- [17] R. Bonciani, G. Degrassi, and A. Vicini, *Scalar particle contribution to Higgs production via gluon fusion at NLO*, arXiv:0709.4227 [hep-ph].
- [18] U. Aglietti, R. Bonciani, L. Grassi, and E. Remiddi, *The two loop crossed ladder vertex diagram with two massive exchanges*, arXiv:0705.2616 [hep-ph].
- [19] O. Buchmueller *et. al.*, *Prediction for the Lightest Higgs Boson Mass in the CMSSM using Indirect Experimental Constraints*, arXiv:0707.3447 [hep-ph].
- [20] G. Isidori, F. Mescia, P. Paradisi, and D. Temes, *Flavour physics at large $\tan(\beta)$ with a bino-like lsp* , *Phys. Rev.* **D75** (2007) 115019, [hep-ph/0703035].
- [21] F. Jugeau, A. Le Yaouanc, L. Oliver, and J. C. Raynal, *Explicit form of the Isgur-Wise function in the BPS limit*, *Phys. Rev.* **D74** (2006) 094012.
- [22] F. Jugeau, A. Le Yaouanc, L. Oliver, and J. C. Raynal, *The Isgur-Wise function in the BPS limit*, hep-ph/0611031.
- [23] C. Haefeli, M. A. Ivanov, M. Schmid, and G. Ecker, *On the mesonic Lagrangian of order p^6 in chiral $SU(2)$* , arXiv:0705.0576 [hep-ph].
- [24] J. Gasser, C. Haefeli, M. A. Ivanov, and M. Schmid, *Integrating out strange quarks in ChPT*, *Phys. Lett.* **B652** (2007) 21–26, [arXiv:0706.0955 [hep-ph]].
- [25] L. Giusti and S. Necco, *Spontaneous chiral symmetry breaking in QCD: A finite-size scaling study on the lattice*, *JHEP* **04** (2007) 090, [hep-lat/0702013].
- [26] L. Giusti *et. al.*, *On $K \rightarrow \pi\pi$ amplitudes with a light charm quark*, *Phys. Rev. Lett.* **98** (2007) 082003, [hep-ph/0607220].
- [27] J. M. Flynn and J. Nieves, *Elastic s -wave scattering phase shifts and $|V_{ub}|$ from lattice calculations of form factors for exclusive semileptonic decays*, in *Lattice 2007* (V. M. Braun, and C. Gattringer, eds.), vol. PoS(LATTICE 2007), p. 352, 2007. SHEP--0737.
- [28] J. M. Flynn and J. Nieves, *Semileptonic bc to cc baryon decay and heavy quark spin symmetry*, *Phys. Rev.* **D76** (2007) 017502, [arXiv:0706.2805 [hep-ph]].
- [29] J. M. Flynn and J. Nieves, $|V_{ub}|$ from exclusive semileptonic $B \rightarrow \pi$ decays revisited, *Phys. Rev.* **D76** (2007) 031302, [arXiv:0705.3553 [hep-ph]].
- [30] J. M. Flynn and J. Nieves, $|V_{ub}|$ from exclusive semileptonic $B \rightarrow \pi$ decays, *Phys. Lett.* **B649** (2007) 269–274, [hep-ph/0703284].

-
- [31] J. M. Flynn and J. Nieves, *Elastic s-wave $B \pi$, $D \pi$, $D K$ and $K \pi$ scattering from lattice calculations of scalar form factors in semileptonic decays*, *Phys. Rev.* **D75** (2007) 074024, [hep-ph/0703047].
- [32] R. Fleischer, S. Recksiegel, and F. Schwab, *On puzzles and non-puzzles in $B \rightarrow \pi\pi, \pi K$ decays*, *Eur. Phys. J.* **C51** (2007) 55–61, [hep-ph/0702275].
- [33] N. Brambilla, X. Garcia i Tormo, J. Soto, and A. Vairo, *Extraction of α_s from radiative $\Upsilon(1S)$ decays*, *Phys. Rev.* **D75** (2007) 074014, [hep-ph/0702079].
- [34] N. Brambilla, X. Garcia i Tormo, J. Soto, and A. Vairo, *The logarithmic contribution to the QCD static energy at NNNLO*, *Phys. Lett.* **B647** (2007) 185, [hep-ph/0610143].
- [35] U. Aglietti *et al.*, *Threshold resummation in $B \rightarrow X_c l \nu_l$ decays*, *Phys. Lett.* **B653** (2007) 38–52, [arXiv:0707.2010 [hep-ph]].
- [36] J. Bijnens and J. Prades, *The hadronic light-by-light contribution to the muon anomalous magnetic moment: Where do we stand?*, *Mod. Phys. Lett.* **A22** (2007) 767–782, [hep-ph/0702170].
- [37] J. Bijnens and J. Prades, *Status of the hadronic light-by-light contribution to the muon anomalous magnetic moment*, hep-ph/0701240.
- [38] S. Descotes-Genon, J. Matias, and J. Virto, *Penguin-mediated $B_{d,s} \rightarrow VV$ decays and the $B_s - \bar{B}_s$ mixing angle*, arXiv:0705.0477 [hep-ph].
- [39] P. Boucaud *et al.*, *Divergent IR gluon propagator from Ward-Slavnov-Taylor identities?*, *JHEP* **03** (2007) 076, [hep-ph/0702092].
- [40] P. Boucaud *et al.*, *Constraints on the IR behaviour of gluon and ghost propagator from Ward-Slavnov-Taylor identities*, *Eur. Phys. J.* **A31** (2007) 750–753, [hep-ph/0701114].
- [41] **KLOE** Collaboration, F. Ambrosino *et al.*, *Measurement of the DAFNE luminosity with the KLOE detector using large angle Bhabha scattering*, *Eur. Phys. J.* **C47** (2006) 589–596, [hep-ex/0604048].
- [42] **KLOE** Collaboration, F. Ambrosino *et al.*, *KLOE extraction of $a_\mu^{\pi\pi}$ in the mass range $[0.35, 0.95]$ GeV^2* , 0707.4078.
- [43] **KLOE Collaboration** Collaboration, F. Ambrosino *et al.*, *A study of the radiative $K_L \rightarrow \pi\nu e(\gamma)$ decay and possible observation of direct photon emission with the KLOE detector*, arXiv:0707.4634 [hep-ex].
- [44] **KLOE** Collaboration, F. Ambrosino *et al.*, *Measurements of the form-factors slopes of $K_L \rightarrow \pi\nu\mu$ decay with the KLOE detector*, arXiv:0707.4631 [hep-ex].
- [45] **KLOE** Collaboration, F. Ambrosino *et al.*, *Measurement of the eta mass at KLOE*, arXiv:0707.4616 [hep-ex].
- [46] **KLOE** Collaboration, F. Ambrosino *et al.*, *Study of the radiative decay phi to a0(980) gamma with the KLOE detector*, arXiv:0707.4609 [hep-ex].

- [47] **KLOE** Collaboration, F. Ambrosino *et al.*, *Measurement of the slope parameter α for the $\eta \rightarrow 3\pi^0$ decay at KLOE*, arXiv:0707.4137 [hep-ex].
- [48] **KLOE** Collaboration, F. Ambrosino *et al.*, *Study of the process $e^+e^- \rightarrow \omega\pi^0$ with the KLOE detector*, arXiv:0707.4130 [hep-ex].
- [49] **KLOE** Collaboration, F. Ambrosino *et al.*, *Branching ratio measurement of $K_S \rightarrow \gamma\gamma$ decay using a pure K_S beam in the KLOE detector*, arXiv:0707.3933 [hep-ex].
- [50] **KLOE** Collaboration, F. Ambrosino *et al.*, *Search for the $K_S \rightarrow e^+e^-$ decay with the KLOE detector at DAFNE*, arXiv:0707.2687 [hep-ex].
- [51] **Kloe** Collaboration, F. Ambrosino *et al.*, *The measurement of the absolute branching ratio of the $K^+ \rightarrow \pi^+\pi^0(\gamma)$ decay at KLOE*, arXiv:0707.2654 [hep-ex].
- [52] **KLOE** Collaboration, F. Ambrosino *et al.*, *KLOE measurement of the charged kaon absolute semileptonic BR's*, arXiv:0707.2532 [hep-ex].
- [53] **KLOE** Collaboration, F. Ambrosino *et al.*, *Determination of the $\eta \rightarrow \pi^+\pi^-\pi^0$ Dalitz plot slopes and asymmetries with the KLOE detector*, arXiv:0707.2355 [hep-ex].
- [54] **KLOE** Collaboration, P. Massarotti *et al.*, *Charged kaon lifetime at KLOE*, arXiv:0705.4408 [hep-ex].
- [55] **KLOE** Collaboration, P. Gauzzi *et al.*, *Latest results from KLOE at DAFNE*, *Int. J. Mod. Phys. A* **22** (2007) 357–364.
- [56] **KLOE** Collaboration, F. Ambrosino *et al.*, *Measurement of the pseudoscalar mixing angle and eta' gluonium content with KLOE detector*, *Phys. Lett.* **B648** (2007) 267–273, [hep-ex/0612029].
- [57] **KLOE** Collaboration, F. Ambrosino *et al.*, *Determination of CP and CPT violation parameters in the neutral kaon system using the Bell-Steinberger relation and data from the KLOE experiment*, *JHEP* **12** (2006) 011, [hep-ex/0610034].
- [58] H. Czyz, A. Grzelinska, and J. H. Kuhn, *Spin asymmetries and correlations in Λ pair production through the radiative return method*, *Phys. Rev.* **D75** (2007) 074026, [hep-ph/0702122].
- [59] H. Czyz and A. Grzelinska, *Radiative return physics program within EURIDICE network*, *Acta Phys. Polon.* **B38** (2007) 2989–2998, [0707.1275].
- [60] M. Misiak *et al.*, *The first estimate of $B(\bar{B} \rightarrow X_s\gamma)$ at $O(\alpha_s^2)$* , *Phys. Rev. Lett.* **98** (2007) 022002, [hep-ph/0609232].
- [61] M. Misiak and M. Steinhauser, *NNLO QCD corrections to the $\bar{B} \rightarrow X_s\gamma$ matrix elements using interpolation in $m - c$* , *Nucl. Phys.* **B764** (2007) 62–82, [hep-ph/0609241].
- [62] A. G. Grozin *et al.*, *The B-meson mass splitting from non-perturbative quenched lattice QCD*, arXiv:0710.0578 [hep-lat].

-
- [63] P. Colangelo, F. De Fazio, R. Ferrandes, and T. N. Pham, *Spin effects in rare $B \rightarrow X_s \tau^+ \tau^-$ and $B \rightarrow K^* \tau^+ \tau^-$ decays in a single universal extra dimension scenario*, *Phys. Rev.* **D74** (2006) 115006, [hep-ph/0610044].
- [64] F. Buccella, D. Falcone, and L. Oliver, *Leptogenesis and quark-lepton symmetry*, *Phys. Rev.* **D77** (2008) 033002, [0708.2000].
- [65] P. Dimopoulos *et al.*, *Flavour symmetry restoration and kaon weak matrix elements in quenched twisted mass QCD*, *Nucl. Phys.* **B776** (2007) 258–285, [hep-lat/0702017].
- [66] P. Colangelo, F. De Fazio, R. Ferrandes, and T. N. Pham, *FCNC B_s and Λ_b transitions: Standard Model versus a single Universal Extra Dimension scenario*, arXiv:0709.2817 [hep-ph].
- [67] D. Becirevic, V. Lubicz, and F. Mescia, *An estimate of the $B \rightarrow K^* \gamma$ form factor*, *Nucl. Phys.* **B769** (2007) 31–43, [hep-ph/0611295].
- [68] **UTfit** Collaboration, M. Bona *et al.*, *Improved determination of the CKM angle α from $B \rightarrow \pi\pi$ decays*, *Phys. Rev.* **D76** (2007) 014015, [hep-ph/0701204].
- [69] M. Bona *et al.*, *Status of the Cabibbo-Kobayashi-Maskawa matrix and unitarity triangle fits*, *AIP Conf. Proc.* **881** (2007) 210–219.
- [70] **UTfit** Collaboration, M. Bona *et al.*, *Model-independent constraints on $\Delta F = 2$ operators and the scale of New Physics*, arXiv:0707.0636 [hep-ph].
- [71] E. Baracchini *et al.*, *Investigating the physics case of running a B-factory at the $\Upsilon(5S)$ resonance*, hep-ph/0703258.
- [72] **UTfit** Collaboration, V. Lubicz *et al.*, *Lattice QCD confronts the unitarity triangle fit*, *Nucl. Phys. Proc. Suppl.* **163** (2007) 43–49.
- [73] F. Mescia and C. Smith, *Improved estimates of rare K decay matrix-elements from $K(13)$ decays*, *Phys. Rev.* **D76** (2007) 034017, [arXiv:0705.2025 [hep-ph]].
- [74] L. Del Debbio, L. Giusti, M. Luscher, R. Petronzio, and N. Tantalo, *QCD with light Wilson quarks on fine lattices. I: First experiences and physics results*, *JHEP* **02** (2007) 056, [hep-lat/0610059].
- [75] L. Del Debbio, L. Giusti, M. Luscher, R. Petronzio, and N. Tantalo, *QCD with light Wilson quarks on fine lattices. II: DD-HMC simulations and data analysis*, *JHEP* **02** (2007) 082, [hep-lat/0701009].
- [76] F. Palombi, M. Papinutto, C. Pena, and H. Wittig, *Non-perturbative renormalization of static-light four-fermion operators in quenched lattice QCD*, *JHEP* **09** (2007) 062, [0706.4153].
- [77] **ALPHA** Collaboration, P. Dimopoulos *et al.*, *Non-perturbative scale evolution of four-fermion operators in two-flavour QCD*, *PoS LAT2006* (2006) 158, [hep-lat/0610077].
- [78] G. Cavoto, R. Fleischer, K. Trabelsi, and J. Zupan, *Angles from B Decays with Charm: Summary of Working Group 5 of the CKM Workshop 2006*, arXiv:0706.4227 [hep-ph].

- [79] **NA48/2** Collaboration, J. R. Batley *et al.*, *Measurements of charged kaon semileptonic decay branching fractions $K^\pm \rightarrow \pi^0 \mu^\pm \nu$ and $K^\pm \rightarrow \pi^0 e^\pm \nu$ and their ratio*, *Eur. Phys. J.* **C50** (2007) 329–340, [hep-ex/0702015].
- [80] **NA48/I** Collaboration, J. R. Batley *et al.*, *Measurement of the branching ratios of the decays $\Xi^0 \rightarrow \Sigma^+ e^- \bar{\nu}_e$ and $\bar{\Xi}_0 \rightarrow \bar{\Sigma}^+ e^+ \nu_e$* , *Phys. Lett.* **B645** (2007) 36–46, [hep-ex/0612043].
- [81] **NA48** Collaboration, A. Lai *et al.*, *Measurement of the ratio $\Gamma(K_L^0 \rightarrow \pi^+ \pi^-)/\Gamma(K_L^0 \rightarrow \pi^\pm e^\pm \nu)$ and extraction of the CP violation parameter $|\eta_\pm|$* , *Phys. Lett.* **B645** (2007) 26–35, [hep-ex/0611052].
- [82] **NA48** Collaboration, A. Lai *et al.*, *Measurement of $K_L^0(\mu 3)$ form factors*, *Phys. Lett.* **B647** (2007) 341–350.
- [83] **NA48** Collaboration, J. R. Batley *et al.*, *First observation and branching fraction and decay parameter measurements of the weak radiative decay $\Xi^0 \rightarrow \Lambda e^+ e^-$* , *Phys. Lett.* **B650** (2007) 1–8, [hep-ex/0703023].
- [84] **NA48/2** Collaboration, J. R. Batley *et al.*, *Measurement of the Dalitz plot slope parameters of the $K^\pm \rightarrow \pi^\pm \pi^+ \pi^-$ decay*, *Phys. Lett.* **B649** (2007) 349–358, [hep-ex/0702045].
- [85] S. A. Wycech and A. M. Green, *The s- and p-wave attraction in bound knn , $knnn$ states*, *Int. J. Mod. Phys.* **A22** (2007) 629–632.
- [86] M. Czakon, U. Haisch, and M. Misiak, *Four-loop anomalous dimensions for radiative flavour-changing decays*, *JHEP* **03** (2007) 008, [hep-ph/0612329].
- [87] J. Gluza, F. Haas, K. Kajda, and T. Riemann, *Automatizing the application of Mellin-Barnes representations for feynman integrals*, arXiv:0707.3567 [hep-ph].
- [88] J. Gluza, K. Kajda, and T. Riemann, *AMBRE - a Mathematica package for the construction of Mellin-Barnes representations for Feynman integrals*, *Comput. Phys. Commun.* **177** (2007) 879–893, [0704.2423].
- [89] S. Actis, M. Czakon, J. Gluza, and T. Riemann, *Two-Loop Fermionic Corrections to Massive Bhabha Scattering*, *Nucl. Phys.* **B786** (2007) 26–51, [0704.2400].
- [90] J. Gasser, M. A. Ivanov, and M. E. Sainio, *Revisiting $\gamma\gamma \rightarrow \pi^+ \pi^-$ at low energies*, *Nucl. Phys.* **B745** (2006) 84–108, [hep-ph/0602234].
- [91] J. O. Eeg, S. Fajfer, and J. Kamenik, *Chiral loop corrections to weak decays of B mesons to positive and negative parity charmed mesons*, *JHEP* **07** (2007) 078, [arXiv:0705.4567 [hep-ph]].
- [92] J. O. Eeg, S. Fajfer, and A. Prapotnik Brdnik, *Non-factorizable contributions to $\overline{B}_d^0 \rightarrow D_s^{(*)} \overline{D}_s^{(*)}$ from chiral loops and tree level $1/N_c$ terms*, *AIP Conf. Proc.* **806** (2006) 183–189, [hep-ph/0509252].
- [93] D. Becirevic, S. Fajfer, and J. Kamenik, *Chiral behavior of the $B_{d,s}-\bar{B}_{d,s}$ mixing amplitude in the standard model and beyond*, *JHEP* **06** (2007) 003, [hep-ph/0612224].

-
- [94] I. I. Bigi *et. al.*, *Memorino on the ‘1/2 vs. 3/2 puzzle’ in $\bar{B} \rightarrow l\bar{\nu}X_c$ – a Year Later and a Bit Wiser*, *Eur. Phys. J. C* **52** (2007) 975–985, [0708.1621].
- [95] R. Babich *et. al.*, *Matrix elements and diquark correlations in quenched QCD with overlap fermions*, *PoS LAT2006* (2006) 091, [hep-lat/0610079].
- [96] B. Kubis, E. H. Muller, J. Gasser, and M. Schmid, *Aspects of radiative $K+(e3)$ decays*, *Eur. Phys. J. C* **50** (2007) 557–571, [hep-ph/0611366].
- [97] A. Ali, B. D. Pecjak, and C. Greub, *$B \rightarrow V\gamma$ decays at NNLO in SCET*, arXiv:0709.4422 [hep-ph].
- [98] T. Kaneko *et. al.*, *Non-perturbative improvement of the axial current with three dynamical flavors and the Iwasaki gauge action*, *JHEP* **04** (2007) 092, [hep-lat/0703006].
- [99] M. Della Morte, P. Fritzsche, and J. Heitger, *Non-perturbative renormalization of the static axial current in two-flavour QCD*, *JHEP* **02** (2007) 079, [hep-lat/0611036].
- [100] J. Gasser, V. Lyubovitskij, and A. Rusetsky, *Hadronic atoms in QCD + QED*, . Physics Reports (accepted for publication).
- [101] A. Pich, I. Rosell, and J. J. Sanz-Cillero, *Form-factors and current correlators: chiral couplings $L_{10}(\mu)$ and $C_{87}(\mu)$ at NLO in $1/N(C)$* , *JHEP* **07** (2008) 014, [0803.1567].
- [102] M. Jamin, A. Pich, and J. Portoles, *What can be learned from the Belle spectrum for the decay $\tau^- \rightarrow \nu_\tau K_S \pi^-$* , *Phys. Lett. B* **664** (2008) 78–83, [0803.1786].
- [103] M. Jamin and V. Mateu, *OPE-RchiT matching at order α_s : hard gluonic corrections to three-point Green functions*, *JHEP* **04** (2008) 040, [0802.2669].
- [104] J. Bernabeu and J. Prades, *The $\sigma \rightarrow \gamma$ gamma Width from Nucleon Electromagnetic Polarizabilities*, *Phys. Rev. Lett.* **100** (2008) 241804, [0802.1830].
- [105] J. M. Flynn and J. Nieves, *Elastic s-wave scattering phase shifts and $|V_{ub}|$ from lattice calculations of form factors for exclusive semileptonic decays*, *PoS LAT2007* (2007) 352, [0711.3339].
- [106] M. Raidal *et. al.*, *Flavour physics of leptons and dipole moments*, 0801.1826.
- [107] **BABAR** Collaboration, B. Aubert *et. al.*, *The $e^+e^- \rightarrow 2(\pi^+\pi^-)\pi^0$, $2(\pi^+\pi^-)\eta$, $K^+K^-\pi^+\pi^-\pi^0$ and $K^+K^-\pi^+\pi^-\eta$ Cross Sections Measured with Initial-State Radiation*, *Phys. Rev. D* **76** (2007) 092005, [0708.2461].
- [108] A. V. Manohar and V. Mateu, *Dispersion Relation Bounds for pi pi Scattering*, *Phys. Rev. D* **77** (2008) 094019, [0801.3222].
- [109] **BABAR** Collaboration, B. Aubert *et. al.*, *Study of $e^+e^- \rightarrow \Lambda\bar{\Lambda}$, $\Lambda\bar{\Sigma}_0$, $\Sigma_0\bar{\Sigma}_0$ using Initial State Radiation with BABAR*, *Phys. Rev. D* **76** (2007) 092006, [0709.1988].
- [110] **BaBar** Collaboration, B. Aubert *et. al.*, *Measurements of $e^+e^- \rightarrow K^+K^-\eta$, $K^+K^-\pi^0$ and $K_S K^+\pi^-$ Cross Sections Using Initial State Radiation Events*, *Phys. Rev. D* **77** (2008) 092002, [0710.4451].

- [111] **BaBar** Collaboration, B. Aubert *et. al.*, *Observation of $e^+e^- \rightarrow \rho^+\rho^-$ near $\sqrt{s} = 10.58$ GeV*, 0806.3893.
- [112] **The BABAR** Collaboration, . B. Aubert, *Observation of the bottomonium ground state in the decay $\Upsilon(3S) \rightarrow \gamma\eta_b$* , 0807.1086.
- [113] M. Nebot, J. F. Oliver, D. Palao, and A. Santamaria, *Prospects for the Zee-Babu Model at the LHC and low energy experiments*, *Phys. Rev.* **D77** (2008) 093013, [0711.0483].
- [114] **ETM** Collaboration, P. Boucaud *et. al.*, *Dynamical Twisted Mass Fermions with Light Quarks: Simulation and Analysis Details*, 0803.0224.
- [115] **ALPHA** Collaboration, P. Dimopoulos *et. al.*, *Non-perturbative renormalisation of Delta F=2 four-fermion operators in two-flavour QCD*, *JHEP* **05** (2008) 065, [0712.2429].
- [116] P. Dimopoulos *et. al.*, *Non-perturbative renormalisation of four-fermion operators in $N_f = 2$ QCD*, *PoS LAT2007* (2007) 368, [0710.2862].
- [117] P. Dimopoulos *et. al.*, *Renormalisation of quark bilinears with $N_f=2$ Wilson fermions and tree-level improved gauge action*, *PoS LATTICE2007* (2007) 241, [0710.0975].
- [118] M. Artuso *et. al.*, *B, D and K decays*, 0801.1833.
- [119] F. del Aguila *et. al.*, *Collider aspects of flavour physics at high Q*, 0801.1800.
- [120] C. Haefeli, M. A. Ivanov, and M. Schmid, *Electromagnetic low-energy constants in chpt*, *Eur. Phys. J.* **C53** (2008) 549–557, [0710.5432].
- [121] L. Giusti *et. al.*, *Testing chiral effective theory with quenched lattice QCD*, *JHEP* **05** (2008) 024, [0803.2772].
- [122] P. Hernandez *et. al.*, *Determination of the $\Delta S = 1$ weak Hamiltonian in the $SU(4)$ chiral limit through topological zero-mode wave functions*, *JHEP* **05** (2008) 043, [0802.3591].
- [123] L. M. P. C. T. E. W. J. W. H. Hernandez, P., *Weak low-energy couplings from topological zero-mode wavefunctions*, *PoS LAT2007* (2007) 356, [arXiv:0710.5647 [hep-lat]].
- [124] M. Beneke and M. Jamin, *α_s and the τ hadronic width: fixed-order, contour-improved and higher-order perturbation theory*, 0806.3156.
- [125] C. Promberger, S. Schatt, F. Schwab, and S. Uhlig, *Bounding the Minimal 331 Model through the Decay $B \rightarrow X_s\gamma$* , *Phys. Rev.* **D77** (2008) 115022, [0802.0949].
- [126] J.-P. Aguilar, D. Greynat, and E. De Rafael, *Muon Anomaly from Lepton Vacuum Polarization and The Mellin–Barnes Representation*, *Phys. Rev.* **D77** (2008) 093010, [0802.2618].
- [127] **BABAR** Collaboration, B. Aubert *et. al.*, *A study of $B \rightarrow X(3872)K$ with $X(3872) \rightarrow J/Psi\pi^+\pi^-$* , *Phys. Rev.* **D77** (2008) 111101, [0803.2838].
- [128] **BABAR** Collaboration, B. Aubert *et. al.*, *Measurement of CP observables in $B \rightarrow D0_{CP}K$ decays*, *Phys. Rev.* **D77** (2008) 111102, [0802.4052].

-
- [129] **BABAR** Collaboration, B. Aubert *et. al.*, *Measurement of the $B \rightarrow X_s \gamma$ Branching Fraction and Photon Energy Spectrum using the Recoil Method*, *Phys. Rev.* **D77** (2008) 051103, [0711.4889].
- [130] **BABAR** Collaboration, B. Aubert *et. al.*, *Search for Lepton Flavor Violating Decays $\tau^\pm \rightarrow l^\pm \omega$ ($l = e, \mu$)*, *Phys. Rev. Lett.* **100** (2008) 071802, [0711.0980].
- [131] **BABAR** Collaboration, B. Aubert *et. al.*, *A Study of Excited Charm-Strange Baryons with Evidence for new Baryons $\Xi_c(3055)^+$ and $\Xi_c(3123)^+$* , *Phys. Rev.* **D77** (2008) 012002, [0710.5763].
- [132] P. Boucaud *et. al.*, *On the IR behaviour of the Landau-gauge ghost propagator*, *JHEP* **06** (2008) 099, [0803.2161].
- [133] P. Boucaud *et. al.*, *IR finiteness of the ghost dressing function from numerical resolution of the ghost SD equation*, *JHEP* **06** (2008) 012, [0801.2721].
- [134] P. A. Boyle *et. al.*, *The pion's electromagnetic form factor at small momentum transfer in full lattice QCD*, 0804.3971.
- [135] P. A. Boyle *et. al.*, *$K(l3)$ form factor with $N_f = 2 + 1$ dynamical domain wall fermions*, *PoS LATTICE2007* (2007) 380.
- [136] C. Allton *et. al.*, *Physical Results from 2 + 1 Flavor Domain Wall QCD and SU(2) Chiral Perturbation Theory*, 0804.0473.
- [137] Y. Aoki *et. al.*, *Non-perturbative renormalization of quark bilinear operators and B_K using domain wall fermions*, 0712.1061.
- [138] P. A. Boyle *et. al.*, *K_{l3} semileptonic form factor from 2 + 1 flavour lattice QCD*, *Phys. Rev. Lett.* **100** (2008) 141601, [0710.5136].
- [139] M. Blanke, A. J. Buras, S. Recksiegel, and C. Tarantino, *The Littlest Higgs Model with T-Parity Facing CP-Violation in $B_s - \bar{B}_s$ Mixing*, 0805.4393.
- [140] **KLOE** Collaboration, A. Antonelli *et. al.*, *Determination of $\eta \rightarrow \pi^+ \pi^- \pi^0$ Dalitz plot slopes and asymmetries with the KLOE detector*, *JHEP* **05** (2008) 006, [0801.2642].
- [141] **KLOE** Collaboration, F. Ambrosino *et. al.*, *V_{us} and lepton universality from kaon decays with the KLOE detector*, *JHEP* **04** (2008) 059, [0802.3009].
- [142] **KLOE** Collaboration, F. Ambrosino *et. al.*, *V_{us} and lepton universality from kaon decays with the KLOE detector*, *JHEP* **04** (2008) 059, [0802.3009].
- [143] **KLOE** Collaboration, F. Ambrosino *et. al.*, *Measurement of the $K_S \rightarrow gg$ branching ratio using a pure K_S beam with the KLOE detector*, *JHEP* **05** (2008) 051, [0712.1744].
- [144] **The KLOE** Collaboration, F. Ambrosino *et. al.*, *Measurement of the charged kaon lifetime with the KLOE detector*, *JHEP* **01** (2008) 073, [0712.1112].
- [145] **KLOE** Collaboration, F. Ambrosino *et. al.*, *Precise measurements of the η and the neutral K meson masses with the KLOE detector*, *JHEP* **12** (2007) 073, [0710.5892].

- [146] **KLOE** Collaboration, F. Ambrosino *et. al.*, *Measurement of the $K_L \rightarrow \pi\mu\nu$ form factor parameters with the KLOE detector*, *JHEP* **12** (2007) 105, [0710.4470].
- [147] H. Czyz, A. Grzelinska, and A. Wapienik, *New developments in PHOKHARA Monte Carlo generator*, *Acta Phys. Polon.* **B38** (2007) 3491, [0710.4227].
- [148] H. Czyz, J. H. Kuhn, and A. Wapienik, *Four-pion production in tau decays and $e+e-$ annihilation: an update*, *Phys. Rev.* **D77** (2008) 114005, [0804.0359].
- [149] G. Duplancic, A. Khodjamirian, T. Mannel, B. Melic, and N. Offen, *Light-cone sum rules for $B \rightarrow \pi$ form factors revisited*, *JHEP* **04** (2008) 014, [0801.1796].
- [150] D. A. Anipko *et. al.*, *Charge asymmetries in $\gamma\gamma \rightarrow \ell^+\ell^- + \nu's$ ($\ell = \mu, e$) with polarized photons in the Standard Model*, 0806.1760.
- [151] M. Caffo, H. Czyz, M. Gunia, and E. Remiddi, *BOKASUN: a fast and precise numerical program to calculate the Master Integrals of the two-loop sunrise diagrams*, 0807.1959.
- [152] **FlaviaNet Working Group on Kaon Decays** Collaboration, M. Antonelli *et. al.*, *Precision tests of the Standard Model with leptonic and semileptonic kaon decays*, 0801.1817.
- [153] **UTfit** Collaboration, M. Bona *et. al.*, *First Evidence of New Physics in $b \leftrightarrow s$ Transitions*, 0803.0659.
- [154] T. Browder *et. al.*, *On the Physics Case of a Super Flavour Factory*, *JHEP* **02** (2008) 110, [0710.3799].
- [155] D. Becirevic, B. Haas, and F. Mescia, *Semileptonic D -decays and Lattice QCD*, *PoS LATTICE2007* (2007) 355, [0710.1741].
- [156] **European Twisted Mass** Collaboration, C. Alexandrou *et. al.*, *Light baryon masses with dynamical twisted mass fermions*, 0803.3190.
- [157] G. . Akemann, F. Basile, and L. Lellouch, *Finite size scaling of meson propagators with isospin chemical potential*, 0804.3809.
- [158] F. De Fazio, T. Feldmann, and T. Hurth, *SCET sum rules for $B \rightarrow P$ and $B \rightarrow V$ transition form factors*, *JHEP* **02** (2008) 031, [0711.3999].
- [159] J. O. Eeg, S. Fajfer, and J. F. Kamenik, *Chiral corrections to the scalar form factor in $B_q \rightarrow D_q$ transitions*, 0807.0202.
- [160] D. Becirevic, S. Fajfer, and J. F. Kamenik, *On the matrix elements of $dB=0$ operators in the heavy meson decay widths*, 0804.1750.
- [161] S. Fajfer and J. F. Kamenik, *On the flavor structure of the littlest Higgs model*, *JHEP* **12** (2007) 074, [0710.4293].
- [162] D. Becirevic, S. Fajfer, and J. F. Kamenik, *Use and misuse of ChPT in the heavy-light systems*, *PoS LAT2007* (2007) 063, [0710.3496].

-
- [163] D. Guazzini, R. Sommer, and N. Tantalo, *Precision for B-meson matrix elements*, *JHEP* **01** (2008) 076, [0710.2229].
- [164] **European Twisted Mass** Collaboration, B. Blossier, G. Herdoiza, and S. Simula, *Twisted mass QCD in the charm sector*, *PoS LATTICE2007* (2007) 346, [0710.1414].
- [165] Z. Was, P. Golonka, and G. Nanava, *PHOTOS Monte Carlo and its theoretical accuracy*, 0807.2762.
- [166] S. Actis, M. Czakon, J. Gluza, and T. Riemann, *Fermionic NNLO contributions to Bhabha scattering*, *Acta Phys. Polon.* **B38** (2007) 3517–3528, [0710.5111].
- [167] S. Actis, M. Czakon, J. Gluza, and T. Riemann, *Virtual Hadronic and Leptonic Contributions to Bhabha Scattering*, *Phys. Rev. Lett.* **100** (2008) 131602, [0711.3847].
- [168] J. Gluza and T. Riemann, *New results for 5-point functions*, 0712.2969.
- [169] J. Gluza and T. Riemann, *A new treatment of mixed virtual and real IR- singularities*, 0801.4228.
- [170] T. Diakonidis *et. al.*, *On the tensor reduction of one-loop pentagons and hexagons*, 0807.2984.
- [171] S. Actis, J. Gluza, and T. Riemann, *Virtual Hadronic Corrections to Massive Bhabha Scattering*, 0807.0174.
- [172] M. Davier, S. Descotes-Genon, A. Hocker, B. Malaescu, and Z. Zhang, *The Determination of α_s from τ Decays Revisited*, 0803.0979.
- [173] V. Bernard and E. Passemar, *Matching Chiral Perturbation Theory and the Dispersive Representation of the Scalar $K\pi$ Form Factor*, *Phys. Lett.* **B661** (2008) 95–102, [0711.3450].
- [174] S. Durr *et. al.*, *Scaling study of dynamical smeared-link clover fermions*, 0802.2706.
- [175] S. Durr *et. al.*, *Mixed action simulations: approaching physical quark masses*, *PoS LAT2007* (2007) 113, [0710.4866].
- [176] S. Durr *et. al.*, *Chiral behavior of pseudo-Goldstone boson masses and decay constants in 2+1 flavor QCD*, *PoS LAT2007* (2007) 115, [0710.4769].
- [177] M. Zdrahal and J. Novotny, *Dispersive Approach to Chiral Perturbation Theory*, 0806.4529.
- [178] S. Fajfer, T.-N. Pham, and N. Kosnik, *On the Dalitz plot analysis of the $B \rightarrow K\eta\gamma$ decays*, 0806.2247.
- [179] **ETM** Collaboration, C. Alexandrou *et. al.*, *Baryon masses with dynamical twisted mass fermions*, *PoS LATTICE2007* (2007) 087, [0710.1173].
- [180] V. Bernard, M. Lage, U.-G. Meissner, and A. Rusetsky, *Resonance properties from the finite-volume energy spectrum*, 0806.4495.
- [181] V. Bernard, M. Lage, A. Rusetsky, and U. G. Meissner, *Analysis of the Δ -resonance in a finite volume*, *Eur. Phys. J.* **A35** (2008) 281–285.

- [182] V. Bernard, E. Epelbaum, H. Krebs, and U.-G. Meißner, *Subleading contributions to the chiral three-nucleon force I: long-range terms*, 0712.1967.
- [183] M. Bissegger, A. Fuhrer, J. Gasser, B. Kubis, and A. Rusetsky, *Radiative corrections in $K \rightarrow 3\pi$ decays*, 0807.0515.
- [184] M. Bissegger, A. Fuhrer, J. Gasser, B. Kubis, and A. Rusetsky, *Cusps in $K_L \rightarrow 3\pi$ decays*, *Phys. Lett.* **B659** (2008) 576–584, [0710.4456].
- [185] M. Della Morte *et. al.*, *Heavy-strange meson decay constants in the continuum limit of quenched QCD*, arXiv:0710.2201 [hep-lat].
- [186] M. Della Morte, R. Sommer, and S. Takeda, *On cutoff effects in lattice QCD from short to long distances*, 0807.1120.
- [187] B. Blossier, M. Della Morte, N. Garron, and R. Sommer, *Heavy-light decay constant at the $1/m$ order of HQET*, *PoS LAT2007* (2007) 245, [0710.1553].
- [188] M. Della Morte *et. al.*, *Preparing for $N_f=2$ simulations at small lattice spacings*, *PoS LAT2007* (2007) 255, [0710.1263].
- [189] F. Palombi, M. Papinutto, C. Pena, and H. Wittig, *First quenched results for the matrix elements of the B_{B_s} mixing parameter in the static limit from tmQCD*, *PoS LAT2007* (2007) 366, [0710.2863].
- [190] M. Della Morte *et. al.*, *Towards a non-perturbative matching of HQET and QCD with dynamical light quarks*, *PoS LAT2007* (2007) 246, [0710.1188].
- [191] ALPHA Collaboration, M. Della Morte *et. al.*, *Scaling test of two-flavor $O(a)$ -improved lattice QCD*, *JHEP* **07** (2008) 037, [0804.3383].
- [192] E. Oset *et. al.*, *Meson and Baryon resonances*, *Nucl. Phys.* **A827** (2009) 255c–260c, [0901.1972].
- [193] M. González-Alonso, A. Pich, and J. Prades, *From hadronic tau decays to the chiral couplings L_{10} and C_{87}* , *Nucl. Phys. Proc. Suppl.* **189** (2009) 90–95, [0812.1943].
- [194] M. Gonzalez-Alonso, A. Pich, and J. Prades, *Chiral low-energy constants from tau data*, 0910.2264.
- [195] M. González-Alonso, A. Pich, and J. Prades, *Chiral low-energy constants L_{10} and C_{87} from hadronic tau decays*, *Nucl. Phys. Proc. Suppl.* **186** (2009) 171–174, [0810.2459].
- [196] M. González-Alonso, A. Pich, and J. Prades, *Determination of the Chiral Couplings L_{10} and C_{87} from Semileptonic Tau Decays*, *Phys. Rev.* **D78** (2008) 116012, [0810.0760].
- [197] I. Rosell, P. Ruiz-Femenia, and J. J. Sanz-Cillero, *Resonance saturation of the chiral couplings at NLO in $1/N_c$* , *Phys. Rev.* **D79** (2009) 076009, [0903.2440].
- [198] D. G. Hitlin *et. al.*, *Proceedings of SuperB Workshop 6: New Physics at the Super Flavor Factory*, 0810.1312.

-
- [199] **BABAR** Collaboration, B. Aubert *et. al.*, *Search for $b \rightarrow u$ transitions in $B^0 \rightarrow D^0 K^{*0}$ decays*, *Phys. Rev.* **D80** (2009) 031102, [0904.2112].
- [200] **BABAR** Collaboration, B. Aubert *et. al.*, *Measurement of Time-Dependent CP Asymmetry in $B^0 \rightarrow c\bar{c}K^{(*)0}$ Decays*, *Phys. Rev.* **D79** (2009) 072009, [0902.1708].
- [201] B. Blossier *et. al.*, *Pseudoscalar decay constants of kaon and D-mesons from $N_f = 2$ twisted mass Lattice QCD*, *JHEP* **07** (2009) 043, [0904.0954].
- [202] J. M. Flynn, Y. Nakagawa, J. Nieves, and H. Toki, *$|V_{ub}|$ from Exclusive Semileptonic $B \rightarrow \rho$ Decays*, 0812.2795.
- [203] **BABAR** Collaboration, M. Pennington, B. Aubert, *et. al.*, *Dalitz Plot Analysis of $D_s^+ \rightarrow \pi^+\pi^-\pi^+$* , *Phys. Rev.* **D79** (2009) 032003, [0808.0971].
- [204] M. Antonelli *et. al.*, *Flavor Physics in the Quark Sector*, 0907.5386.
- [205] **Particle Data Group** Collaboration, C. Amsler *et. al.*, *Review of particle physics*, *Phys. Lett.* **B667** (2008) 1.
- [206] T. Feldmann, M. Jung, and T. Mannel, *Sequential Flavour Symmetry Breaking*, *Phys. Rev.* **D80** (2009) 033003, [0906.1523].
- [207] M. Jung and T. Mannel, *General Analysis of U-Spin Breaking in B Decays*, 0907.0117.
- [208] M. Jung and T. Mannel, *Model-independent analysis of U-spin breaking in non-leptonic B-decays*, in *International Workshop on Effective Field Theories: from the pion to the upsilon*, p. PoS(EFT09)003, 2009.
- [209] M. Jung. PhD thesis, Universität Siegen, 2009. Published in OPUS Siegen: <http://dokumentix.ub.uni-siegen.de/opus/volltexte/2009/392/>.
- [210] A. Filipuzzi and G. Isidori, *Violations of lepton-flavour universality in $P^- \rightarrow l\nu$ decays: a model-independent analysis*, 0906.3024.
- [211] **ETM** Collaboration, R. Baron *et. al.*, *Status of ETMC simulations with $N_f = 2 + 1 + 1$ twisted mass fermions*, *PoS LATTICE2008* (2008) 094, [0810.3807].
- [212] P. Dimopoulos *et. al.*, *K-meson vector and tensor decay constants and BK-parameter from $N_f=2$ tmQCD*, *PoS LATTICE2008* (2008) 271, [0810.2443].
- [213] V. Cirigliano, G. Ecker, and A. Pich, *Reanalysis of pion pion phase shifts from $K \rightarrow \pi\pi$ decays*, *Phys. Lett.* **B679** (2009) 445–448, [0907.1451].
- [214] V. Drach *et. al.*, *Partially quenched study of strange baryon with $N_f = 2$ twisted mass fermions*, *PoS LATTICE2008* (2008) 123, [0905.2894].
- [215] A. Lacour, J. A. Oller, and U. G. Meissner, *Non-perturbative methods for a chiral effective field theory of finite density nuclear systems*, 0906.2349.
- [216] J. A. Oller, A. Lacour, and U. G. Meissner, *Chiral Effective Field Theory for Nuclear Matter with long- and short-range Multi-Nucleon Interactions*, 0902.1986.

- [217] N. Brambilla, A. Vairo, X. Garcia i Tormo, and J. Soto, *The QCD static energy at NNNLL*, *Phys. Rev.* **D80** (2009) 034016, [0906.1390].
- [218] O. Cata, M. Golterman, and S. Peris, *Contribution from Duality Violations to the theoretical error on α_s* , 0904.4443.
- [219] O. Cata, M. Golterman, and S. Peris, *Estimate of the systematic error in tau decay due to duality violations*, *PoS CONFINEMENT8* (2008) 073, [0812.3114].
- [220] O. Cata, M. Golterman, and S. Peris, *Possible duality violations in tau decay and their impact on the determination of α_s* , *Phys. Rev.* **D79** (2009) 053002, [0812.2285].
- [221] D. M. Asner *et. al.*, *Physics at BES-III*, 0809.1869.
- [222] P. Boucaud *et. al.*, *Ghost-gluon running coupling, power corrections and the determination of $\Lambda_{\overline{MS}}$* , *Phys. Rev.* **D79** (2009) 014508, [0811.2059].
- [223] J. Prades, E. de Rafael, and A. Vainshtein, *Hadronic Light-by-Light Scattering Contribution to the Muon Anomalous Magnetic Moment*, 0901.0306.
- [224] S. Friot and D. Greynat, *Non-perturbative asymptotic improvement of perturbation theory and Mellin-Barnes representation*, 0907.5593.
- [225] M. Beneke, G. Buchalla, M. Neubert, and C. Sachrajda, *Penguins with Charm and Quark-Hadron Duality*, *Eur. Phys. J.* **C61** (2009) 439–449, [0902.4446].
- [226] W. Altmannshofer *et. al.*, *Symmetries and Asymmetries of $B \rightarrow K^* \mu^+ \mu^-$ Decays in the Standard Model and Beyond*, *JHEP* **01** (2009) 019, [0811.1214].
- [227] P. Colangelo, F. De Fazio, F. Giannuzzi, and S. Nicotri, *Aspects of new charm(onium) spectroscopy*, *Nucl. Phys. Proc. Suppl.* **185** (2008) 140–145.
- [228] P. Colangelo, F. Giannuzzi, and S. Nicotri, *Holographic Approach to Finite Temperature QCD: The Case of Scalar Glueballs and Scalar Mesons*, 0909.1534.
- [229] M. Della Morte, P. Fritsch, J. Heitger, and R. Sommer, *Non-perturbative quark mass dependence in the heavy-light sector of two-flavour QCD*, *PoS LATTICE2008* (2008) 226, [0810.3166].
- [230] J. M. Flynn, P. de Lima H., C. Sachrajda, P. Boyle, C. Kelly, C. Maynard, Z. J.M., and A. Juttner, *K_{l3} and pion form factors using partially twisted boundary conditions*, 0812.4265. Presented at 26th International Symposium on Lattice Field Theory (Lattice 2008), Williamsburg, Virginia, 14-20 Jul 2008.
- [231] **By RBC Collaboration and UKQCD Collaboration** Collaboration, P. Boyle *et. al.*, *Parton Distribution Amplitudes and Non-Perturbative Renormalisation*, 0810.1669. Talk given at 26th International Symposium on Lattice Field Theory (Lattice 2008), Williamsburg, Virginia, 14-20 Jul 2008.
- [232] O. Cata and V. Mateu, *Chiral corrections to the f_V^T/f_V ratio for vector mesons*, 0907.5422.
- [233] M. Blanke, A. J. Buras, B. Duling, S. Recksiegel, and C. Tarantino, *FCNC Processes in the Littlest Higgs Model with T-Parity: a 2009 Look*, 0906.5454.

-
- [234] J. F. Kamenik and C. Smith, *Tree-level contributions to the rare decays $B^+ \rightarrow (\pi^+, K, K^*)\nu\bar{\nu}$ in the Standard Model*, *Phys. Lett.* **B680** (2009) 471–475, [0908.1174].
- [235] **KLOE** Collaboration, F. Ambrosino *et. al.*, *A global fit to determine the pseudoscalar mixing angle and the gluonium content of the η' meson*, *JHEP* **07** (2009) 105, [0906.3819].
- [236] **KLOE** Collaboration, M. Martini *et. al.*, *Recent results from KLOE at DAFNE*, *Int. J. Mod. Phys.* **E18** (2009) 105, [0906.3819].
- [237] **KLOE** Collaboration, F. Ambrosino *et. al.*, *Search for the decay $\Phi \rightarrow K^0\bar{K}^0\gamma$ with the KLOE experiment*, *Phys. Lett.* **B679** (2009) 10–14, [0903.4115].
- [238] **KLOE** Collaboration, F. Ambrosino *et. al.*, *Search for the $K_S \rightarrow e^+e^-$ decay with the KLOE detector*, *Phys. Lett.* **B672** (2009) 203, [0811.1007].
- [239] **KLOE** Collaboration, F. Ambrosino *et. al.*, *Precise measurement of $B(K \rightarrow e\nu(\gamma))/B(K \rightarrow \mu\nu(\gamma))$ and study of $K \rightarrow e\nu\gamma$* , 0907.3594.
- [240] H. Czyz and J. H. Kuhn, *Strong and Electromagnetic J/ψ and $\psi(2S)$ Decays into Pion and Kaon Pairs*, *Phys. Rev.* **D80** (2009) 034035, [0904.0515].
- [241] A. Khodjamirian, C. Klein, T. Mannel, and N. Offen, *Semileptonic charm decays $D \rightarrow \pi l\nu_l$ and $D \rightarrow Kl\nu_l$ from QCD Light-Cone Sum Rules*, 0907.2842.
- [242] L. Mercolli and C. Smith, *EDM constraints on flavored CP-violating phases*, *Nucl. Phys.* **B817** (2009) 1–24, [0902.1949].
- [243] J. Balog, F. Niedermayer, and P. Weisz, *The puzzle of apparent linear lattice artifacts in the 2d non-linear sigma-model and Symanzik's solution*, *Nucl. Phys.* **B824** (2010) 563–615, [0905.1730].
- [244] J. Balog, F. Niedermayer, and P. Weisz, *Logarithmic corrections to $O(a^2)$ lattice artifacts*, *Phys. Lett.* **B676** (2009) 188–192, [0901.4033].
- [245] G. Bell and V. Pilipp, *$B^- \rightarrow \pi^-\pi^0/\rho^-\rho^0$ to NNLO in QCD factorization*, *Phys. Rev.* **D80** (2009) 054024, [0907.1016].
- [246] J. O. Eeg, S. Fajfer, and J. F. Kamenik, *Chiral loop corrections in $B \rightarrow Dl\nu$ decays*, 0810.0461.
- [247] B. Blossier *et. al.*, *A proposal for B-physics on current lattices*, 0909.3187.
- [248] B. Blossier, V. Lubicz, C. Tarantino, and S. Simula, *Pseudoscalar meson decay constants f_K , f_D and f_{D_s} , from $N_f=2$ twisted mass Lattice QCD*, 0810.3145.
- [249] M. Bona *et. al.*, *Status of the Unitarity Triangle Analysis*, 0909.5065.
- [250] M. Bona *et. al.*, *An Improved Standard Model Prediction Of $BR(B \rightarrow \tau\nu)$ And Its Implications For New Physics*, 0908.3470.
- [251] O. Buchmueller *et. al.*, *Likelihood Functions for Supersymmetric Observables in Frequentist Analyses of the CMSSM and NUHM1*, 0907.5568.

- [252] **NA48/2** Collaboration, J. R. Batley *et. al.*, *Precise measurement of the $K^\pm \rightarrow \pi^\pm e^+ e^-$ decay*, *Phys. Lett.* **B677** (2009) 246–254, [0903.3130].
- [253] J. F. Kamenik and M. Nemevsek, *Lepton flavor violation in type I + III seesaw*, 0908.3451.
- [254] S. Fajfer and J. F. Kamenik, *Impact of positive parity heavy mesons on charm meson decays*, *Int. J. Mod. Phys.* **A23** (2008) 3196–3199.
- [255] I. Dorsner, S. Fajfer, J. F. Kamenik, and N. Kosnik, *Can scalar leptoquarks explain the f_{D_s} puzzle?*, 0906.5585.
- [256] J. Drobnak, S. Fajfer, and J. F. Kamenik, *Signatures of NP models in top FCNC decay $t \rightarrow c(u)l^+l^-$* , *JHEP* **03** (2009) 077, [0812.0294].
- [257] **ETM** Collaboration, P. Dimopoulos *et. al.*, *Scaling and chiral extrapolation of pion mass and decay constant with maximally twisted mass QCD*, 0810.2873.
- [258] G. von Hippel, R. Sommer, J. Heitger, S. Schaefer, and N. Tantalo, *D_s physics from fine lattices*, *PoS LATTICE2008* (2008) 227, [0810.0214].
- [259] S. Wycech and A. M. Green, *Variational calculations for K-few-nucleon systems*, *Phys. Rev.* **C79** (2009) 014001, [0808.3329].
- [260] S. Wycech and A. M. Green, *The kaon-few-nucleon levels and lifetimes calculated by a variational method*, *Few Body Syst.* **45** (2009) 95–98.
- [261] J. P. Dedonder, B. Loiseau, B. El-Bennich, and S. Wycech, *On the structure of the $X(1835)$ baryonium*, 0904.2163.
- [262] J. Gluza, A. Mitov, S. Moch, and T. Riemann, *The QCD form factor of heavy quarks at NNLO*, *JHEP* **07** (2009) 001, [0905.1137].
- [263] T. Diakonidis *et. al.*, *A complete reduction of one-loop tensor 5- and 6-point integrals*, *Phys. Rev.* **D80** (2009) 036003, [0812.2134].
- [264] G. Nanava, Q. Xu, and Z. Was, *Matching NLO parton shower matrix element with exact phase space: case of $W \rightarrow l\nu(\text{gamma})$ and $\gamma^* \rightarrow \pi^+\pi^-(\text{gamma})$* , 0906.4052.
- [265] B. Blossier, M. Della Morte, G. von Hippel, T. Mendes, and R. Sommer, *On the generalized eigenvalue method for energies and matrix elements in lattice field theory*, *JHEP* **04** (2009) 094, [0902.1265].
- [266] B. Blossier, G. von Hippel, T. Mendes, R. Sommer, and M. Della Morte, *Efficient use of the Generalized Eigenvalue Problem*, *PoS LATTICE2008* (2008) 135, [0808.1017].
- [267] V. Bernard, M. Oertel, E. Passemar, and J. Stern, *Dispersive representation and shape of the K_{l3} form factors: robustness*, *Phys. Rev.* **D80** (2009) 034034, [0903.1654].
- [268] M. Davier, A. Hoecker, B. Malaescu, C. Z. Yuan, and Z. Zhang, *Reevaluation of the hadronic contribution to the muon magnetic anomaly using new $e^+e^- \rightarrow \pi^+\pi^-$ cross section data from BABAR*, 0908.4300.

-
- [269] M. Davier, *Precise α_s determination from τ decays*, *Nucl. Phys. Proc. Suppl.* **189** (2009) 54–59.
- [270] M. Davier *et. al.*, *The Discrepancy Between τ and e^+e^- Spectral Functions Revisited and the Consequences for the Muon Magnetic Anomaly*, 0906.5443.
- [271] M. Zdrahal, K. Kampf, M. Knecht, and J. Novotny, *Dispersive construction of two-loop $P \rightarrow 3\pi$ ($P = K, \eta$) amplitudes*, 0905.4868.
- [272] K. Kampf, M. Knecht, J. Novotny, and M. Zdrahal, *Dispersive representation of $K \rightarrow 3\pi$ amplitudes and cusps*, *Nucl. Phys. Proc. Suppl.* **186** (2009) 334–337, [0810.1906].
- [273] C. Alexandrou *et. al.*, *The low-lying baryon spectrum with two dynamical twisted mass fermions*, 0910.2419.
- [274] V. Bernard, D. Hoja, U. G. Meissner, and A. Rusetsky, *The mass of the Delta resonance in a finite volume: fourth-order calculation*, *JHEP* **06** (2009) 061, [0902.2346].
- [275] G. Colangelo, J. Gasser, and A. Rusetsky, *Isospin breaking in $Kl4$ decays*, *Eur. Phys. J.* **C59** (2009) 777–793, [0811.0775].
- [276] J. Gasser, V. E. Lyubovitskij, and A. Rusetsky, *Hadronic Atoms*, 0903.0257.
- [277] C. Greub, M. Neubert, and B. D. Pecjak, *NNLO corrections to $B \rightarrow X_u l \nu$ and the determination of $|V_{ub}|$* , 0909.1609.
- [278] O. Bär, S. Necco, and S. Schaefer, *The epsilon regime with Wilson fermions*, *JHEP* **03** (2009) 006, [0812.2403].
- [279] O. Bär, S. Necco, and S. Schaefer, *Exploring the epsilon regime with lattice Wilson fermions*, 0904.4407.
- [280] T. Aushev *et. al.*, *Physics at Super B Factory*, 1002.5012.
- [281] **SuperB** Collaboration, B. O’Leary *et. al.*, *SuperB Progress Reports – Physics*, 1008.1541.
- [282] M. González-Alonso, A. Pich, and J. Prades, *Duality violation in QCD Sum Rules with the LR correlator*, arXiv:1010.1219.
- [283] M. González-Alonso, A. Pich, and J. Prades, *Pinched weights and Duality Violation in QCD Sum Rules: a critical analysis*, *Phys.Rev.* **D82** (2010) 014019, [arXiv:1004.4987].
- [284] M. González-Alonso, A. Pich, and J. Prades, *Violation of Quark-Hadron Duality and Spectral Chiral Moments in QCD*, *Phys.Rev.* **D81** (2010) 074007, [arXiv:1001.2269].
- [285] **KLOE** Collaboration, A. Di Domenico *et. al.*, *CPT symmetry and quantum mechanics tests in the neutral kaon system at KLOE*, *Found. Phys.* **40** (2010) 852–866.
- [286] **KLOE** Collaboration, F. Ambrosino *et. al.*, *Measurement of $\sigma(e^+e^- \rightarrow \pi^+\pi^-)$ from threshold to 0.85GeV^2 using Initial State Radiation with the KLOE detector*, 1006.5313.
- [287] **KLOE** Collaboration, F. Ambrosino *et. al.*, *Measurement of the $\eta \rightarrow 3\pi^0$ slope parameter α with the KLOE detector*, *Phys. Lett.* **B694** (2010) 16–21, [1004.1319].

- [288] G. Amelino-Camelia, F. Archilli, D. Babusci, D. Badoni, G. Bencivenni, *et. al.*, *Physics with the KLOE-2 experiment at the upgraded DAΦNE*, *Eur.Phys.J.* **C68** (2010) 619–681, [arXiv:1003.3868].
- [289] **KLOE** Collaboration, S. E. Muller *et. al.*, *Measurement of the pion form factor for $M_{\pi\pi}^2$ between 0.1 and 0.85 GeV² with the KLOE detector*, 0912.2205.
- [290] M. Antonelli, V. Cirigliano, G. Isidori, F. Mescia, M. Moulson, *et. al.*, *An Evaluation of $|V_{us}|$ and precise tests of the Standard Model from world data on leptonic and semileptonic kaon decays*, *Eur. Phys. J. C* (2010) [arXiv:1005.2323].
- [291] V. K. Magas, J. Yamagata-Sekihara, S. Hirenzaki, E. Oset, and A. Ramos, *Proton emission off nuclei induced by kaons in flight*, *Phys. Rev.* **C81** (2010) 024609, [0911.3614].
- [292] J. Nieves, J. M. Flynn, and E. Hernandez, *Semileptonic bc to cc and bb to bc Baryon Decays and Heavy Quark Spin Symmetry*, 0912.2226.
- [293] S. Actis *et. al.*, *Quest for precision in hadronic cross sections at low energy: Monte Carlo tools vs. experimental data*, *Eur. Phys. J.* **C66** (2010) 585–686, [0912.0749].
- [294] **The BABAR** Collaboration, J. P. Lees *et. al.*, *Measurement of the $\gamma\gamma^* \rightarrow \eta_c$ transition form factor*, *Phys. Rev.* **D81** (2010) 052010, [1002.3000].
- [295] J. Bernabeu *et. al.*, *EURONU WP6 2009 yearly report: Update of the physics potential of Nufact, superbeams and betabeams*, 1005.3146.
- [296] I. Bierenbaum, S. Catani, P. Dragoiotis, and G. Rodrigo, *A Tree-Loop Duality Relation at Two Loops and Beyond*, 1007.0194.
- [297] L. Cappiello, O. Catà, and G. D’Ambrosio, *Improving the hadronic light by light contribution to the $(g - 2)_\mu$ with holographic models of QCD*, arXiv:1009.1161.
- [298] J. F. Kamenik, O. Cata, and G. Isidori, *Signatures of heavy vectors in Higgsless models*, *PoS EPS-HEP2009* (2009) 266.
- [299] L. Cappiello, O. Catà, and G. D’Ambrosio, *Antisymmetric tensors in holographic approaches to QCD*, arXiv:1004.2497.
- [300] **ETM** Collaboration, M. Constantinou *et. al.*, *BK-parameter from $N_f = 2$ twisted mass lattice QCD*, 1009.5606.
- [301] **ETM Collaboration** Collaboration, R. Baron *et. al.*, *Light Meson Physics from Maximally Twisted Mass Lattice QCD*, *JHEP* **1008** (2010) 097, [arXiv:0911.5061].
- [302] R. Baron *et. al.*, *First results of ETMC simulations with $N_f=2+1+1$ maximally twisted mass fermions*, *PoS LAT2009* (2009) 104, [0911.5244].
- [303] **ETM** Collaboration, B. Blossier *et. al.*, *Ghost-gluon coupling, power corrections and $\Lambda_{\overline{\text{MS}}}$ from twisted-mass lattice QCD at $N_f = 2$* , *Phys. Rev.* **D82** (2010) 034510, [1005.5290].
- [304] **ETM Collaboration** Collaboration, R. Baron *et. al.*, *Kaon and D meson masses with $N_f = 2+1+1$ twisted mass lattice QCD*, arXiv:1009.2074. * Temporary entry *.

-
- [305] **ETM** Collaboration, B. Blossier *et. al.*, *Quark masses with $N_f = 2$ twisted mass lattice QCD*, 1011.1862.
- [306] **European Twisted Mass** Collaboration, R. Baron *et. al.*, *Computing K and D meson masses with $N_f = 2 + 1 + 1$ twisted mass lattice QCD*, 1005.2042.
- [307] R. Baron, P. Boucaud, J. Carbonell, A. Deuzeman, V. Drach, *et. al.*, *Light hadrons from lattice QCD with light (u, d), strange and charm dynamical quarks*, *JHEP* **1006** (2010) 111, [arXiv:1004.5284].
- [308] **ETM** Collaboration, M. Constantinou *et. al.*, *Non-perturbative renormalization of quark bilinear operators with $N_f = 2$ (tmQCD) Wilson fermions and the tree-level improved gauge action*, *JHEP* **08** (2010) 068, [1004.1115].
- [309] **ETM** Collaboration, V. Bertone *et. al.*, *Kaon oscillations in the Standard Model and Beyond using $N_f = 2$ dynamical quarks*, *PoS LAT2009* (2009) 258, [0910.4838].
- [310] G. Colangelo, S. Lanz, and E. Passemar, *A New Dispersive Analysis of $\eta \rightarrow 3\pi$* , 0910.0765.
- [311] D. Gómez-Dumm, P. Roig, A. Pich, and J. Portolés, *$\tau \rightarrow \pi\pi\nu_\tau$ decays and the $a_1(1260)$ off-shell width revisited*, *Phys.Lett.* **B685** (2010) 158–164, [arXiv:0911.4436].
- [312] D. Gómez-Dumm, P. Roig, A. Pich, and J. Portolés, *Hadron structure in $\tau \rightarrow KK\nu_\tau$ decays*, *Phys.Rev.* **D81** (2010) 034031, [arXiv:0911.2640].
- [313] V. Bernard and E. Passemar, *Chiral Extrapolation of the Strangeness Changing $K\pi$ Form Factor*, *JHEP* **1004** (2010) 001, [arXiv:0912.3792].
- [314] **KTeV collaboration** Collaboration, E. Abouzaid *et. al.*, *Dispersive analysis of $K_{\ell\mu 3}$ and $K_{\ell e 3}$ scalar and vector form factors using KTeV data*, *Phys.Rev.* **D81** (2010) 052001, [arXiv:0912.1291].
- [315] F. Bernardoni, P. Hernández, N. Garron, S. Necco, and C. Pena, *Probing the chiral regime of $N_F = 2$ QCD with mixed actions*, 1008.1870.
- [316] F. Bernardoni, P. Hernández, N. Garron, S. Necco, and C. Pena, *Mixed action computations on fine dynamical lattices*, 0911.3756.
- [317] O. Cata and J. F. Kamenik, *ElectroWeak Precision Observables at One-Loop in Higgsless models*, 1010.2226.
- [318] Y. Kiyo, A. Pineda, and A. Signer, *New determination of inclusive electromagnetic decay ratios of heavy quarkonium from QCD*, *Nucl. Phys.* **B841** (2010) 231–256.
- [319] Y. Kiyo, A. Pineda, and A. Signer, *Improved determination of inclusive electromagnetic decay ratios of heavy quarkonium from QCD*, 1006.2685.
- [320] N. Brambilla, X. Garcia i Tormo, J. Soto, and A. Vairo, *Precision determination of $r_0\Lambda_{MS}$ from the QCD static energy*, 1006.2066.

- [321] N. Brambilla, M. A. Escobedo, J. Ghiglieri, J. Soto, and A. Vairo, *Heavy Quarkonium in a weakly-coupled quark-gluon plasma below the melting temperature*, *JHEP* **09** (2010) 038, [1007.4156].
- [322] Z.-H. Guo and P. Roig, *One meson radiative tau decays*, 1009.2542.
- [323] U. Egede, T. Hurth, J. Matias, M. Ramon, and W. Reece, *The exclusive $B \rightarrow K^*(\rightarrow K\pi)l^+l^-$ decay: CP conserving observables*, *Acta Phys. Polon.* **B3** (2010) 151–157, [0912.1339].
- [324] U. Egede, T. Hurth, J. Matias, M. Ramon, and W. Reece, *New physics reach of CP violating observables in the decay $B \rightarrow K^*l^+l^-$* , *PoS EPS-HEP2009* (2009) 184, [0912.1349].
- [325] U. Egede, T. Hurth, J. Matias, M. Ramon, and W. Reece, *New physics reach of the decay mode $\bar{B} \rightarrow \bar{K}^{*0}l^+l^-$* , *JHEP* **10** (2010) 056, [1005.0571].
- [326] A. Bharucha, T. Feldmann, and M. Wick, *Theoretical and Phenomenological Constraints on Form Factors for Radiative and Semi-Leptonic B-Meson Decays*, *JHEP* **09** (2010) 090, [1004.3249].
- [327] A. Ibarra, E. Molinaro, and S. T. Petcov, *TeV Scale See-Saw Mechanisms of Neutrino Mass Generation, the Majorana Nature of the Heavy Singlet Neutrinos and $\beta\beta$ -Decay*, 1007.2378.
- [328] F. Mahmoudi *et. al.*, *Flavour Les Houches Accord: Interfacing Flavour related Codes*, 1008.0762.
- [329] T. Gehrmann, E. W. N. Glover, T. Huber, N. Ikizlerli, and C. Studerus, *Calculation of the quark and gluon form factors to three loops in QCD*, *JHEP* **06** (2010) 094, [1004.3653].
- [330] F. Azfar *et. al.*, *Formulae for the Analysis of the Flavor-Tagged Decay $B_s^0 \rightarrow J/\psi\phi$* , 1008.4283.
- [331] P. Colangelo, F. Giannuzzi, and S. Nicotri, *Holography, Heavy-Quark Free Energy, and the QCD Phase Diagram*, 1008.3116.
- [332] P. Fritzsche, J. Heitger, and N. Tantalo, *Non-perturbative improvement of quark mass renormalization in two-flavour lattice QCD*, *JHEP* **08** (2010) 074, [1004.3978].
- [333] G. Colangelo *et. al.*, *Review of lattice results concerning low energy particle physics*, 1011.4408.
- [334] R. Arthur *et. al.*, *Light Meson Distribution Amplitudes*, 1011.2883.
- [335] P. Gambino, T. Mannel, and N. Uraltsev, *$B \rightarrow D^*$ at zero recoil revisited*, *Phys. Rev.* **D81** (2010) 113002, [1004.2859].
- [336] A. J. Buras, K. Gemmler, and G. Isidori, *Quark flavour mixing with right-handed currents: an effective theory approach*, *Nucl.Phys.* **B843** (2011) 107–142, [1007.1993].
- [337] A. J. Buras, M. V. Carlucci, S. Gori, and G. Isidori, *Higgs-mediated FCNCs: Natural Flavour Conservation vs. Minimal Flavour Violation*, *JHEP* **1010** (2010) 009, [1005.5310].
- [338] A. J. Buras, D. Guadagnoli, and G. Isidori, *On ϵ_K beyond lowest order in the Operator Product Expansion*, *Phys.Lett.* **B688** (2010) 309–313, [1002.3612].

-
- [339] H. M. Asatrian, T. Ewerth, A. Ferroglia, C. Greub, and G. Ossola, *Complete (O_7, O_8) contribution to $B \rightarrow X_s \gamma$ at order α_s^2* , *Phys. Rev.* **D82** (2010) 074006, [1005.5587].
- [340] A. J. Buras, G. Isidori, and P. Paradisi, *EDMs vs. CPV in $B_{s,d}$ mixing in two Higgs doublet models with MFV, to appear in *Phys. Lett.* **B** (2010) [1007.5291].*
- [341] N. Brambilla *et. al.*, *Heavy quarkonium: progress, puzzles, and opportunities*, 1010.5827.
- [342] H. Czyz, A. Grzelinska, and J. H. Kuhn, *Narrow resonances studies with the radiative return method*, *Phys. Rev.* **D81** (2010) 094014, [1002.0279].
- [343] M. Misiak and M. Steinhauser, *Large- m_c Asymptotic Behaviour of $O(\alpha_s^2)$ Corrections to $B \rightarrow X_s \gamma$* , *Nucl. Phys.* **B840** (2010) 271–283, [1005.1173].
- [344] A. Lenz *et. al.*, *Anatomy of New Physics in $B-\bar{B}$ mixing*, 1008.1593.
- [345] G. Bell, M. Beneke, T. Huber, and X.-Q. Li, *Heavy-to-light currents at NNLO in SCET and semi-inclusive $\bar{B} \rightarrow X_s \ell^+ \ell^-$ decay*, *Nucl. Phys.* **B843** (2011) 143–176, [1007.3758].
- [346] **NA48/2** Collaboration, J. R. Batley *et. al.*, *Empirical parameterization of the $K^\pm \rightarrow \pi^\pm \pi^0 \pi^0$ decay Dalitz plot*, *Phys. Lett.* **B686** (2010) 101–108, [1004.1005].
- [347] **NA48/2** Collaboration, J. R. Batley *et. al.*, *Measurement of the direct emission and interference terms and search for CP violation in the decay $K^\pm \rightarrow \pi^\pm \pi^0 \gamma$* , *Eur. Phys. J.* **C68** (2010) 75–87, [1004.0494].
- [348] **NA48/2** Collaboration, J. R. Batley *et. al.*, *Determination of the S-wave pi pi scattering lengths from a study of $K^\pm \rightarrow \pi^\pm \pi^0 \pi^0$ decays*, *Eur. Phys. J.* **C64** (2009) 589–608, [0912.2165].
- [349] L. Giusti, B. Taglienti, and S. Petrarca, *Towards a precise determination of the topological susceptibility in the $SU(3)$ Yang-Mills theory*, *PoS LAT2009* (2009) 229, [arXiv:1002.0444].
- [350] W. Lucha, D. Melikhov, H. Sazdjian, and S. Simula, *Effective continuum threshold for vacuum-to-bound-state correlators*, *Phys. Rev.* **D80** (2009) 114028, [0910.3164].
- [351] W. Lucha, D. Melikhov, and S. Simula, *Extraction of ground-state decay constant from dispersive sum rules: QCD vs potential models*, *Phys. Lett.* **B687** (2010) 48–52, [0912.5017].
- [352] W. Lucha, D. Melikhov, and S. Simula, *Decay constants of heavy pseudoscalar mesons from QCD sum rules*, 1008.2698.
- [353] D. Aristizabal Sierra, J. F. Kamenik, and M. Nemevšek, *Implications of Flavor Dynamics for Fermion Triplet Leptogenesis*, *JHEP* **10** (2010) 036, [1007.1907].
- [354] P. Gambino and J. F. Kamenik, *Lepton energy moments in semileptonic charm decays*, *Nucl. Phys.* **B840** (2010) 424–437, [1004.0114].
- [355] W. Broniowski, S. Prelovsek, L. Šantelj, and E. R. Arriola, *Pion wave function from lattice QCD vs. chiral quark models*, *Phys. Lett.* **B686** (2010) 313–318, [0911.4705].
- [356] J. Gluza, K. Kajda, T. Riemann, and V. Yundin, *Numerical Evaluation of Tensor Feynman Integrals in Euclidean Kinematics*, arXiv:1010.1667.

-
- [357] J. Gluza, K. Kajda, T. Riemann, and V. Yundin, *News on Ambre and CSectors*, arXiv:1006.4728.
- [358] K. Kampf, J. Novotny, and J. Trnka, *Renormalization and additional degrees of freedom within the chiral effective theory for spin-1 resonances*, *Phys.Rev.* **D81** (2010) 116004, [arXiv:0912.5289].
- [359] J. Bijnens and K. Kampf, *Neutral pseudoscalar meson decays: $\pi^0, \eta \rightarrow \gamma\gamma$ in $SU(3)$ limit*, 1009.5493.
- [360] G. Colangelo, A. Fuhrer, and S. Lanz, *Finite volume effects for nucleon and heavy meson masses*, *Phys.Rev.* **D82** (2010) 034506, [arXiv:1005.1485].
- [361] B. Blossier, G. von Hippel, N. Garron, and T. Mendes, *Nonperturbative HQET at order $1/m$* , *Int. J. Mod. Phys.* **D19** (2010) 1661–1666.
- [362] **ALPHA** Collaboration, B. Blossier *et. al.*, *HQET at order $1/m$: III. Decay constants in the quenched approximation*, 1006.5816.
- [363] **Alpha** Collaboration, B. Blossier *et. al.*, *HQET at order $1/m$: II. Spectroscopy in the quenched approximation*, *JHEP* **05** (2010) 074, [1004.2661].
- [364] B. Blossier, M. della Morte, N. Garron, and R. Sommer, *HQET at order $1/m$: I. Non-perturbative parameters in the quenched approximation*, *JHEP* **06** (2010) 002, [1001.4783].
- [365] B. Blossier *et. al.*, *Spectroscopy and Decay Constants from Nonperturbative HQET at Order $1/m$* , 0911.1568.
- [366] M. Della Morte and A. Jüttner, *Quark disconnected diagrams in chiral perturbation theory*, 1009.3783.
- [367] O. Bar, S. Necco, and A. Shindler, *The epsilon regime with twisted mass Wilson fermions*, *JHEP* **04** (2010) 053, [1002.1582].
- [368] S. Schaefer and F. Virota, *Autocorrelations in Hybrid Monte Carlo Simulations*, 1011.5151.