

List of joint publications

- [1] M. Bona *et. al.*, *SuperB: A high-luminosity asymmetric e^+e^- super flavor factory. Conceptual design report*, arXiv:0709.0451 [hep-ex].
- [2] **BABAR** Collaboration, B. Aubert *et. al.*, *The $e^+e^- \rightarrow K^+K^-\pi^+\pi^-$, $K^+K^-\pi^0\pi^0$ and $K^+K^-K^+K^-$ Cross Sections Measured with Initial-State Radiation*, *Phys. Rev.* **D76** (2007) 012008, [arXiv:0704.0630 [hep-ex]].
- [3] J. A. Oller, M. Verbeni, and J. Prades, *Meson - baryon effective chiral Lagrangian at $O(q^3)$* , *JHEP* **09** (2006) 079 (Err.), [hep-ph/0701096].
- [4] J. A. Oller, J. Prades, and M. Verbeni, *Aspects of strangeness -1 meson baryon scattering*, *Eur. Phys. J.* **A31** (2007) 527–533, [hep-ph/0609065].
- [5] **NPLQCD** Collaboration, S. R. Beane *et. al.*, *Hyperon nucleon scattering from fully-dynamical lattice QCD*, *Nucl. Phys.* **A794** (2007) 62–72, [hep-lat/0612026].
- [6] E. Gamiz, M. Jamin, A. Pich, J. Prades, and F. Schwab, *Theoretical progress on the V_{us} determination from tau decays*, arXiv:0709.0282 [hep-ph].
- [7] E. Gamiz, M. Jamin, A. Pich, J. Prades, and F. Schwab, *$|V_{us}|$ and m_s from hadronic tau decays*, *Nucl. Phys. Proc. Suppl.* **169** (2007) 85–89, [hep-ph/0612154].
- [8] E. Gamiz, M. Jamin, A. Pich, J. Prades, and F. Schwab, *$|V_{us}|$ from strange hadronic tau data*, hep-ph/0610246.
- [9] M. Ciuchini *et. al.*, *$D - \bar{D}$ mixing and new physics: general considerations and constraints on the MSSM*, *Phys. Lett.* **B655** (2007) 162–166, [hep-ph/0703204].
- [10] J. Portoles, I. Rosell, and P. Ruiz-Femenia, *Vanishing chiral couplings in the large- N_C resonance theory*, *Phys. Rev.* **D75** (2007) 114011, [hep-ph/0611375].
- [11] O. Antuñano, J. H. Kuhn, and G. Rodrigo, *Top quarks, axigluons and charge asymmetries at hadron colliders*, arXiv:0709.1652 [hep-ph].
- [12] B. Blossier *et. al.*, *Light quark masses and pseudoscalar decay constants from $N_f = 2$ lattice QCD with twisted mass fermions*, arXiv:0709.4574 [hep-lat].

- [13] **ETM** Collaboration, P. Boucaud *et. al.*, *Dynamical twisted mass fermions with light quarks*, *Phys. Lett.* **B650** (2007) 304–311, [hep-lat/0701012].
- [14] M. Ciuchini *et. al.*, *Soft SUSY breaking grand unification: Leptons vs quarks on the flavor playground*, *Nucl. Phys.* **B783** (2007) 112–142, [hep-ph/0702144].
- [15] U. Aglietti *et. al.*, *Tevatron-for-LHC report: Higgs*, hep-ph/0612172.
- [16] U. Aglietti, R. Bonciani, G. Degrassi, and A. Vicini, *Analytic results for virtual QCD corrections to Higgs production and decay*, *JHEP* **01** (2007) 021, [hep-ph/0611266].
- [17] R. Bonciani, G. Degrassi, and A. Vicini, *Scalar particle contribution to Higgs production via gluon fusion at NLO*, arXiv:0709.4227 [hep-ph].
- [18] U. Aglietti, R. Bonciani, L. Grassi, and E. Remiddi, *The two loop crossed ladder vertex diagram with two massive exchanges*, arXiv:0705.2616 [hep-ph].
- [19] O. Buchmueller *et. al.*, *Prediction for the Lightest Higgs Boson Mass in the CMSSM using Indirect Experimental Constraints*, arXiv:0707.3447 [hep-ph].
- [20] G. Isidori, F. Mescia, P. Paradisi, and D. Temes, *Flavour physics at large $\tan(\beta)$ with a bino-like lsp* , *Phys. Rev.* **D75** (2007) 115019, [hep-ph/0703035].
- [21] F. Jugeau, A. Le Yaouanc, L. Oliver, and J. C. Raynal, *Explicit form of the Isgur-Wise function in the BPS limit*, *Phys. Rev.* **D74** (2006) 094012.
- [22] F. Jugeau, A. Le Yaouanc, L. Oliver, and J. C. Raynal, *The Isgur-Wise function in the BPS limit*, hep-ph/0611031.
- [23] C. Haefeli, M. A. Ivanov, M. Schmid, and G. Ecker, *On the mesonic Lagrangian of order p^6 in chiral $SU(2)$* , arXiv:0705.0576 [hep-ph].
- [24] J. Gasser, C. Haefeli, M. A. Ivanov, and M. Schmid, *Integrating out strange quarks in ChPT*, *Phys. Lett.* **B652** (2007) 21–26, [arXiv:0706.0955 [hep-ph]].
- [25] L. Giusti and S. Necco, *Spontaneous chiral symmetry breaking in QCD: A finite-size scaling study on the lattice*, *JHEP* **04** (2007) 090, [hep-lat/0702013].
- [26] L. Giusti *et. al.*, *On $K \rightarrow \pi\pi$ amplitudes with a light charm quark*, *Phys. Rev. Lett.* **98** (2007) 082003, [hep-ph/0607220].
- [27] J. M. Flynn and J. Nieves, *Elastic s -wave scattering phase shifts and $|V_{ub}|$ from lattice calculations of form factors for exclusive semileptonic decays*, in *Lattice 2007* (V. M. Braun, and C. Gattringer, eds.), vol. PoS(LATTICE 2007), p. 352, 2007. SHEP--0737.
- [28] J. M. Flynn and J. Nieves, *Semileptonic bc to cc baryon decay and heavy quark spin symmetry*, *Phys. Rev.* **D76** (2007) 017502, [arXiv:0706.2805 [hep-ph]].
- [29] J. M. Flynn and J. Nieves, *$|V_{ub}|$ from exclusive semileptonic $B \rightarrow \pi$ decays revisited*, *Phys. Rev.* **D76** (2007) 031302, [arXiv:0705.3553 [hep-ph]].

-
- [30] J. M. Flynn and J. Nieves, $|V_{ub}|$ from exclusive semileptonic $B \rightarrow \pi$ decays, *Phys. Lett.* **B649** (2007) 269–274, [hep-ph/0703284].
- [31] J. M. Flynn and J. Nieves, Elastic s -wave $B \pi$, $D \pi$, $D K$ and $K \pi$ scattering from lattice calculations of scalar form factors in semileptonic decays, *Phys. Rev.* **D75** (2007) 074024, [hep-ph/0703047].
- [32] R. Fleischer, S. Recksiegel, and F. Schwab, On puzzles and non-puzzles in $B \rightarrow \pi\pi, \pi K$ decays, *Eur. Phys. J.* **C51** (2007) 55–61, [hep-ph/0702275].
- [33] N. Brambilla, X. Garcia i Tormo, J. Soto, and A. Vairo, Extraction of α_s from radiative $\Upsilon(1S)$ decays, *Phys. Rev.* **D75** (2007) 074014, [hep-ph/0702079].
- [34] N. Brambilla, X. Garcia i Tormo, J. Soto, and A. Vairo, The logarithmic contribution to the QCD static energy at NNNLO, *Phys. Lett.* **B647** (2007) 185, [hep-ph/0610143].
- [35] U. Aglietti *et al.*, Threshold resummation in $B \rightarrow X_c l \nu_l$ decays, *Phys. Lett.* **B653** (2007) 38–52, [arXiv:0707.2010 [hep-ph]].
- [36] J. Bijnens and J. Prades, The hadronic light-by-light contribution to the muon anomalous magnetic moment: Where do we stand?, *Mod. Phys. Lett.* **A22** (2007) 767–782, [hep-ph/0702170].
- [37] J. Bijnens and J. Prades, Status of the hadronic light-by-light contribution to the muon anomalous magnetic moment, hep-ph/0701240.
- [38] S. Descotes-Genon, J. Matias, and J. Virto, Penguin-mediated $B_{d,s} \rightarrow VV$ decays and the $B_s - \bar{B}_s$ mixing angle, arXiv:0705.0477 [hep-ph].
- [39] P. Boucaud *et al.*, Divergent IR gluon propagator from Ward-Slavnov-Taylor identities?, *JHEP* **03** (2007) 076, [hep-ph/0702092].
- [40] P. Boucaud *et al.*, Constraints on the IR behaviour of gluon and ghost propagator from Ward-Slavnov-Taylor identities, *Eur. Phys. J.* **A31** (2007) 750–753, [hep-ph/0701114].
- [41] **KLOE** Collaboration, F. Ambrosino *et al.*, Measurement of the DAFNE luminosity with the KLOE detector using large angle Bhabha scattering, *Eur. Phys. J.* **C47** (2006) 589–596, [hep-ex/0604048].
- [42] **KLOE** Collaboration, F. Ambrosino *et al.*, KLOE extraction of $a_\mu^{\pi\pi}$ in the mass range $[0.35, 0.95]$ GeV^2 , 0707.4078.
- [43] **KLOE Collaboration**, F. Ambrosino *et al.*, A study of the radiative $K_L \rightarrow \pi\nu e(\gamma)$ decay and possible observation of direct photon emission with the KLOE detector, arXiv:0707.4634 [hep-ex].
- [44] **KLOE** Collaboration, F. Ambrosino *et al.*, Measurements of the form-factors slopes of $K_L \rightarrow \pi\nu\mu$ decay with the KLOE detector, arXiv:0707.4631 [hep-ex].
- [45] **KLOE** Collaboration, F. Ambrosino *et al.*, Measurement of the eta mass at KLOE, arXiv:0707.4616 [hep-ex].

- [46] **KLOE** Collaboration, F. Ambrosino *et al.*, *Study of the radiative decay ϕ to $a_0(980)$ gamma with the KLOE detector*, arXiv:0707.4609 [hep-ex].
- [47] **KLOE** Collaboration, . F. Ambrosino *et al.*, *Measurement of the slope parameter α for the $\eta \rightarrow 3\pi^0$ decay at KLOE*, arXiv:0707.4137 [hep-ex].
- [48] **KLOE** Collaboration, . F. Ambrosino *et al.*, *Study of the process $e^+e^- \rightarrow \omega\pi^0$ with the KLOE detector*, arXiv:0707.4130 [hep-ex].
- [49] **KLOE** Collaboration, F. Ambrosino *et al.*, *Branching ratio measurement of $K_S \rightarrow \gamma\gamma$ decay using a pure K_S beam in the KLOE detector*, arXiv:0707.3933 [hep-ex].
- [50] **KLOE** Collaboration, F. Ambrosino *et al.*, *Search for the $K_S \rightarrow e^+e^-$ decay with the KLOE detector at DAFNE*, arXiv:0707.2687 [hep-ex].
- [51] **Kloe** Collaboration, F. Ambrosino *et al.*, *The measurement of the absolute branching ratio of the $K^+ \rightarrow \pi^+\pi^0(\gamma)$ decay at KLOE*, arXiv:0707.2654 [hep-ex].
- [52] **KLOE** Collaboration, F. Ambrosino *et al.*, *KLOE measurement of the charged kaon absolute semileptonic BR's*, arXiv:0707.2532 [hep-ex].
- [53] **KLOE** Collaboration, F. Ambrosino *et al.*, *Determination of the $\eta \rightarrow \pi^+\pi^-\pi^0$ Dalitz plot slopes and asymmetries with the KLOE detector*, arXiv:0707.2355 [hep-ex].
- [54] **KLOE** Collaboration, P. Massarotti *et al.*, *Charged kaon lifetime at KLOE*, arXiv:0705.4408 [hep-ex].
- [55] **KLOE** Collaboration, P. Gauzzi *et al.*, *Latest results from KLOE at DAFNE*, *Int. J. Mod. Phys. A* **22** (2007) 357–364.
- [56] **KLOE** Collaboration, F. Ambrosino *et al.*, *Measurement of the pseudoscalar mixing angle and eta' gluonium content with KLOE detector*, *Phys. Lett.* **B648** (2007) 267–273, [hep-ex/0612029].
- [57] **KLOE** Collaboration, F. Ambrosino *et al.*, *Determination of CP and CPT violation parameters in the neutral kaon system using the Bell-Steinberger relation and data from the KLOE experiment*, *JHEP* **12** (2006) 011, [hep-ex/0610034].
- [58] H. Czyz, A. Grzelinska, and J. H. Kuhn, *Spin asymmetries and correlations in Λ pair production through the radiative return method*, *Phys. Rev.* **D75** (2007) 074026, [hep-ph/0702122].
- [59] H. Czyz and A. Grzelinska, *Radiative return physics program within EURIDICE network*, *Acta Phys. Polon.* **B38** (2007) 2989–2998, [0707.1275].
- [60] M. Misiak *et al.*, *The first estimate of $B(\bar{B} \rightarrow X_s\gamma)$ at $O(\alpha_s^2)$* , *Phys. Rev. Lett.* **98** (2007) 022002, [hep-ph/0609232].
- [61] M. Misiak and M. Steinhauser, *NNLO QCD corrections to the $\bar{B} \rightarrow X_s\gamma$ matrix elements using interpolation in $m - c$* , *Nucl. Phys.* **B764** (2007) 62–82, [hep-ph/0609241].
- [62] A. G. Grozin *et al.*, *The B-meson mass splitting from non-perturbative quenched lattice QCD*, arXiv:0710.0578 [hep-lat].

-
- [63] P. Colangelo, F. De Fazio, R. Ferrandes, and T. N. Pham, *Spin effects in rare $B \rightarrow X_s \tau^+ \tau^-$ and $B \rightarrow K^* \tau^+ \tau^-$ decays in a single universal extra dimension scenario*, *Phys. Rev.* **D74** (2006) 115006, [hep-ph/0610044].
- [64] F. Buccella, D. Falcone, and L. Oliver, *Leptogenesis and quark-lepton symmetry*, *Phys. Rev.* **D77** (2008) 033002, [0708.2000].
- [65] P. Dimopoulos *et. al.*, *Flavour symmetry restoration and kaon weak matrix elements in quenched twisted mass QCD*, *Nucl. Phys.* **B776** (2007) 258–285, [hep-lat/0702017].
- [66] P. Colangelo, F. De Fazio, R. Ferrandes, and T. N. Pham, *FCNC B_s and Λ_b transitions: Standard Model versus a single Universal Extra Dimension scenario*, arXiv:0709.2817 [hep-ph].
- [67] D. Becirevic, V. Lubicz, and F. Mescia, *An estimate of the $B \rightarrow K^* \gamma$ form factor*, *Nucl. Phys.* **B769** (2007) 31–43, [hep-ph/0611295].
- [68] **UTfit** Collaboration, M. Bona *et. al.*, *Improved determination of the CKM angle α from $B \rightarrow \pi\pi$ decays*, *Phys. Rev.* **D76** (2007) 014015, [hep-ph/0701204].
- [69] M. Bona *et. al.*, *Status of the Cabibbo-Kobayashi-Maskawa matrix and unitarity triangle fits*, *AIP Conf. Proc.* **881** (2007) 210–219.
- [70] **UTfit** Collaboration, M. Bona *et. al.*, *Model-independent constraints on $\Delta F = 2$ operators and the scale of New Physics*, arXiv:0707.0636 [hep-ph].
- [71] E. Baracchini *et. al.*, *Investigating the physics case of running a B-factory at the $\Upsilon(5S)$ resonance*, hep-ph/0703258.
- [72] **UTfit** Collaboration, V. Lubicz *et. al.*, *Lattice QCD confronts the unitarity triangle fit*, *Nucl. Phys. Proc. Suppl.* **163** (2007) 43–49.
- [73] F. Mescia and C. Smith, *Improved estimates of rare K decay matrix-elements from $K(13)$ decays*, *Phys. Rev.* **D76** (2007) 034017, [arXiv:0705.2025 [hep-ph]].
- [74] L. Del Debbio, L. Giusti, M. Luscher, R. Petronzio, and N. Tantalo, *QCD with light Wilson quarks on fine lattices. I: First experiences and physics results*, *JHEP* **02** (2007) 056, [hep-lat/0610059].
- [75] L. Del Debbio, L. Giusti, M. Luscher, R. Petronzio, and N. Tantalo, *QCD with light Wilson quarks on fine lattices. II: DD-HMC simulations and data analysis*, *JHEP* **02** (2007) 082, [hep-lat/0701009].
- [76] F. Palombi, M. Papinutto, C. Pena, and H. Wittig, *Non-perturbative renormalization of static-light four-fermion operators in quenched lattice QCD*, *JHEP* **09** (2007) 062, [0706.4153].
- [77] **ALPHA** Collaboration, P. Dimopoulos *et. al.*, *Non-perturbative scale evolution of four-fermion operators in two-flavour QCD*, *PoS LAT2006* (2006) 158, [hep-lat/0610077].
- [78] G. Cavoto, R. Fleischer, K. Trabelsi, and J. Zupan, *Angles from B Decays with Charm: Summary of Working Group 5 of the CKM Workshop 2006*, arXiv:0706.4227 [hep-ph].

- [79] **NA48/2** Collaboration, J. R. Batley *et. al.*, *Measurements of charged kaon semileptonic decay branching fractions $K^\pm \rightarrow \pi^0 \mu^\pm \nu$ and $K^\pm \rightarrow \pi^0 e^\pm \nu$ and their ratio*, *Eur. Phys. J.* **C50** (2007) 329–340, [hep-ex/0702015].
- [80] **NA48/I** Collaboration, J. R. Batley *et. al.*, *Measurement of the branching ratios of the decays $\Xi^0 \rightarrow \Sigma^+ e^- \bar{\nu}_e$ and $\Xi^0 \rightarrow \bar{\Sigma}^+ e^+ \nu_e$* , *Phys. Lett.* **B645** (2007) 36–46, [hep-ex/0612043].
- [81] **NA48** Collaboration, A. Lai *et. al.*, *Measurement of the ratio $\Gamma(K_L^0 \rightarrow \pi^+ \pi^-)/\Gamma(K_L^0 \rightarrow \pi^\pm e^\pm \nu)$ and extraction of the CP violation parameter $|\eta_\pm|$* , *Phys. Lett.* **B645** (2007) 26–35, [hep-ex/0611052].
- [82] **NA48** Collaboration, A. Lai *et. al.*, *Measurement of $K_L^0(\mu 3)$ form factors*, *Phys. Lett.* **B647** (2007) 341–350.
- [83] **NA48** Collaboration, J. R. Batley *et. al.*, *First observation and branching fraction and decay parameter measurements of the weak radiative decay $\Xi^0 \rightarrow \Lambda e^+ e^-$* , *Phys. Lett.* **B650** (2007) 1–8, [hep-ex/0703023].
- [84] **NA48/2** Collaboration, J. R. Batley *et. al.*, *Measurement of the Dalitz plot slope parameters of the $K^\pm \rightarrow \pi^\pm \pi^+ \pi^-$ decay*, *Phys. Lett.* **B649** (2007) 349–358, [hep-ex/0702045].
- [85] S. A. Wycech and A. M. Green, *The s- and p-wave attraction in bound k $\bar{n}n$, k $\bar{n}n\bar{n}$ states*, *Int. J. Mod. Phys.* **A22** (2007) 629–632.
- [86] M. Czakon, U. Haisch, and M. Misiak, *Four-loop anomalous dimensions for radiative flavour-changing decays*, *JHEP* **03** (2007) 008, [hep-ph/0612329].
- [87] J. Gluza, F. Haas, K. Kajda, and T. Riemann, *Automatizing the application of Mellin-Barnes representations for feynman integrals*, arXiv:0707.3567 [hep-ph].
- [88] J. Gluza, K. Kajda, and T. Riemann, *AMBRE - a Mathematica package for the construction of Mellin-Barnes representations for Feynman integrals*, *Comput. Phys. Commun.* **177** (2007) 879–893, [0704.2423].
- [89] S. Actis, M. Czakon, J. Gluza, and T. Riemann, *Two-Loop Fermionic Corrections to Massive Bhabha Scattering*, *Nucl. Phys.* **B786** (2007) 26–51, [0704.2400].
- [90] J. Gasser, M. A. Ivanov, and M. E. Sainio, *Revisiting $\gamma\gamma \rightarrow \pi^+ \pi^-$ at low energies*, *Nucl. Phys.* **B745** (2006) 84–108, [hep-ph/0602234].
- [91] J. O. Eeg, S. Fajfer, and J. Kamenik, *Chiral loop corrections to weak decays of B mesons to positive and negative parity charmed mesons*, *JHEP* **07** (2007) 078, [arXiv:0705.4567 [hep-ph]].
- [92] J. O. Eeg, S. Fajfer, and A. Prapotnik Brdnik, *Non-factorizable contributions to $\overline{B}_d^0 \rightarrow D_s^{(*)} \overline{D}_s^{(*)}$ from chiral loops and tree level $1/N_c$ terms*, *AIP Conf. Proc.* **806** (2006) 183–189, [hep-ph/0509252].
- [93] D. Becirevic, S. Fajfer, and J. Kamenik, *Chiral behavior of the $B_{d,s}-\bar{B}_{d,s}$ mixing amplitude in the standard model and beyond*, *JHEP* **06** (2007) 003, [hep-ph/0612224].

- [94] I. I. Bigi *et al.*, *Memorino on the ‘1/2 vs. 3/2 puzzle’ in $\bar{B} \rightarrow l\bar{\nu}X_c$ – a Year Later and a Bit Wiser*, *Eur. Phys. J.* **C52** (2007) 975–985, [0708.1621].
- [95] R. Babich *et al.*, *Matrix elements and diquark correlations in quenched QCD with overlap fermions*, *PoS LAT2006* (2006) 091, [hep-lat/0610079].
- [96] B. Kubis, E. H. Muller, J. Gasser, and M. Schmid, *Aspects of radiative $K+(e3)$ decays*, *Eur. Phys. J.* **C50** (2007) 557–571, [hep-ph/0611366].
- [97] A. Ali, B. D. Pecjak, and C. Greub, *$B \rightarrow V\gamma$ decays at NNLO in SCET*, arXiv:0709.4422 [hep-ph].
- [98] T. Kaneko *et al.*, *Non-perturbative improvement of the axial current with three dynamical flavors and the Iwasaki gauge action*, *JHEP* **04** (2007) 092, [hep-lat/0703006].
- [99] M. Della Morte, P. Fritzsche, and J. Heitger, *Non-perturbative renormalization of the static axial current in two-flavour QCD*, *JHEP* **02** (2007) 079, [hep-lat/0611036].
- [100] J. Gasser, V. Lyubovitskij, and A. Rusetsky, *Hadronic atoms in QCD + QED*, . Physics Reports (accepted for publication).
- [101] A. Pich, I. Rosell, and J. J. Sanz-Cillero, *Form-factors and current correlators: chiral couplings $L_{10}(\mu)$ and $C_{87}(\mu)$ at NLO in $1/N(C)$* , *JHEP* **07** (2008) 014, [0803.1567].
- [102] M. Jamin, A. Pich, and J. Portoles, *What can be learned from the Belle spectrum for the decay $\tau^- \rightarrow \nu_\tau K_S \pi^-$* , *Phys. Lett.* **B664** (2008) 78–83, [0803.1786].
- [103] M. Jamin and V. Mateu, *OPE-RchiT matching at order α_s : hard gluonic corrections to three-point Green functions*, *JHEP* **04** (2008) 040, [0802.2669].
- [104] J. Bernabeu and J. Prades, *The $\sigma \rightarrow \gamma$ gamma Width from Nucleon Electromagnetic Polarizabilities*, *Phys. Rev. Lett.* **100** (2008) 241804, [0802.1830].
- [105] J. M. Flynn and J. Nieves, *Elastic s-wave scattering phase shifts and $|V_{ub}|$ from lattice calculations of form factors for exclusive semileptonic decays*, *PoS LAT2007* (2007) 352, [0711.3339].
- [106] M. Raidal *et al.*, *Flavour physics of leptons and dipole moments*, 0801.1826.
- [107] **BABAR** Collaboration, B. Aubert *et al.*, *The $e^+e^- \rightarrow 2(\pi^+\pi^-)\pi^0$, $2(\pi^+\pi^-)\eta$, $K^+K^-\pi^+\pi^-\pi^0$ and $K^+K^-\pi^+\pi^-\eta$ Cross Sections Measured with Initial-State Radiation*, *Phys. Rev.* **D76** (2007) 092005, [0708.2461].
- [108] A. V. Manohar and V. Mateu, *Dispersion Relation Bounds for pi pi Scattering*, *Phys. Rev.* **D77** (2008) 094019, [0801.3222].
- [109] **BABAR** Collaboration, B. Aubert *et al.*, *Study of $e^+e^- \rightarrow \Lambda\bar{\Lambda}$, $\Lambda\bar{\Sigma}_0$, $\Sigma_0\bar{\Sigma}_0$ using Initial State Radiation with BABAR*, *Phys. Rev.* **D76** (2007) 092006, [0709.1988].
- [110] **BaBar** Collaboration, B. Aubert *et al.*, *Measurements of $e^+e^- \rightarrow K^+K^-\eta$, $K^+K^-\pi^0$ and $K_S K^+\pi^-$ Cross Sections Using Initial State Radiation Events*, *Phys. Rev.* **D77** (2008) 092002, [0710.4451].

- [111] **BaBar** Collaboration, B. Aubert *et. al.*, *Observation of $e^+e^- \rightarrow \rho^+\rho^-$ near $\sqrt{s} = 10.58$ GeV*, 0806.3893.
- [112] **The BABAR** Collaboration, . B. Aubert, *Observation of the bottomonium ground state in the decay $\Upsilon(3S) \rightarrow \gamma\eta_b$* , 0807.1086.
- [113] M. Nebot, J. F. Oliver, D. Palao, and A. Santamaria, *Prospects for the Zee-Babu Model at the LHC and low energy experiments*, *Phys. Rev. D* **77** (2008) 093013, [0711.0483].
- [114] **ETM** Collaboration, P. Boucaud *et. al.*, *Dynamical Twisted Mass Fermions with Light Quarks: Simulation and Analysis Details*, 0803.0224.
- [115] **ALPHA** Collaboration, P. Dimopoulos *et. al.*, *Non-perturbative renormalisation of Delta F=2 four-fermion operators in two-flavour QCD*, *JHEP* **05** (2008) 065, [0712.2429].
- [116] P. Dimopoulos *et. al.*, *Non-perturbative renormalisation of four-fermion operators in $N_f = 2$ QCD*, *PoS LAT2007* (2007) 368, [0710.2862].
- [117] P. Dimopoulos *et. al.*, *Renormalisation of quark bilinears with $N_f=2$ Wilson fermions and tree-level improved gauge action*, *PoS LATTICE2007* (2007) 241, [0710.0975].
- [118] M. Artuso *et. al.*, *B, D and K decays*, 0801.1833.
- [119] F. del Aguila *et. al.*, *Collider aspects of flavour physics at high Q*, 0801.1800.
- [120] C. Haefeli, M. A. Ivanov, and M. Schmid, *Electromagnetic low-energy constants in chpt*, *Eur. Phys. J. C* **53** (2008) 549–557, [0710.5432].
- [121] L. Giusti *et. al.*, *Testing chiral effective theory with quenched lattice QCD*, *JHEP* **05** (2008) 024, [0803.2772].
- [122] P. Hernandez *et. al.*, *Determination of the $\Delta S = 1$ weak Hamiltonian in the $SU(4)$ chiral limit through topological zero-mode wave functions*, *JHEP* **05** (2008) 043, [0802.3591].
- [123] L. M. P. C. T. E. W. J. W. H. Hernandez, P., *Weak low-energy couplings from topological zero-mode wavefunctions*, *PoS LAT2007* (2007) 356, [arXiv:0710.5647 [hep-lat]].
- [124] M. Beneke and M. Jamin, *α_s and the τ hadronic width: fixed-order, contour-improved and higher-order perturbation theory*, 0806.3156.
- [125] C. Promberger, S. Schatt, F. Schwab, and S. Uhlig, *Bounding the Minimal 331 Model through the Decay $B \rightarrow X_s\gamma$* , *Phys. Rev. D* **77** (2008) 115022, [0802.0949].
- [126] J.-P. Aguilar, D. Greynat, and E. De Rafael, *Muon Anomaly from Lepton Vacuum Polarization and The Mellin–Barnes Representation*, *Phys. Rev. D* **77** (2008) 093010, [0802.2618].
- [127] **BABAR** Collaboration, B. Aubert *et. al.*, *A study of $B \rightarrow X(3872)K$ with $X(3872) \rightarrow J/\psi\pi^+\pi^-$* , *Phys. Rev. D* **77** (2008) 111101, [0803.2838].
- [128] **BABAR** Collaboration, B. Aubert *et. al.*, *Measurement of CP observables in $B \rightarrow D0_{CP}K$ decays*, *Phys. Rev. D* **77** (2008) 111102, [0802.4052].

-
- [129] **BABAR** Collaboration, B. Aubert *et. al.*, *Measurement of the $B \rightarrow X_s \gamma$ Branching Fraction and Photon Energy Spectrum using the Recoil Method*, *Phys. Rev.* **D77** (2008) 051103, [0711.4889].
- [130] **BABAR** Collaboration, B. Aubert *et. al.*, *Search for Lepton Flavor Violating Decays $\tau^\pm \rightarrow l^\pm \omega$ ($l = e, \mu$)*, *Phys. Rev. Lett.* **100** (2008) 071802, [0711.0980].
- [131] **BABAR** Collaboration, B. Aubert *et. al.*, *A Study of Excited Charm-Strange Baryons with Evidence for new Baryons $\Xi_c(3055)^+$ and $\Xi_c(3123)^+$* , *Phys. Rev.* **D77** (2008) 012002, [0710.5763].
- [132] P. Boucaud *et. al.*, *On the IR behaviour of the Landau-gauge ghost propagator*, *JHEP* **06** (2008) 099, [0803.2161].
- [133] P. Boucaud *et. al.*, *IR finiteness of the ghost dressing function from numerical resolution of the ghost SD equation*, *JHEP* **06** (2008) 012, [0801.2721].
- [134] P. A. Boyle *et. al.*, *The pion's electromagnetic form factor at small momentum transfer in full lattice QCD*, 0804.3971.
- [135] P. A. Boyle *et. al.*, *$K(l3)$ form factor with $N_f = 2 + 1$ dynamical domain wall fermions*, *PoS LATTICE2007* (2007) 380.
- [136] C. Allton *et. al.*, *Physical Results from $2 + 1$ Flavor Domain Wall QCD and $SU(2)$ Chiral Perturbation Theory*, 0804.0473.
- [137] Y. Aoki *et. al.*, *Non-perturbative renormalization of quark bilinear operators and B_K using domain wall fermions*, 0712.1061.
- [138] P. A. Boyle *et. al.*, *K_{l3} semileptonic form factor from $2 + 1$ flavour lattice QCD*, *Phys. Rev. Lett.* **100** (2008) 141601, [0710.5136].
- [139] M. Blanke, A. J. Buras, S. Recksiegel, and C. Tarantino, *The Littlest Higgs Model with T-Parity Facing CP-Violation in $B_s - \bar{B}_s$ Mixing*, 0805.4393.
- [140] **KLOE** Collaboration, A. Antonelli *et. al.*, *Determination of $\eta \rightarrow \pi^+ \pi^- \pi^0$ Dalitz plot slopes and asymmetries with the KLOE detector*, *JHEP* **05** (2008) 006, [0801.2642].
- [141] **KLOE** Collaboration, F. Ambrosino *et. al.*, *V_{us} and lepton universality from kaon decays with the KLOE detector*, *JHEP* **04** (2008) 059, [0802.3009].
- [142] **KLOE** Collaboration, F. Ambrosino *et. al.*, *V_{us} and lepton universality from kaon decays with the KLOE detector*, *JHEP* **04** (2008) 059, [0802.3009].
- [143] **KLOE** Collaboration, F. Ambrosino *et. al.*, *Measurement of the $K_S \rightarrow gg$ branching ratio using a pure K_S beam with the KLOE detector*, *JHEP* **05** (2008) 051, [0712.1744].
- [144] **The KLOE** Collaboration, F. Ambrosino *et. al.*, *Measurement of the charged kaon lifetime with the KLOE detector*, *JHEP* **01** (2008) 073, [0712.1112].
- [145] **KLOE** Collaboration, F. Ambrosino *et. al.*, *Precise measurements of the η and the neutral K meson masses with the KLOE detector*, *JHEP* **12** (2007) 073, [0710.5892].

- [146] **KLOE** Collaboration, F. Ambrosino *et. al.*, *Measurement of the $K_L \rightarrow \pi\mu\nu$ form factor parameters with the KLOE detector*, *JHEP* **12** (2007) 105, [0710.4470].
- [147] H. Czyz, A. Grzelinska, and A. Wapienik, *New developments in PHOKHARA Monte Carlo generator*, *Acta Phys. Polon.* **B38** (2007) 3491, [0710.4227].
- [148] H. Czyz, J. H. Kuhn, and A. Wapienik, *Four-pion production in tau decays and $e+e-$ annihilation: an update*, *Phys. Rev.* **D77** (2008) 114005, [0804.0359].
- [149] G. Duplancic, A. Khodjamirian, T. Mannel, B. Melic, and N. Offen, *Light-cone sum rules for $B \rightarrow \pi$ form factors revisited*, *JHEP* **04** (2008) 014, [0801.1796].
- [150] D. A. Anipko *et. al.*, *Charge asymmetries in $\gamma\gamma \rightarrow \ell^+\ell^- + \nu's$ ($\ell = \mu, e$) with polarized photons in the Standard Model*, 0806.1760.
- [151] M. Caffo, H. Czyz, M. Gunia, and E. Remiddi, *BOKASUN: a fast and precise numerical program to calculate the Master Integrals of the two-loop sunrise diagrams*, 0807.1959.
- [152] **FlaviaNet Working Group on Kaon Decays** Collaboration, M. Antonelli *et. al.*, *Precision tests of the Standard Model with leptonic and semileptonic kaon decays*, 0801.1817.
- [153] **UTfit** Collaboration, M. Bona *et. al.*, *First Evidence of New Physics in $b \leftrightarrow s$ Transitions*, 0803.0659.
- [154] T. Browder *et. al.*, *On the Physics Case of a Super Flavour Factory*, *JHEP* **02** (2008) 110, [0710.3799].
- [155] D. Becirevic, B. Haas, and F. Mescia, *Semileptonic D-decays and Lattice QCD*, *PoS LATTICE2007* (2007) 355, [0710.1741].
- [156] **European Twisted Mass** Collaboration, C. Alexandrou *et. al.*, *Light baryon masses with dynamical twisted mass fermions*, 0803.3190.
- [157] G. . Akemann, F. Basile, and L. Lellouch, *Finite size scaling of meson propagators with isospin chemical potential*, 0804.3809.
- [158] F. De Fazio, T. Feldmann, and T. Hurth, *SCET sum rules for $B \rightarrow P$ and $B \rightarrow V$ transition form factors*, *JHEP* **02** (2008) 031, [0711.3999].
- [159] J. O. Eeg, S. Fajfer, and J. F. Kamenik, *Chiral corrections to the scalar form factor in $B_q \rightarrow D_q$ transitions*, 0807.0202.
- [160] D. Becirevic, S. Fajfer, and J. F. Kamenik, *On the matrix elements of $dB=0$ operators in the heavy meson decay widths*, 0804.1750.
- [161] S. Fajfer and J. F. Kamenik, *On the flavor structure of the littlest Higgs model*, *JHEP* **12** (2007) 074, [0710.4293].
- [162] D. Becirevic, S. Fajfer, and J. F. Kamenik, *Use and misuse of ChPT in the heavy-light systems*, *PoS LAT2007* (2007) 063, [0710.3496].

-
- [163] D. Guazzini, R. Sommer, and N. Tantalo, *Precision for B-meson matrix elements*, *JHEP* **01** (2008) 076, [0710.2229].
- [164] **European Twisted Mass** Collaboration, B. Blossier, G. Herdoiza, and S. Simula, *Twisted mass QCD in the charm sector*, *PoS LATTICE2007* (2007) 346, [0710.1414].
- [165] Z. Was, P. Golonka, and G. Nanava, *PHOTOS Monte Carlo and its theoretical accuracy*, 0807.2762.
- [166] S. Actis, M. Czakon, J. Gluza, and T. Riemann, *Fermionic NNLO contributions to Bhabha scattering*, *Acta Phys. Polon.* **B38** (2007) 3517–3528, [0710.5111].
- [167] S. Actis, M. Czakon, J. Gluza, and T. Riemann, *Virtual Hadronic and Leptonic Contributions to Bhabha Scattering*, *Phys. Rev. Lett.* **100** (2008) 131602, [0711.3847].
- [168] J. Gluza and T. Riemann, *New results for 5-point functions*, 0712.2969.
- [169] J. Gluza and T. Riemann, *A new treatment of mixed virtual and real IR- singularities*, 0801.4228.
- [170] T. Diakonidis *et. al.*, *On the tensor reduction of one-loop pentagons and hexagons*, 0807.2984.
- [171] S. Actis, J. Gluza, and T. Riemann, *Virtual Hadronic Corrections to Massive Bhabha Scattering*, 0807.0174.
- [172] M. Davier, S. Descotes-Genon, A. Hocker, B. Malaescu, and Z. Zhang, *The Determination of α_s from τ Decays Revisited*, 0803.0979.
- [173] V. Bernard and E. Passemar, *Matching Chiral Perturbation Theory and the Dispersive Representation of the Scalar $K\pi$ Form Factor*, *Phys. Lett.* **B661** (2008) 95–102, [0711.3450].
- [174] S. Durr *et. al.*, *Scaling study of dynamical smeared-link clover fermions*, 0802.2706.
- [175] S. Durr *et. al.*, *Mixed action simulations: approaching physical quark masses*, *PoS LAT2007* (2007) 113, [0710.4866].
- [176] S. Durr *et. al.*, *Chiral behavior of pseudo-Goldstone boson masses and decay constants in 2+1 flavor QCD*, *PoS LAT2007* (2007) 115, [0710.4769].
- [177] M. Zdrahal and J. Novotny, *Dispersive Approach to Chiral Perturbation Theory*, 0806.4529.
- [178] S. Fajfer, T.-N. Pham, and N. Kosnik, *On the Dalitz plot analysis of the $B \rightarrow K\eta\gamma$ decays*, 0806.2247.
- [179] **ETM** Collaboration, C. Alexandrou *et. al.*, *Baryon masses with dynamical twisted mass fermions*, *PoS LATTICE2007* (2007) 087, [0710.1173].
- [180] V. Bernard, M. Lage, U.-G. Meissner, and A. Rusetsky, *Resonance properties from the finite-volume energy spectrum*, 0806.4495.
- [181] V. Bernard, M. Lage, A. Rusetsky, and U. G. Meissner, *Analysis of the Δ -resonance in a finite volume*, *Eur. Phys. J.* **A35** (2008) 281–285.

- [182] V. Bernard, E. Epelbaum, H. Krebs, and U.-G. Meißner, *Subleading contributions to the chiral three-nucleon force I: long-range terms*, 0712.1967.
- [183] M. Bissegger, A. Fuhrer, J. Gasser, B. Kubis, and A. Rusetsky, *Radiative corrections in $K \rightarrow 3\pi$ decays*, 0807.0515.
- [184] M. Bissegger, A. Fuhrer, J. Gasser, B. Kubis, and A. Rusetsky, *Cusps in $K_L \rightarrow 3\pi$ decays*, *Phys. Lett.* **B659** (2008) 576–584, [0710.4456].
- [185] M. Della Morte *et. al.*, *Heavy-strange meson decay constants in the continuum limit of quenched QCD*, arXiv:0710.2201 [hep-lat].
- [186] M. Della Morte, R. Sommer, and S. Takeda, *On cutoff effects in lattice QCD from short to long distances*, 0807.1120.
- [187] B. Blossier, M. Della Morte, N. Garron, and R. Sommer, *Heavy-light decay constant at the $1/m$ order of HQET*, *PoS LAT2007* (2007) 245, [0710.1553].
- [188] M. Della Morte *et. al.*, *Preparing for $N_f=2$ simulations at small lattice spacings*, *PoS LAT2007* (2007) 255, [0710.1263].
- [189] F. Palombi, M. Papinutto, C. Pena, and H. Wittig, *First quenched results for the matrix elements of the B_{B_s} mixing parameter in the static limit from tmQCD*, *PoS LAT2007* (2007) 366, [0710.2863].
- [190] M. Della Morte *et. al.*, *Towards a non-perturbative matching of HQET and QCD with dynamical light quarks*, *PoS LAT2007* (2007) 246, [0710.1188].
- [191] **ALPHA** Collaboration, M. Della Morte *et. al.*, *Scaling test of two-flavor $O(a)$ -improved lattice QCD*, *JHEP* **07** (2008) 037, [0804.3383].

	1	2	3	4	5	6	7	8	9	10	11
1		[1-8]	[1]	[1, 2, 9-11]	[1, 2, 9, 12-20]			[1, 2, 12, 13, 21, 22]	[1, 23-26]	[1, 23]	[1, 12, 13, 26]
2	[1-8]		[1, 27-31]	[1, 2, 32]	[1, 2, 33-35]		[36, 37]	[1, 2, 38-40]	[1]		[1]
3	[1]	[1, 27-31]		[1]	[1]			[1]	[1]		[1]
4	[1, 2, 9-11]	[1, 2, 32]	[1]		[1, 2, 9, 41, 42, 42-57]	[58-61]		[1, 2]	[1, 60]		[1, 60, 62]
5	[1, 2, 9, 12-20]	[1, 2, 33-35]	[1]	[1, 2, 9, 41, 42, 42-57]				[1, 2, 12, 13, 63-72]	[1, 73-77]	[78]	[1, 12, 13, 65, 76, 77, 79-84]
6				[58-61]			[85]		[60, 86]		[60, 87-89]
7		[36, 37]					[85]		[90]	[91, 92]	
8	[1, 2, 12, 13, 21, 22]	[1, 2, 38-40]	[1]	[1, 2]	[1, 2, 12, 13, 63-72]				[1, 93]		[1, 12, 13, 94, 95]
9	[1, 23-26]	[1]	[1]	[1, 60]	[1, 73-77]	[60, 86]	[90]	[1, 93]		[78]	[26, 76, 77, 79-84, 96-100]
10	[1, 23]				[78]		[91, 92]		[78]		
11	[1, 12, 13, 26]	[1]	[1]	[1, 60, 62]	[1, 12, 13, 65, 76, 77, 79-84]	[60, 87-89]		[1, 12, 13, 94, 95]	[26, 76, 77, 79-84, 96-100]		

Table 1: Joint publications of several nodes during the first year of the reporting period.

	1	2	3	4	5	6	7	8	9	10	11
1		[101–104]	[105]	[11, 106–112]	[12, 113–118]	[119]		[12, 13, 114]	[12, 114, 120, 121]		[12, 114, 121–123]
2	[101–104]			[1, 103, 107, 109–112, 118, 124, 125]	[118]	[119]		[126]			
3	[105]			[106, 118]	[118, 127–131]	[119]		[132, 133]			[134–138]
4	[11, 106–112]	[1, 103, 107, 109–112, 118, 124, 125]	[106, 118]		[1, 106, 107, 109–112, 118, 139–146]	[106, 118, 147, 148]		[1, 106, 107, 109–112, 118, 149]	[1, 106, 118]		[1, 62, 106, 111, 112]
5	[12, 113–118]	[118]	[118, 127–131]	[1, 106, 107, 109–112, 118, 139–146]		[119, 150, 151]	[152]	[12, 13, 114, 118, 127–131, 152–157]	[118, 154, 158]	[159–162]	[12, 114–117, 156, 163, 164]
6	[119]	[119]	[119]	[106, 118, 147, 148]	[119, 150, 151]			[119]	[119, 165]		[165–171]
7					[152]			[152]	[152]	[159]	
8	[12, 13, 114]	[126]	[132, 133]	[1, 106, 107, 109–112, 118, 149]	[12, 13, 114, 118, 127–131, 152–157]	[119]	[152]		[12, 13, 114, 152, 153, 156, 172–176]	[162, 177, 178]	[12, 13, 114, 152, 179–181, 181, 182]
9	[12, 114, 120, 121]			[1, 106, 118]	[118, 154, 158]	[119, 165]	[152]	[12, 13, 114, 152, 153, 156, 172–176]			[76, 121, 122, 183–191]
10					[159–162]		[159]	[162, 177, 178]			
11	[12, 114, 121–123]		[134–138]	[1, 62, 106, 111, 112]	[12, 114–117, 156, 163, 164]	[165–171]		[12, 13, 114, 152, 179–181, 181, 182]	[76, 121, 122, 183–191]		

Table 2: Joint publications of several nodes during the second year of the reporting period. See Tab. 1 for explanation.