

Otras publicaciones

COLABORACIÓN LHCb

1. R. Aaij *et al.* [LHCb Collaboration], “Observation of charmonium pairs produced exclusively in pp collisions,” J. Phys. G **41** (2014) 115002 [arXiv:1407.5973 [hep-ex]].
2. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the ratio of B_c^+ branching fractions to $J/\psi\pi^+$ and $J/\psi\mu^+\nu_\mu$,” Phys. Rev. D **90** (2014) 032009 [arXiv:1407.2126 [hep-ex]].
3. R. Aaij *et al.* [LHCb Collaboration], “Effective lifetime measurements in the $B_s^0 \rightarrow K^+K^-$, $B^0 \rightarrow K^+\pi^-$ and $B_s^0 \rightarrow \pi^+K^-$ decays,” Phys. Lett. B **736** (2014) 446 [arXiv:1406.7204 [hep-ex]].
4. R. Aaij *et al.* [LHCb Collaboration], “First measurement of the charge asymmetry in beauty-quark pair production at a hadron collider,” Phys. Rev. Lett. **113** (2014) 082003 [arXiv:1406.4789 [hep-ex]].
5. R. Aaij *et al.* [LHCb Collaboration], “Observation of Z production in proton-lead collisions at LHCb,” JHEP **1409** (2014) 030 [arXiv:1406.2885 [hep-ex]].
6. R. Aaij *et al.* [LHCb Collaboration], “Observation of the $\Lambda_b^0 \rightarrow J/\psi p\pi^-$ decay,” JHEP **1407** (2014) 103 [arXiv:1406.0755 [hep-ex]].
7. R. Aaij *et al.* [LHCb Collaboration], “Precision measurement of the mass and lifetime of the Ξ_b^0 baryon,” Phys. Rev. Lett. **113** (2014) 032001 [arXiv:1405.7223 [hep-ex]].
8. R. Aaij *et al.* [LHCb Collaboration], “Study of the kinematic dependences of Λ_b^0 production in pp collisions and a measurement of the $\Lambda_b^0 \rightarrow \Lambda_c^+ \pi^-$ branching fraction,” JHEP **1408** (2014) 143 [arXiv:1405.6842 [hep-ex]].
9. R. Aaij *et al.* [LHCb Collaboration], “Study of Υ production and cold nuclear matter effects in $p\text{Pb}$ collisions at $\sqrt{s_{NN}} = 5$ TeV,” JHEP **1407** (2014) 094 [arXiv:1405.5152 [nucl-ex]].
10. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the CP-violating phase ϕ_s in $\overline{B}_s^0 \rightarrow J/\psi\pi^+\pi^-$ decays,” Phys. Lett. B **736** (2014) 186 [arXiv:1405.4140 [hep-ex]].
11. R. Aaij *et al.* [LHCb Collaboration], “Observation of the $B_s^0 \rightarrow J/\psi K_s^0 K^\pm\pi^\mp$ decay,” JHEP **1407** (2014) 140 [arXiv:1405.3219 [hep-ex]].
12. R. Aaij *et al.* [LHCb Collaboration], “Measurement of CP asymmetry in $D^0 \rightarrow K^-K^+$ and $D^0 \rightarrow \pi^-\pi^+$ decays,” JHEP **1407** (2014) 041 [arXiv:1405.2797 [hep-ex]].
13. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the Ξ_b^- and Ω_b^- baryon lifetimes,” Phys. Lett. B **736** (2014) 154 [arXiv:1405.1543 [hep-ex]].
14. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the resonant and CP components in $\overline{B}^0 \rightarrow J/\psi\pi^+\pi^-$ decays,” Phys. Rev. D **90** (2014) 012003 [arXiv:1404.5673 [hep-ex]].
15. R. Aaij *et al.* [LHCb Collaboration], “Observation of the resonant character of the $Z(4430)^-$ state,” Phys. Rev. Lett. **112** (2014) 222002 [arXiv:1404.1903 [hep-ex]].
16. R. Aaij *et al.* [LHCb Collaboration], “Evidence for the decay $B_c^+ \rightarrow J/\psi 3\pi^+ 2\pi^-$,” JHEP **1405** (2014) 148 [arXiv:1404.0287 [hep-ex]].
17. R. Aaij *et al.* [LHCb Collaboration], “Evidence for the decay $X(3872) \rightarrow \psi(2S)\gamma$,” Nucl. Phys. B **886** (2014) 665 [arXiv:1404.0275 [hep-ex]].
18. R. Aaij *et al.* [LHCb Collaboration], “Angular analysis of charged and neutral $B \rightarrow K\mu^+\mu^-$ decays,” JHEP **1405** (2014) 082 [arXiv:1403.8045 [hep-ex]].
19. R. Aaij *et al.* [LHCb Collaboration], “Differential branching fractions and isospin asymmetries of $B \rightarrow K^{(*)}\mu^+\mu^-$ decays,” JHEP **1406** (2014) 133 [arXiv:1403.8044 [hep-ex]].
20. R. Aaij *et al.* [LHCb Collaboration], “Study of beauty hadron decays into pairs of charm hadrons,” Phys. Rev. Lett. **112** (2014) 202001 [arXiv:1403.3606 [hep-ex]].

21. R. Aaij *et al.* [LHCb Collaboration], “Measurement of polarization amplitudes and CP asymmetries in $B^0 \rightarrow \phi K^*(892)^0$,” JHEP **1405** (2014) 069 [arXiv:1403.2888 [hep-ex]].
22. R. Aaij *et al.* [LHCb Collaboration], “Measurement of $\psi(2S)$ polarisation in pp collisions at $\sqrt{s} = 7$ TeV,” Eur. Phys. J. C **74** (2014) 2872 [arXiv:1403.1339 [hep-ex]].
23. R. Aaij *et al.* [LHCb Collaboration], “Observation of photon polarization in the $b \rightarrow s\gamma$ transition,” Phys. Rev. Lett. **112** (2014) 161801 [arXiv:1402.6852 [hep-ex]].
24. R. Aaij *et al.* [LHCb Collaboration], “Measurement of resonant and CP components in $\overline{B}_s^0 \rightarrow J/\psi \pi^+ \pi^-$ decays,” Phys. Rev. D **89** (2014) 092006 [arXiv:1402.6248 [hep-ex]].
25. R. Aaij *et al.* [LHCb Collaboration], “Precision measurement of the ratio of the Λ_b^0 to \overline{B}^0 lifetimes,” Phys. Lett. B **734** (2014) 122 [arXiv:1402.6242 [hep-ex]].
26. R. Aaij *et al.* [LHCb Collaboration], “Measurement of charged particle multiplicities and densities in pp collisions at $\sqrt{s} = 7$ TeV in the forward region,” Eur. Phys. J. C **74** (2014) 2888 [arXiv:1402.4430 [hep-ex]].
27. R. Aaij *et al.* [LHCb Collaboration], “A study of CP violation in $B^\pm \rightarrow DK^\pm$ and $B^\pm \rightarrow D\pi^\pm$ decays with $D \rightarrow K_S^0 K^\pm \pi^\mp$ final states,” Phys. Lett. B **733** (2014) 36 [arXiv:1402.2982 [hep-ex]].
28. R. Aaij *et al.* [LHCb Collaboration], “Measurement of Υ production in pp collisions at $\sqrt{s} = 2.76$ TeV,” Eur. Phys. J. C **74** (2014) 2835 [arXiv:1402.2539 [hep-ex]].

COLABORACIÓN BABAR

29. J. P. Lees *et al.* [BaBar Collaboration], “Cross sections for the reactions $e^+e^- \rightarrow K_S^0 K_L^0$, $K_S^0 K_L^0 \pi^+\pi^-$, $K_S^0 K_S^0 \pi^+\pi^-$, and $K_S^0 K_S^0 K^+K^-$ from events with initial-state radiation,” Phys. Rev. D **89** (2014) 092002 [arXiv:1403.7593 [hep-ex]].
30. J. P. Lees *et al.* [BaBar Collaboration], “Antideuteron production in $\Upsilon(nS)$ decays and in $e^+e^- \rightarrow q\bar{q}$ at $\sqrt{s} \approx 10.58$ GeV,” Phys. Rev. D **89** (2014) 111102 [arXiv:1403.4409 [hep-ex]].
31. J. P. Lees *et al.* [BaBar Collaboration], “Evidence for the baryonic decay $\overline{B}^0 \rightarrow D^0 \Lambda \overline{\Lambda}$,” Phys. Rev. D **89** (2014) 112002 [arXiv:1401.5990 [hep-ex]].
32. J. P. Lees *et al.* [BaBar Collaboration], “Search for the decay $\overline{B}^0 \rightarrow \Lambda_c^+ p\bar{p}\bar{p}$,” Phys. Rev. D **89** (2014) 071102 [arXiv:1312.6800 [hep-ex]].
33. J. P. Lees *et al.* [BaBar Collaboration], “Measurement of the $B \rightarrow X s\ell^+\ell^-$ branching fraction and search for direct CP violation from a sum of exclusive final states,” Phys. Rev. Lett. **112** (2014) 211802 [arXiv:1312.5364 [hep-ex]].
34. J. P. Lees *et al.* [BaBar Collaboration], “Evidence for the decay $B^0 \rightarrow \omega\omega$ and search for $B^0 \rightarrow \omega\phi$,” Phys. Rev. D **89** (2014) 051101 [arXiv:1312.0056 [hep-ex]].
35. J. P. Lees *et al.* [BaBar Collaboration], “Search for lepton-number violating $B^+ \rightarrow X^-\ell^+\ell^+$ decays,” Phys. Rev. D **89** (2014) 1, 011102 [arXiv:1310.8238 [hep-ex]].
36. J. P. Lees *et al.* [BaBar Collaboration], “Measurement of Collins asymmetries in inclusive production of charged pion pairs in e^+e^- annihilation at BABAR,” Phys. Rev. D **90** (2014) 052003 [arXiv:1309.5278 [hep-ex]].
37. J. P. Lees *et al.* [BaBar Collaboration], “Measurement of the $B^+ \rightarrow \omega\ell^+\nu$ branching fraction with semileptonically tagged B mesons,” Phys. Rev. D **88** (2013) 072006 [arXiv:1308.2589 [hep-ex]].
38. J. P. Lees *et al.* [BaBar Collaboration], “Measurement of the $e^+e^- \rightarrow p\bar{p}$ cross section in the energy range from 3.0 to 6.5 GeV,” Phys. Rev. D **88** (2013) 072009 [arXiv:1308.1795 [hep-ex]].
39. J. P. Lees *et al.* [BaBar Collaboration], “Measurement of the Mass of the D^0 Meson,” Phys. Rev. D **88** (2013) 071104 [arXiv:1308.1151 [hep-ex]].
40. J. P. Lees *et al.* [BaBar Collaboration], “Search for a light Higgs boson decaying to two gluons or $s\bar{s}$ in the radiative decays of $\Upsilon(1S)$,” Phys. Rev. D **88** (2013) 031701 [arXiv:1307.5306 [hep-ex]].

41. J. P. Lees *et al.* [BaBar Collaboration], “Precision Measurement of the $e^+e^- \rightarrow K^+K^-(\gamma)$ Cross Section with the Initial-State Radiation Method at BaBar,” Phys. Rev. D **88** (2013) 032013 [arXiv:1306.3600 [hep-ex]].
42. J. P. Lees *et al.* [BaBar Collaboration], “Production of charged pions, kaons and protons in e^+e^- annihilations into hadrons at $\sqrt{s} = 10.54$ GeV,” Phys. Rev. D **88** (2013) 032011 [arXiv:1306.2895 [hep-ex]].
43. J. P. Lees *et al.* [BaBar Collaboration], “Measurement of the $D^*(2010)^+$ meson width and the $D^*(2010)^+ - D^0$ mass difference,” Phys. Rev. Lett. **111** (2013) 111801 [arXiv:1304.5657 [hep-ex]].
44. J. P. Lees *et al.* [BaBar Collaboration], “Measurement of the $D^*(2010)^+$ natural line width and the $D^*(2010)^+ - D^0$ mass difference,” Phys. Rev. D **88** (2013) 052003 [arXiv:1304.5009 [hep-ex]].
45. J. P. Lees *et al.* [BaBar Collaboration], “Search for $B \rightarrow K^{(*)}\nu\bar{\nu}$ and invisible quarkonium decays,” Phys. Rev. D **87** (2013) 112005 [arXiv:1303.7465 [hep-ex]].
46. J. P. Lees *et al.* [BaBar Collaboration], “Search for the rare decays $B \rightarrow \pi\ell^+\ell^-$ and $B^0 \rightarrow \eta\ell^+\ell^-$,” Phys. Rev. D **88** (2013) 032012 [arXiv:1303.6010 [hep-ex]].
47. J. P. Lees *et al.* [Babar Collaboration], “Study of the decay $\bar{B}^0 \rightarrow \Lambda_c^+\bar{p}\pi^+\pi^-$ and its intermediate states,” Phys. Rev. D **87** (2013) 092004 [arXiv:1302.0191 [hep-ex]].
48. J. P. Lees *et al.* [BaBar Collaboration], “Study of $e^+e^- \rightarrow p\bar{p}$ via initial-state radiation at BABAR,” Phys. Rev. D **87** (2013) 092005 [arXiv:1302.0055 [hep-ex]].
49. J. P. Lees *et al.* [BaBar Collaboration], “Time-Integrated Luminosity Recorded by the BABAR Detector at the PEP-II e^+e^- Collider,” Nucl. Instrum. Meth. A **726** (2013) 203 [arXiv:1301.2703 [hep-ex]].
50. J. P. Lees *et al.* [BaBar Collaboration], “Study of the reaction $e^+e^- \rightarrow \psi(2S)\pi^-\pi^-$ via initial state radiation at BaBar,” arXiv:1211.6271 [hep-ex].
51. J. P. Lees *et al.* [BaBar Collaboration], “Search for a Low-Mass Scalar Higgs Boson Decaying to a Tau Pair in Single-Photon Decays of $\Upsilon(1S)$,” Phys. Rev. D **88** (2013) 071102 [arXiv:1210.5669 [hep-ex], arXiv:1210.5669 [hep-ex]].
52. J. P. Lees *et al.* [BaBar Collaboration], “Search for di-muon decays of a low-mass Higgs boson in radiative decays of the $\Upsilon(1S)$,” Phys. Rev. D **87** (2013) 3, 031102 [arXiv:1210.0287 [hep-ex]].
53. J. P. Lees *et al.* [BaBar Collaboration], “Study of high-multiplicity 3-prong and 5-prong τ decays at BABAR,” Phys. Rev. D **86** (2012) 092010 [arXiv:1209.2734 [hep-ex]].
54. J. P. Lees *et al.* [Babar Collaboration], “Study of the baryonic B decay $B^- \rightarrow \Sigma_c^{++}\bar{p}\pi^-\pi^-$,” Phys. Rev. D **86** (2012) 091102 [arXiv:1208.3086 [hep-ex]].
55. J. P. Lees *et al.* [BaBar Collaboration], “Measurement of the Time-Dependent CP Asymmetry of Partially Reconstructed $B^0 \rightarrow D^{*+}D^{*-}$ Decays,” Phys. Rev. D **86** (2012) 112006 [arXiv:1208.1282 [hep-ex]].
56. J. P. Lees *et al.* [BaBar Collaboration], “Branching fraction and form-factor shape measurements of exclusive charmless semileptonic B decays, and determination of $|V_{ub}|$,” Phys. Rev. D **86** (2012) 092004 [arXiv:1208.1253 [hep-ex]].
57. J. P. Lees *et al.* [BaBar Collaboration], “The branching fraction of $\tau^- \rightarrow \pi^- K_S^0 K_S^0(\pi^0)\nu_\tau$ decays,” Phys. Rev. D **86** (2012) 092013 [arXiv:1208.0376 [hep-ex]].
58. J. P. Lees *et al.* [Babar Collaboration], “A search for the decay modes $B^{+-} \rightarrow h^{+-}\tau^{+-}\ell$,” Phys. Rev. D **86** (2012) 012004 [arXiv:1204.2852 [hep-ex]].
59. J. P. Lees *et al.* [BaBar Collaboration], “Measurement of $B(B \rightarrow X_s\gamma)$, the $B \rightarrow X_s\gamma$ photon energy spectrum, and the direct CP asymmetry in $B \rightarrow X_{s+d}\gamma$ decays,” Phys. Rev. D **86** (2012) 112008 [arXiv:1207.5772 [hep-ex]].

60. J. P. Lees *et al.* [BaBar Collaboration], “Precision Measurement of the $B \rightarrow X_s \gamma$ Photon Energy Spectrum, Branching Fraction, and Direct CP Asymmetry $A_{CP}(B \rightarrow X_{s+d} \gamma)$,” *Phys. Rev. Lett.* **109** (2012) 191801 [[arXiv:1207.2690 \[hep-ex\]](#)].
61. J. P. Lees *et al.* [BABAR Collaboration], “Study of $X(3915) \rightarrow J/\psi \omega$ in two-photon collisions,” *Phys. Rev. D* **86** (2012) 072002 [[arXiv:1207.2651 \[hep-ex\]](#)].
62. J. P. Lees *et al.* [BaBar Collaboration], “Exclusive Measurements of $b \rightarrow s\gamma$ Transition Rate and Photon Energy Spectrum,” *Phys. Rev. D* **86** (2012) 052012 [[arXiv:1207.2520 \[hep-ex\]](#)].
63. J. P. Lees *et al.* [BABAR Collaboration], “Search for the decay modes $D^0 \rightarrow e^+e^-$, $D^0 \rightarrow \mu^+\mu^-$, and $D^0 \rightarrow e\mu$,” *Phys. Rev. D* **86** (2012) 032001 [[arXiv:1206.5419 \[hep-ex\]](#)].
64. J. P. Lees *et al.* [BABAR Collaboration], “Improved Limits on B^0 Decays to Invisible Final States and to $\nu\bar{\nu}\gamma$,” *Phys. Rev. D* **86** (2012) 051105 [[arXiv:1206.2543 \[hep-ex\]](#)].
65. J. P. Lees *et al.* [BABAR Collaboration], “Search for resonances decaying to $\eta_c \pi^+ \pi^-$ in two-photon interactions,” *Phys. Rev. D* **86** (2012) 092005 [[arXiv:1206.2008 \[hep-ex\]](#)].
66. J. P. Lees *et al.* [BABAR Collaboration], “Branching fraction measurement of $B \rightarrow \omega \ell \nu$ decays,” *Phys. Rev. D* **87** (2013) 032004 [[arXiv:1205.6245 \[hep-ex\]](#)].
67. J. P. Lees *et al.* [BaBar Collaboration], “Precise Measurement of the $e^+e^- \rightarrow \pi^+\pi^-(\gamma)$ Cross Section with the Initial-State Radiation Method at BABAR,” *Phys. Rev. D* **86** (2012) 032013 [[arXiv:1205.2228 \[hep-ex\]](#)].
68. J. P. Lees *et al.* [BABAR Collaboration], “Study of the reaction $e^+e^- \rightarrow J/\psi \pi^+\pi^-$ via initial-state radiation at BaBar,” *Phys. Rev. D* **86** (2012) 051102 [[arXiv:1204.2158 \[hep-ex\]](#)].
69. J. P. Lees *et al.* [BABAR Collaboration], “Search for lepton-number violating processes in $B^+ \rightarrow h^-\ell^+\ell^+$ decays,” *Phys. Rev. D* **85** (2012) 071103 [[arXiv:1202.3650 \[hep-ex\]](#)].
70. J. P. Lees *et al.* [BaBar Collaboration], “Initial-State Radiation Measurement of the $e^+e^- \rightarrow \pi^+\pi^-\pi^+\pi^-$ Cross Section,” *Phys. Rev. D* **85** (2012) 112009 [[arXiv:1201.5677 \[hep-ex\]](#)].
71. J. P. Lees *et al.* [The BABAR Collaboration], “ B^0 meson decays to $\rho^0 K^{*0}$, $f_0 K^{*0}$, and $\rho^- K^{*+}$, including higher K^* resonances,” *Phys. Rev. D* **85** (2012) 072005 [[arXiv:1112.3896 \[hep-ex\]](#)].
72. J. P. Lees *et al.* [BaBar Collaboration], “Study of $\bar{B} \rightarrow X_u \ell \bar{\nu}$ decays in $B\bar{B}$ events tagged by a fully reconstructed B-meson decay and determination of $\|V_{ub}\|$,” *Phys. Rev. D* **86** (2012) 032004 [[arXiv:1112.0702 \[hep-ex\]](#)].
73. J. P. Lees *et al.* [BABAR Collaboration], “Search for the $Z_1(4050)^+$ and $Z_2(4250)^+$ states in $\bar{B}^0 \rightarrow \chi_{c1} K^-\pi^+$ and $B^+ \rightarrow \chi_{c1} K_S^0 \pi^+$,” *Phys. Rev. D* **85** (2012) 052003 [[arXiv:1111.5919 \[hep-ex\]](#)].
74. P. del Amo Sanchez *et al.* [The BABAR Collaboration], “Observation and study of the baryonic B -meson decays $B \rightarrow D^{(*)} p\bar{p}(\pi)(\pi)$,” *Phys. Rev. D* **85** (2012) 092017 [[arXiv:1111.4387 \[hep-ex\]](#)].
75. J. P. Lees *et al.* [BABAR Collaboration], “Search for the Decay $D^0 \rightarrow \gamma\gamma$ and Measurement of the Branching Fraction for $D^0 \rightarrow \pi^0\pi^0$,” *Phys. Rev. D* **85** (2012) 091107 [[arXiv:1110.6480 \[hep-ex\]](#)].
76. J. P. Lees *et al.* [BABAR Collaboration], “Search for $\bar{B} \rightarrow \Lambda_c^+ X \ell^- \nu_\ell$ Decays in Events With a Fully Reconstructed B Meson,” *Phys. Rev. D* **85** (2012) 011102 [[arXiv:1110.6005 \[hep-ex\]](#)].
77. J. P. Lees *et al.* [The BaBar Collaboration], “A Measurement of the Semileptonic Branching Fraction of the B_s Meson,” *Phys. Rev. D* **85** (2012) 011101 [[arXiv:1110.5600 \[hep-ex\]](#)].
78. J. P. Lees *et al.* [BABAR Collaboration], “Study of $\Upsilon(3S, 2S) \rightarrow \eta\Upsilon(1S)$ and $\Upsilon(3S, 2S) \rightarrow \pi^+\pi^-\Upsilon(1S)$ hadronic transitions,” *Phys. Rev. D* **84** (2011) 092003 [[arXiv:1108.5874 \[hep-ex\]](#)].
79. J. P. Lees *et al.* [BABAR Collaboration], “Observation of the baryonic B decay $\bar{B}^0 \rightarrow \Lambda_c^+ \bar{\Lambda} K^-$,” *Phys. Rev. D* **84** (2011) 071102 [[arXiv:1108.3211 \[hep-ex\]](#)].
80. J. P. Lees *et al.* [BABAR Collaboration], “Branching Fraction Measurements of the Color-Suppressed Decays $\bar{B}^0 \rightarrow D^{(*)0} \pi^0$, $D^{(*)0} \eta$, $D^{(*)0} \omega$, and $D^{(*)0} \eta'$ and Measurement of the Polarization in the Decay $\bar{B}^0 \rightarrow D * 0\omega$,” *Phys. Rev. D* **84** (2011) 112007 [Erratum-ibid. D **87** (2013) 3, 039901] [[arXiv:1107.5751 \[hep-ex\]](#)].

81. J. P. Lees *et al.* [The BABAR Collaboration], “Measurements of branching fractions and CP asymmetries and studies of angular distributions for $B \rightarrow \phi\phi K$ decays,” Phys. Rev. D **84** (2011) 012001 [arXiv:1105.5159 [hep-ex]].
82. J. P. Lees *et al.* [BABAR Collaboration], “Study of di-pion bottomonium transitions and search for the $h_b(1P)$ state,” Phys. Rev. D **84** (2011) 011104 [arXiv:1105.4234 [hep-ex]].
83. J. P. Lees *et al.* [BaBar Collaboration], “Amplitude Analysis of $B^0 \rightarrow K^+\pi^-\pi^0$ and Evidence of Direct CP Violation in $B \rightarrow K^*\pi$ decays,” Phys. Rev. D **83** (2011) 112010 [arXiv:1105.0125 [hep-ex]].
84. J. P. Lees *et al.* [The BABAR Collaboration], “A Study of radiative bottomonium transitions using converted photons,” Phys. Rev. D **84** (2011) 072002 [arXiv:1104.5254 [hep-ex]].
85. P. del Amo Sanchez *et al.* [The BABAR Collaboration], “Observation of $\eta_c(1S)$ and $\eta_c(2S)$ decays to $K^+K^-\pi^+\pi^-$ in two-photon interactions,” Phys. Rev. D **84** (2011) 012004 [arXiv:1103.3971 [hep-ex]].
86. J. P. Lees *et al.* [BaBar Collaboration], “Cross Sections for the Reactions $e^+e^- \rightarrow K^+K^-\pi^+\pi^-$, $K^+K^-\pi^0\pi^0$, and $K^+K^-K^+K^-$ Measured Using Initial-State Radiation Events,” Phys. Rev. D **86** (2012) 012008 [arXiv:1103.3001 [hep-ex]].
87. J. P. Lees *et al.* [BABAR Collaboration], “Evidence for the $h_b(1P)$ meson in the decay $\Upsilon(3S) \rightarrow \pi^0 h_b(1P)$,” Phys. Rev. D **84** (2011) 091101 [arXiv:1102.4565 [hep-ex]].
88. P. del Amo Sanchez *et al.* [BABAR Collaboration], “Searches for the baryon- and lepton-number violating decays $B^0 \rightarrow \Lambda_c^+\ell^-$, $B^- \rightarrow \Lambda\ell^-$, and $B^- \rightarrow \bar{\Lambda}\ell^-$,” Phys. Rev. D **83** (2011) 091101 [arXiv:1101.3830 [hep-ex]].
89. P. del Amo Sanchez *et al.* [BABAR Collaboration], “Measurement of the $\gamma\gamma^* -- \rightarrow \eta$ and $\gamma\gamma^* -- \rightarrow \eta'$ transition form factors,” Phys. Rev. D **84** (2011) 052001 [arXiv:1101.1142 [hep-ex]].
90. P. del Amo Sanchez *et al.* [The BABAR Collaboration], “Observation of the Decay $B^- \rightarrow D_s^{(*)+}K^-\ell^-\bar{\nu}_\ell$,” Phys. Rev. Lett. **107** (2011) 041804 [arXiv:1012.4158 [hep-ex]].
91. P. del Amo Sanchez *et al.* [BABAR Collaboration], “Measurement of the $B^0 \rightarrow \pi^\ell\ell^+\nu$ and $B^+ \rightarrow \eta^{(\prime)}\ell^+\nu$ Branching Fractions, the $B^0 \rightarrow \pi^-\ell^+\nu$ and $B^+ \rightarrow \eta\ell^+\nu$ Form-Factor Shapes, and Determination of $|V_{ub}|$,” Phys. Rev. D **83** (2011) 052011 [arXiv:1010.0987 [hep-ex]].
92. P. del Amo Sanchez *et al.* [BaBar Collaboration], “Search for Production of Invisible Final States in Single-Photon Decays of $\Upsilon(1S)$,” Phys. Rev. Lett. **107** (2011) 021804 [arXiv:1007.4646 [hep-ex]].
93. J. P. Lees *et al.* [The BABAR Collaboration], “Measurement of the mass and width of the $D_{s1}(2536)^+$ meson,” Phys. Rev. D **83** (2011) 072003 [arXiv:1103.2675 [hep-ex]].
94. P. del Amo Sanchez *et al.* [The BABAR Collaboration], “Measurement of partial branching fractions of inclusive charmless B meson decays to K^+ , K^0 , and π^+ ,” Phys. Rev. D **83**, 031103 (2011) [arXiv:1012.5031 [hep-ex]].
95. P. del Amo Sanchez *et al.* [BABAR Collaboration], “Measurements of branching fractions, polarizations, and direct CP-violation asymmetries in $B^+ \rightarrow \rho^0 K^{*+}$ and $B^+ \rightarrow f_0(980) K^{*+}$ decays,” Phys. Rev. D **83**, 051101 (2011) [arXiv:1012.4044 [hep-ex]].
96. P. del Amo Sanchez *et al.* [The BABAR Collaboration], “Analysis of the $D^+ \rightarrow K^-\pi^+e^+\nu_e$ decay channel,” Phys. Rev. D **83**, 072001 (2011) [arXiv:1012.1810 [hep-ex]].
97. P. del Amo Sanchez *et al.* [BABAR Collaboration], “Dalitz plot analysis of $D_s^+ \rightarrow K^+K^-\pi^+$,” Phys. Rev. D **83** (2011) 052001 [arXiv:1011.4190 [hep-ex]].
98. P. del Amo Sanchez *et al.* [The BABAR Collaboration], “Measurement of the $B \rightarrow \bar{D}^{(*)}D^{(*)}K$ branching fractions,” Phys. Rev. D **83**, 032004 (2011) [arXiv:1011.3929 [hep-ex]].
99. P. del Amo Sanchez *et al.* [The BaBar Collaboration], “Studies of $\tau^- \rightarrow \eta K^-\nu$ and $\tau^- \rightarrow \eta\pi^-\nu$ at BaBar and a search for a second-class current,” Phys. Rev. D **83**, 032002 (2011) [arXiv:1011.3917 [hep-ex]].

100. P. del Amo Sanchez *et al.* [The BABAR Collaboration], “Search for the Decay $B^0 \rightarrow \gamma\gamma$,” Phys. Rev. D **83**, 032006 (2011) [arXiv:1010.2229 [hep-ex]].
101. P. del Amo Sanchez *et al.* [The BABAR Collaboration], “Observation of new resonances decaying to $D\pi$ and $D^*\pi$ in inclusive e^+e^- collisions near $\sqrt{s} = 10.58$ GeV,” Phys. Rev. D **82**, 111101 (2010) [arXiv:1009.2076 [hep-ex]].
102. P. del Amo Sanchez *et al.* [BABAR Collaboration], “Search for the Rare Decay $B \rightarrow K\nu\bar{\nu}$,” Phys. Rev. D **82**, 112002 (2010) [arXiv:1009.1529 [hep-ex]].
103. P. del Amo Sanchez *et al.* [BaBar Collaboration], “Measurement of the Absolute Branching Fractions for $D_s^- \rightarrow \ell^-\bar{\nu}_\ell$ and Extraction of the Decay Constant f_{D_s} ,” Phys. Rev. D **82**, 091103 (2010) [arXiv:1008.4080 [hep-ex]].
104. P. del Amo Sanchez *et al.* [BABAR Collaboration], “Exclusive Production of $D_s^+D_s^-$, $D_s^{*+}D_s^-$, and $D_s^{*+}D_s^{*-}$ via e^+e^- Annihilation with Initial-State-Radiation,” Phys. Rev. D **82**, 052004 (2010) [arXiv:1008.0338 [hep-ex]].
105. P. del Amo Sanchez *et al.* [The BABAR Collaboration], “Search for $f_J(2220)$ in radiative J/ψ decays,” Phys. Rev. Lett. **105**, 172001 (2010) [arXiv:1007.3526 [hep-ex]].
106. P. del Amo Sanchez *et al.* [The BABAR Collaboration], “Search for B^+ meson decay to $a1 + K^*$,” Phys. Rev. D **82** (2010) 091101 [arXiv:1007.2732 [hep-ex]].
107. B. Aubert *et al.* [BABAR Collaboration], “Observation of the decay $\bar{B}^0 \rightarrow \Lambda_c\bar{p}\pi^0$,” Phys. Rev. D **82**, 031102 (2010) [arXiv:1007.1370 [hep-ex]].
108. B. Aubert *et al.* [BABAR Collaboration], “Correlated leading baryon-antibaryon production in $e^+e^- \rightarrow c\bar{c} \rightarrow \Lambda_c^+\bar{\Lambda}_c^- X$,” Phys. Rev. D **82**, 091102 (2010) [arXiv:1006.2216 [hep-ex]].
109. P. del Amo Sanchez *et al.* [BABAR Collaboration], “Evidence for the decay $X(3872) \rightarrow J/\psi\omega$,” Phys. Rev. D **82**, 011101 (2010) [arXiv:1005.5190 [hep-ex]].
110. P. del Amo Sanchez *et al.* [BABAR Collaboration], “Study of $B \rightarrow X\gamma$ Decays and Determination of $|V_{td}/V_{ts}|$,” Phys. Rev. D **82**, 051101 (2010) [arXiv:1005.4087 [hep-ex]].
111. P. del Amo Sanchez *et al.* [The BABAR Collaboration], “Search for $B^+ \rightarrow D^+K^0$ and $B^+ \rightarrow D^+K^{*0}$ decays,” Phys. Rev. D **82**, 092006 (2010) [arXiv:1005.0068 [hep-ex]].
112. P. del Amo Sanchez *et al.* [BaBar Collaboration], “ B -meson decays to $\eta'\rho$, $\eta'f_0$, and $\eta'K^*$,” Phys. Rev. D **82**, 011502 (2010) [arXiv:1004.0240 [hep-ex]].
113. P. del Amo Sanchez *et al.* [BABAR Collaboration], “Observation of the $\Upsilon(1^3D_J)$ Bottomonium State through Decays to $\pi^+\pi^-\Upsilon(1S)$,” Phys. Rev. D **82**, 111102 (2010) [arXiv:1004.0175 [hep-ex]].
114. P. del Amo Sanchez *et al.* [The BABAR Collaboration], “Search for CP violation using T -odd correlations in $D^0 \rightarrow K^+K^-\pi^+\pi^-$ decays,” Phys. Rev. D **81**, 111103 (2010) [arXiv:1003.3397 [hep-ex]].
115. P. del Amo Sanchez *et al.* [The BABAR Collaboration], “Observation of the Rare Decay $B^0 \rightarrow K_SK^\pm\pi^\mp$,” Phys. Rev. D **82**, 031101 (2010) [arXiv:1003.0640 [hep-ex]].
116. J. P. Lees *et al.* [BaBar Collaboration], “Limits on tau Lepton-Flavor Violating Decays in three charged leptons,” Phys. Rev. D **81**, 111101 (2010) [arXiv:1002.4550 [hep-ex]].
117. J. P. Lees *et al.* [The BABAR Collaboration], “Measurement of the $\gamma\gamma^* \rightarrow \eta_c$ transition form factor,” Phys. Rev. D **81**, 052010 (2010) [arXiv:1002.3000 [hep-ex]].
118. B. Aubert *et al.* [BABAR Collaboration], “Observation of the $\chi_{c2}(2P)$ meson in the reaction $\gamma\gamma \rightarrow D\bar{D}$ at BABAR,” Phys. Rev. D **81**, 092003 (2010) [arXiv:1002.0281 [hep-ex]].
119. J. P. Lees *et al.* [The BABAR Collaboration], “Search for Charged Lepton Flavor Violation in Narrow Υ Decays,” Phys. Rev. Lett. **104**, 151802 (2010) [arXiv:1001.1883 [hep-ex]].
120. B. Aubert *et al.* [BABAR Collaboration], “Measurements of Charged Current Lepton Universality and $|V_{us}|$ using τ Lepton Decays to $e^-\bar{\nu}_e\nu_\tau$, $\mu^-\bar{\nu}_\mu\nu_\tau$, $\pi^-\nu_\tau$, and $K^-\nu_\tau$,” Phys. Rev. Lett. **105**, 051602 (2010) [arXiv:0912.0242 [hep-ex]].

121. B. Aubert *et al.* [BABAR Collaboration], “A Search for $B^+ \rightarrow \tau^+\nu$ Recoiling Against $B^- \rightarrow D^0\ell^-\nu X$,” Phys. Rev. D **81**, 051101 (2010) arXiv:0912.2453 [hep-ex].
122. B. Aubert *et al.* [BaBar Collaboration], “Observation of inclusive $D^{*\pm}$ production in the decay of $\Upsilon(1S)$,” Phys. Rev. D **81**, 011102 (2010) [arXiv:0911.2024 [hep-ex]].
123. B. Aubert *et al.* [BABAR Collaboration], “Measurements of the τ Mass and Mass Difference of the τ^+ and τ^- at BaBar,” Phys. Rev. D **80**, 092005 (2009) [arXiv:0909.3562 [hep-ex]].
124. B. Aubert *et al.* [BABAR Collaboration], “Measurement of branching fractions of B decays to $K_1(1270)\pi$ and $K_1(1400)\pi$ and determination of the CKM angle α from $B^0 \rightarrow a_1(1260)^{\pm} p i^{\mp}$,” Phys. Rev. D **81**, 052009 (2010) [arXiv:0909.2171 [hep-ex]].
125. B. Aubert *et al.* [BABAR Collaboration], “Precise measurement of the $e^+e^- \rightarrow \pi^+\pi^-(\gamma)$ cross section with the Initial State Radiation method at BABAR,” Phys. Rev. Lett. **103**, 231801 (2009) [arXiv:0908.3589 [hep-ex]].
126. B. Aubert *et al.* [BABAR Collaboration], “Searches for Lepton Flavor Violation in the Decays $\tau \rightarrow e\gamma$ and $\tau \rightarrow \mu\gamma$,” Phys. Rev. Lett. **104**, 021802 (2010) [arXiv:0908.2381 [hep-ex]].
127. B. Aubert *et al.* [BABAR Collaboration], “Study of D_{sJ} decays to D^*K in inclusive e^+e^- interactions,” Phys. Rev. D **80**, 092003 (2009) [arXiv:0908.0806 [hep-ex]].
128. B. Aubert *et al.* [BABAR Collaboration], “Measurement and interpretation of moments in inclusive semileptonic decays $\bar{B} \rightarrow X_c\ell^-\bar{n}u$,” Phys. Rev. D **81**, 032003 (2010) [arXiv:0908.0415 [hep-ex]].
129. B. Aubert *et al.* [BABAR Collaboration], “Observation of the baryonic B-decay $\bar{B}^0 \rightarrow \Lambda_c^+\bar{p}K^-\pi^+$,” Phys. Rev. D **80**, 051105 (2009) [arXiv:0907.4566 [hep-ex]].
130. B. Aubert *et al.* [BABAR Collaboration], “Search for B-meson decays to $b_1\rho$ and b_1K^* ,” Phys. Rev. D **80**, 051101 (2009) [arXiv:0907.3485 [hep-ex]].
131. B. Aubert *et al.* [BABAR Collaboration], “Observation and Polarization Measurement of $B^0 \rightarrow a_1(1260)^+a_1(1260)^-$ Decay,” Phys. Rev. D **80**, 092007 (2009) [arXiv:0907.1776 [hep-ex]].
132. B. Aubert *et al.* [The BABAR Collaboration], “B meson decays to charmless meson pairs containing η or η' mesons,” Phys. Rev. D **80**, 112002 (2009) [arXiv:0907.1743 [hep-ex]].
133. B. Aubert *et al.* [BABAR Collaboration], “A Model-independent search for the decay $B^+ \rightarrow \ell^+\nu_\ell$ gamma,” Phys. Rev. D **80**, 111105 (2009) [arXiv:0907.1681 [hep-ex]].
134. B. Aubert *et al.* [BABAR Collaboration], “Measurement of Branching Fractions and CP and Isospin Asymmetries in $B \rightarrow K^*(892)\gamma$ Decays,” Phys. Rev. Lett. **103**, 211802 (2009) [arXiv:0906.2177 [hep-ex]].
135. B. Aubert *et al.* [The BABAR Collaboration], “Measurement of the $\gamma\gamma^* \rightarrow \pi^0$ transition form factor,” Phys. Rev. D **80**, 052002 (2009) [arXiv:0905.4778 [hep-ex]].
136. B. Aubert *et al.* [BABAR Collaboration], “Time-dependent amplitude analysis of $B^0 \rightarrow K_S^0\pi^+\pi^-$,” Phys. Rev. D **80**, 112001 (2009) [arXiv:0905.3615 [hep-ex]].
137. B. Aubert *et al.* [BABAR Collaboration], “Search for B^0 Meson Decays to $\pi^0 K_S^0 K_S^0$, $\eta K_S^0 K_S^0$, and $\eta' K_S^0 K_S^0$,” Phys. Rev. D **80**, 011101 (2009) [arXiv:0905.0868 [hep-ex]].
138. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the Branching Fraction and $\bar{\Lambda}$ Polarization in $B^0 \rightarrow \bar{\Lambda}p\pi^-$,” Phys. Rev. D **79**, 112009 (2009) [arXiv:0904.4724 [hep-ex]].
139. B. Aubert *et al.* [BABAR Collaboration], “Measurement of $|V_{cb}|$ and the Form-Factor Slope in $\bar{B} \rightarrow D\ell^-\bar{\nu}$ Decays in Events Tagged by a Fully Reconstructed B Meson,” Phys. Rev. Lett. **104**, 011802 (2010) [arXiv:0904.4063 [hep-ex]].
140. B. Aubert *et al.* [BABAR Collaboration], “Search for Second-Class Currents in $\tau^- \rightarrow \omega\pi^-\nu_\tau$,” Phys. Rev. Lett. **103**, 041802 (2009) [arXiv:0904.3080 [hep-ex]].
141. B. Aubert *et al.* [BABAR Collaboration], “Improved limits on lepton flavor violating τ decays to $\ell\phi$, $\ell\rho$, ℓK^* and $\ell\bar{K}^{**}$,” Phys. Rev. Lett. **103**, 021801 (2009) [arXiv:0904.0339 [hep-ex]].

142. B. Aubert *et al.* [BABAR Collaboration], “Exclusive Initial-State-Radiation Production of the $D\bar{D}$, $D\bar{D}^*$, and $D^*\bar{D}^*$, Systems,” Phys. Rev. D **79**, 092001 (2009) [arXiv:0903.1597 [hep-ex]].
143. B. Aubert *et al.* [BABAR Collaboration], “Search for the Rare Leptonic Decays $B^+ \rightarrow \ell^+\nu_\ell$ ($\ell = e, \mu$),” Phys. Rev. D **79**, 091101 (2009) [arXiv:0903.1220 [hep-ex]].
144. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the Semileptonic Decays $B \rightarrow D\tau^-\bar{\nu}_\tau$ and $B \rightarrow D^*\tau^-\bar{\nu}_\tau$,” Phys. Rev. D **79**, 092002 (2009) [arXiv:0902.2660 [hep-ex]].
145. B. Aubert *et al.* [BABAR Collaboration], “Dalitz Plot Analysis of $B^\pm \rightarrow \pi^\pm\pi^\pm\pi^\mp$ Decays,” Phys. Rev. D **79**, 072006 (2009) [arXiv:0902.2051 [hep-ex]].
146. B. Aubert *et al.* [BABAR Collaboration], “Observation of B Meson Decays to ωK^* and Improved Measurements for $\omega\rho$ and ωf_0 ,” Phys. Rev. D **79**, 052005 (2009) [arXiv:0901.3703 [hep-ex]].
147. B. Aubert *et al.* [BaBar Collaboration], “Improved Measurement of $B^+ \rightarrow \rho^+\rho^0$ and Determination of the Quark-Mixing Phase Angle α ,” Phys. Rev. Lett. **102**, 141802 (2009) [arXiv:0901.3522 [hep-ex]].
148. B. Aubert *et al.* [BABAR Collaboration], “Dalitz Plot Analysis of $B^- \rightarrow D^+\pi^-\pi^-$,” Phys. Rev. D **79**, 112004 (2009) [arXiv:0901.1291 [hep-ex]].
149. B. Aubert *et al.* [BABAR Collaboration], “Evidence for $B^+ \rightarrow \bar{K}^{*0}K^{*+}$,” Phys. Rev. D **79**, 051102 (2009) [arXiv:0901.1223 [hep-ex]].
150. B. Aubert *et al.* [BaBar Collaboration], “Search for Lepton Flavour Violating Decays $\tau \rightarrow \ell K_S^0$ with the BaBar Experiment,” Phys. Rev. D **79**, 012004 (2009) [arXiv:0812.3804 [hep-ex]].
151. B. Aubert *et al.* [BABAR Collaboration], “Search for the decay $B^+ \rightarrow K_S^0 K_S^0 \pi^+$,” Phys. Rev. D **79** (2009) 051101 [arXiv:0811.1979 [hep-ex]].
152. B. Aubert *et al.* [BABAR Collaboration], “Search for the $Z(4430)^-$ at BABAR,” Phys. Rev. D **79** (2009) 112001 [arXiv:0811.0564 [hep-ex]].
153. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the $e^+e^- \rightarrow b\bar{b}$ cross section between $\sqrt{s} = 10.54$ and 11.20 GeV,” Phys. Rev. Lett. **102**, 012001 (2009) [arXiv:0809.4120 [hep-ex]].
154. B. Aubert *et al.* [BABAR Collaboration], “A Search for $B^+ \rightarrow \ell^+\nu_\ell$ Recoiling Against $B^- \rightarrow D^0\ell^-\bar{\nu}X$,” Phys. Rev. D **81**, 051101 (2010) [arXiv:0809.4027 [hep-ex]].
155. B. Aubert *et al.* [BABAR Collaboration], “Measurement of time dependent CP asymmetry parameters in B^0 meson decays to ωK_S^0 , $\eta' K_0$, and $\pi^0 K_S^0$,” Phys. Rev. D **79** (2009) 052003 [arXiv:0809.1174 [hep-ex]].
156. B. Aubert *et al.* [BABAR Collaboration], “Measurements of the Semileptonic Decays $\overline{B} \rightarrow D\ell\bar{\nu}$ and $\overline{B} \rightarrow D^*\ell\bar{\nu}$ Using a Global Fit to $DX\ell\bar{\nu}$ Final States,” Phys. Rev. D **79**, 012002 (2009) [arXiv:0809.0828 [hep-ex]].
157. B. Aubert *et al.* [BABAR Collaboration], “Evidence for $X(3872) \rightarrow \psi(2S)\gamma$ in $B^\pm \rightarrow X(3872)K^\pm$ decays, and a study of $B \rightarrow c\bar{c}\gamma K$,” Phys. Rev. Lett. **102** (2009) 132001 [arXiv:0809.0042 [hep-ex]].
158. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the $B^+ \rightarrow \omega\ell^+\nu$ and $B^+ \rightarrow \eta\ell^+\nu$ Branching Fractions,” Phys. Rev. D **79**, 052011 (2009) [arXiv:0808.3524 [hep-ex]].
159. B. Aubert *et al.* [BABAR Collaboration], “Measurements of time-dependent CP asymmetries in $B^0 \rightarrow D^{(*)+}D^{(*)-}$ decays,” Phys. Rev. D **79**, 032002 (2009) [arXiv:0808.1866 [hep-ex]].
160. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the Branching Fractions of the Radiative Charm Decays $D^0 \rightarrow \overline{K}^{*0}\gamma$ and $D^0 \rightarrow \phi\gamma$,” Phys. Rev. D **78**, 071101 (2008) [arXiv:0808.1838 [hep-ex]].
161. B. Aubert *et al.* [BABAR Collaboration], “Observation of $B^0 \rightarrow \chi_c^0 K^{*0}$ and evidence for $B^+ \rightarrow \chi_c^0 K^{*+}$,” Phys. Rev. D **78**, 091101 (2008) [arXiv:0808.1487 [hep-ex]].
162. B. Aubert *et al.* [BABAR Collaboration], “Measurements of Branching Fractions for $B^+ \rightarrow \rho^+\gamma$, $B^0 \rightarrow \rho^0\gamma$, and $B^0 \rightarrow \omega\gamma$,” Phys. Rev. D **78**, 112001 (2008) [arXiv:0808.1379 [hep-ex]].

163. B. Aubert *et al.* [BABAR Collaboration], “Search for $B \rightarrow K^* \nu \bar{\nu}$ decays,” Phys. Rev. D **78**, 072007 (2008) [arXiv:0808.1338 [hep-ex]].
164. B. Aubert *et al.* [BABAR Collaboration], “Search for the highly suppressed decays $B^- \rightarrow K^+ \pi^- \pi^-$ and $B^- \rightarrow K^- K^- \pi^+$,” Phys. Rev. D **78**, 091102 (2008) [arXiv:0808.0900 [hep-ex]].
165. B. Aubert *et al.* [The BABAR Collaboration], “Time-dependent and time-integrated angular analysis of $B \rightarrow \phi K_S^0 \pi^0$ and $\phi K^\pm \pi^\mp$,” Phys. Rev. D **78**, 092008 (2008) [arXiv:0808.3586 [hep-ex]].
166. B. Aubert *et al.* [BABAR Collaboration], “Dalitz Plot Analysis of $D_s^+ \rightarrow \pi^+ \pi^- \pi^+$,” Phys. Rev. D **79**, 032003 (2009) [arXiv:0808.0971 [hep-ex]].
167. B. Aubert *et al.* [BABAR Collaboration], “Search for B^+ meson decay to $a_1^+ K^{*0}$,” Phys. Rev. D **82**, 091101 (2010) [arXiv:0808.0579 [hep-ex]].
168. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the Branching Fractions of $\bar{B} \rightarrow D^{**} \ell^- \bar{\nu}_\ell$ decays in Events Tagged by a Fully Reconstructed B Meson,” Phys. Rev. Lett. **101**, 261802 (2008) [arXiv:0808.0528 [hep-ex]].
169. B. Aubert *et al.* [BABAR Collaboration], “Measurement of Semileptonic B Decays into Orbitally-Excited Charmed Mesons,” Phys. Rev. Lett. **103** (2009) 051803 [arXiv:0808.0333 [hep-ex]].
170. B. Aubert *et al.* [BaBar Collaboration], “Measurement of the Branching Fraction, Polarization, and CP Asymmetries in $B^0 \rightarrow \rho^0 \rho^0$ Decay, and Implications for the CKM Angle α ,” Phys. Rev. D **78**, 071104 (2008) [arXiv:0807.4977 [hep-ex]].
171. B. Aubert *et al.* [BABAR Collaboration], “Measurement of $B \rightarrow X \gamma$ Decays and Determination of $|V_{td}/V_{ts}|$,” Phys. Rev. Lett. **102** (2009) 161803 [arXiv:0807.4975 [hep-ex]].
172. B. Aubert *et al.* [BABAR Collaboration], “Measurements of $\mathcal{B}(\bar{B}^0 \rightarrow \Lambda_c^+ \bar{p})$ and $\mathcal{B}(B^- \rightarrow \Lambda_c^+ \bar{p} \pi^-)$ and Studies of $\Lambda_c^+ \pi^-$ Resonances,” Phys. Rev. D **78**, 112003 (2008) [arXiv:0807.4974 [hep-ex]].
173. B. Aubert *et al.* [BABAR Collaboration], “Direct CP, Lepton Flavor and Isospin Asymmetries in the Decays $B \rightarrow K^{(*)} \ell^+ \ell^-$,” Phys. Rev. Lett. **102**, 091803 (2009) [arXiv:0807.4119 [hep-ex]].
174. B. Aubert *et al.* [BaBar Collaboration], “Searches for B meson decays to $\phi \phi$, $\phi \rho$, $\phi f_0(980)$, and $f_0(980) f_0(980)$ final states,” Phys. Rev. Lett. **101**, 201801 (2008) [arXiv:0807.3935 [hep-ex]].
175. B. Aubert *et al.* [BABAR Collaboration], “Measurement of Time-Dependent CP Asymmetry in $B^0 \rightarrow K_S^0 \pi^0 \gamma$ Decays,” Phys. Rev. D **78**, 071102 (2008) [arXiv:0807.3103 [hep-ex]].
176. B. Aubert *et al.* [BABAR Collaboration], “Study of hadronic transitions between Υ states and observation of $\Upsilon(4S) \rightarrow \eta \Upsilon(1S)$ decay,” Phys. Rev. D **78**, 112002 (2008) [arXiv:0807.2014 [hep-ex]].
177. B. Aubert *et al.* [BABAR Collaboration], “Study of the decay $D_s^+ \rightarrow K^+ K^- e^+ \nu$,” Phys. Rev. D **78**, 051101 (2008) [arXiv:0807.1599 [hep-ex]].
178. B. Aubert *et al.* [BABAR Collaboration], “Search for $B^0 \rightarrow K^{*+} K^{*-}$,” Phys. Rev. D **78**, 051103 (2008) [arXiv:0806.4467 [hep-ex]].
179. B. Aubert *et al.* [BABAR Collaboration], “Observation and Polarization Measurements of $B^\pm \rightarrow \phi K_1^\pm$ and $B^\pm \rightarrow \phi K_2^{*\pm}$,” Phys. Rev. Lett. **101**, 161801 (2008) [arXiv:0806.4419 [hep-ex]].
180. B. Aubert *et al.* [BaBar Collaboration], “Observation of $e^+ e^- \rightarrow \rho^+ \rho^-$ near $\sqrt{s} = 10.58$ GeV,” Phys. Rev. D **78**, 071103 (2008) [arXiv:0806.3893 [hep-ex]].
181. B. Aubert *et al.* [BABAR Collaboration], “A Measurement of CP Asymmetry in $b \rightarrow s \gamma$ using a Sum of Exclusive Final States,” Phys. Rev. Lett. **101**, 171804 (2008) [arXiv:0805.4796 [hep-ex]].
182. B. Aubert *et al.* [BABAR Collaboration], “Measurements of $B \rightarrow \pi, \eta, \eta' \ell \nu$ Branching Fractions and Determination of $|V_{ub}|$ with Semileptonically Tagged B Mesons,” Phys. Rev. Lett. **101**, 081801 (2008) [arXiv:0805.2408 [hep-ex]].
183. B. Aubert *et al.* [BABAR Collaboration], “Branching Fractions and CP-Violating Asymmetries in Radiative B Decays to $\eta K \gamma$,” Phys. Rev. D **79**, 011102 (2009) [arXiv:0805.1317 [hep-ex]].

184. B. Aubert *et al.* [BABAR Collaboration], “Observation of $B^+ \rightarrow b_1^+ K^0$ and search for B-meson decays to $b_1^0 K^0$ and $b_1 \pi^0$,” Phys. Rev. D **78**, 011104 (2008) [arXiv:0805.1217 [hep-ex]].
185. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the Mass Difference $m(B^0) - m(B^+)$,” Phys. Rev. D **78**, 011103 (2008) [arXiv:0805.0497 [hep-ex]].
186. B. Aubert *et al.* [BABAR Collaboration], “Angular Distributions in the Decays $B \rightarrow K^* \ell^+ \ell^-$,” Phys. Rev. D **79**, 031102 (2009) [arXiv:0804.4412 [hep-ex]].
187. B. Aubert *et al.* [BABAR Collaboration], “Observation of $B \rightarrow \eta \rho^+$ and search for B^0 Decays to $\eta' \eta$, $\eta \pi^0$, $\eta' \pi^0$, and $\omega \pi^0$,” Phys. Rev. D **78**, 011107 (2008) [arXiv:0804.2422 [hep-ex]].
188. B. Aubert *et al.* [BABAR Collaboration], “Study of B -meson decays to $\eta_c K^{(*)}$, $\eta_c(2S)K^{(*)}$ and $\eta_c \gamma K^{(*)}$,” Phys. Rev. D **78**, 012006 (2008) [arXiv:0804.1208 [hep-ex]].
189. B. Aubert *et al.* [BABAR Collaboration], “Evidence for CP violation in $B^0 \rightarrow J/\psi \pi^0$ decays,” Phys. Rev. Lett. **101**, 021801 (2008) [arXiv:0804.0896 [hep-ex]].
190. B. Aubert *et al.* [BABAR Collaboration], “Study of B Meson Decays with Excited η and η' Mesons,” Phys. Rev. Lett. **101**, 091801 (2008) [arXiv:0804.0411 [hep-ex]].
191. B. Aubert *et al.* [BABAR Collaboration], “Evidence for Direct CP Violation from Dalitz-plot analysis of $B^\pm \rightarrow K^\pm \pi^\pm \pi^\mp$,” Phys. Rev. D **78**, 012004 (2008) [arXiv:0803.4451 [hep-ex]].
192. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the Branching Fractions of the Rare Decays $B^0 \rightarrow D_s^{(*)+} \pi^-$, $B^0 \rightarrow D_s^{(*)+} \rho^-$, and $B^0 \rightarrow D_s^{(*)-} K^{(*)+}$,” Phys. Rev. D **78**, 032005 (2008) [arXiv:0803.4296 [hep-ex]].
193. B. Aubert *et al.* [BABAR Collaboration], “A Study of $B \rightarrow X(3872)K$, with $X_{3872} \rightarrow J/\psi \pi^+ \pi^-$,” Phys. Rev. D **77**, 111101 (2008) [arXiv:0803.2838 [hep-ex]].
194. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the Spin of the $\Xi(1530)$ Resonance,” Phys. Rev. D **78**, 034008 (2008) [arXiv:0803.1863 [hep-ex]].
195. B. Aubert *et al.* [BaBar Collaboration], “Measurement of the $\tau \rightarrow 3\pi \eta \nu$ Branching Fraction and a Search for a Second-Class Current in the $\tau \rightarrow \eta'(958)\pi \nu$ Decay,” Phys. Rev. D **77**, 112002 (2008) [arXiv:0803.0772 [hep-ex]].
196. B. Aubert *et al.* [BABAR Collaboration], “Search for CP Violation in Neutral D Meson Cabibbo-suppressed Three-body Decays,” Phys. Rev. D **78**, 051102 (2008) [arXiv:0802.4035 [hep-ex]].
197. B. Aubert *et al.* [BABAR Collaboration], “Searches for the decays $B^0 \rightarrow \ell^+ \tau^-$ and $B^+ \rightarrow \ell^+ \nu$ ($\ell = e, \mu$) using hadronic tag reconstruction,” Phys. Rev. D **77**, 091104 (2008) [arXiv:0801.0697 [hep-ex]].
198. B. Aubert *et al.* [BABAR Collaboration], “A Measurement of the Branching Fractions of exclusive $\overline{B} \rightarrow D^{(*)}(\pi) \ell \bar{\nu}$ Decays in Events with a Fully Reconstructed B Meson,” Phys. Rev. Lett. **100** (2008) 151802 [arXiv:0712.3503 [hep-ex]].
199. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the Decay $B^- \rightarrow D^{*0} e^- \bar{\nu}$,” Phys. Rev. Lett. **100** (2008) 231803 [arXiv:0712.3493 [hep-ex]].
200. B. Aubert *et al.* [BABAR Collaboration], “Time-dependent Dalitz plot analysis of $B^0 \rightarrow D^\mp K^0 \pi^\pm$ decays,” Phys. Rev. D **77** (2008) 071102 [arXiv:0712.3469 [hep-ex]].
201. B. Aubert *et al.* [BaBar Collaboration], “Study of $B^0 \rightarrow \ell^+ \ell^-$ decays ($\ell, \ell' = e, \mu$),” Phys. Rev. D **77** (2008) 032007 [arXiv:0712.1516 [hep-ex]].
202. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the $B \rightarrow X_s \gamma$ Branching Fraction and Photon Energy Spectrum using the Recoil Method,” Phys. Rev. D **77** (2008) 051103 [arXiv:0711.4889 [hep-ex]].
203. B. Aubert *et al.* [BaBar Collaboration], “Dalitz Plot Analysis of the Decay $B^0 (\overline{B}^0) \rightarrow K^\pm \pi^\mp \pi^0$,” Phys. Rev. D **78** (2008) 052005 [arXiv:0711.4417 [hep-ex]].
204. B. Aubert *et al.* [BaBar Collaboration], “Observation of $Y(3940) \rightarrow J/\psi \omega$ in $B \rightarrow J/\psi \omega K$ at BABAR,” Phys. Rev. Lett. **101** (2008) 082001 [arXiv:0711.2047 [hep-ex]].

205. B. Aubert *et al.* [BABAR Collaboration], “Search for Lepton Flavor Violating Decays $\tau^\pm \rightarrow \ell^\pm \omega$ ($\ell = e, \mu$),” Phys. Rev. Lett. **100** (2008) 071802 [arXiv:0711.0980 [hep-ex]].
206. B. Aubert *et al.* [BaBar Collaboration], “A study of $\bar{B} \rightarrow \Xi_c \Lambda_c^-$ and $\bar{B} \rightarrow \Lambda_c^+ \Lambda_c^- \bar{K}$ decays at BABAR,” Phys. Rev. D **77** (2008) 031101 [arXiv:0710.5775 [hep-ex]].
207. B. Aubert *et al.* [BABAR Collaboration], “A Study of Excited Charm-Strange Baryons with Evidence for new Baryons $\Xi_c(3055)^+$ and $\Xi_c(3123)^+$,” Phys. Rev. D **77** (2008) 012002 [arXiv:0710.5763 [hep-ex]].
208. B. Aubert *et al.* [BaBar Collaboration], “Measurements of $e^+e^- \rightarrow K^+K^-\eta$, $K^+K^-\pi^0$ and $K_SK^+\pi^-$ Cross Sections Using Initial State Radiation Events,” Phys. Rev. D **77** (2008) 092002 [arXiv:0710.4451 [hep-ex]].
209. B. Aubert *et al.* [BABAR Collaboration], “Observation of B^+ Meson Decays to $a_1(1260)^+K^0$ and B^0 to $a_1(1260)^-K^+$,” Phys. Rev. Lett. **100** (2008) 051803 [arXiv:0709.4165 [hep-ex]].
210. B. Aubert *et al.* [BaBar Collaboration], “Search for CP Violation in the Decays $D^0 \rightarrow K^-K^+$ and $D^0 \rightarrow \pi^-\pi^+$,” Phys. Rev. Lett. **100** (2008) 061803 [arXiv:0709.2715 [hep-ex]].
211. B. Aubert *et al.* [BABAR Collaboration], “Study of $e^+e^- \rightarrow \Lambda\bar{\Lambda}, \Lambda\bar{\Sigma}^0, \Sigma^0\bar{\Sigma}^0$ using Initial State Radiation with BABAR,” Phys. Rev. D **76**, 092006 (2007) [arXiv:0709.1988 [hep-ex]].
212. B. Aubert *et al.* [BABAR Collaboration], “Observation of the Semileptonic Decays $B \rightarrow D^*\tau\bar{\nu}$ and Evidence for $B \rightarrow D\tau\bar{\nu}$,” Phys. Rev. Lett. **100** (2008) 021801 [arXiv:0709.1698 [hep-ex]].
213. B. Aubert *et al.* [BABAR Collaboration], “Improved Limits on the Lepton-Flavor Violating Decays $\tau^- \rightarrow \ell^-\ell^+\ell^-$,” Phys. Rev. Lett. **99** (2007) 251803 [arXiv:0708.3650 [hep-ex]].
214. B. Aubert *et al.* [BABAR Collaboration], “Measurements of the Branching Fractions of $B^0 \rightarrow K^{*0}K^+K^-$, $B^0 \rightarrow K^{*0}\pi^+K^-$, $B^0 \rightarrow K^{*0}K^+\pi^-$, and $B^0 \rightarrow K^{*0}\pi^+\pi^-$,” Phys. Rev. D **76**, 071104 (2007) [arXiv:0708.2543 [hep-ex]].
215. B. Aubert *et al.* [BABAR Collaboration], “The $e^+e^- \rightarrow 2(\pi^+\pi^-)\pi^0$, $2(\pi^+\pi^-)\eta$, $K^+K^-\pi^+\pi^-\pi^0$ and $K^+K^-\pi^+\pi^-\eta$ Cross Sections Measured with Initial-State Radiation,” Phys. Rev. D **76**, 092005 (2007) [Erratum-ibid. D **77**, 119902 (2008)] [arXiv:0708.2461 [hep-ex]].
216. B. Aubert *et al.* [BABAR Collaboration], “A search for $B^+ \rightarrow \tau^+\nu$ with Hadronic B tags,” Phys. Rev. D **77** (2008) 011107 [arXiv:0708.2260 [hep-ex]].
217. B. Aubert *et al.* [BABAR Collaboration], “Observation of $B^0 \rightarrow K^{*0}\bar{K}^{*0}$ and search for $B^0 \rightarrow K^{*0}K^{*0}$,” Phys. Rev. Lett. **100** (2008) 081801 [arXiv:0708.2248 [hep-ex]].
218. B. Aubert *et al.* [BABAR Collaboration], “Study of Resonances in Exclusive B Decays to $\bar{D}^{(*)}D^{(*)}K$,” Phys. Rev. D **77** (2008) 011102 [arXiv:0708.1565 [hep-ex]].
219. B. Aubert *et al.* [BaBar Collaboration], “Improved Measurement of Time-Dependent CP Asymmetries and the CP-Odd Fraction in the Decay $B^0 \rightarrow D^{*+}D^{*-}$,” Phys. Rev. D **76** (2007) 111102 [arXiv:0708.1549 [hep-ex]].
220. B. Aubert *et al.* [BABAR Collaboration], “Search for the decay $B^+ \rightarrow K^+\tau^\mp\mu^\pm$,” Phys. Rev. Lett. **99**, 201801 (2007) [arXiv:0708.1303 [hep-ex]].
221. B. Aubert *et al.* [The BABAR Collaboration], “Search for the rare charmless hadronic decay $B^+ \rightarrow a_0^+\pi^0$,” Phys. Rev. D **77** (2008) 011101 [Erratum-ibid. D **77** (2008) 039903] [arXiv:0708.0963 [hep-ex]].
222. B. Aubert *et al.* [BABAR Collaboration], “Observation of the Decay $B^+ \rightarrow K^+K^-\pi^+$,” Phys. Rev. Lett. **99**, 221801 (2007) [arXiv:0708.0376 [hep-ex]].
223. B. Aubert *et al.* [BABAR Collaboration], “Evidence for charged B meson decays to $a_1(1260)^{\pm}\pi^0$ and $a_1(1260)^0\pi^\pm$,” Phys. Rev. Lett. **99** (2007) 261801 [arXiv:0708.0050 [hep-ex]].
224. B. Aubert *et al.* [The BABAR Collaboration], “Observation of B -meson decays to $b_1\pi$ and b_1K ,” Phys. Rev. Lett. **99** (2007) 241803 [arXiv:0707.4561 [hep-ex]].

225. B. Aubert *et al.* [BABAR Collaboration], “Exclusive branching fraction measurements of semileptonic tau decays into three charged hadrons, $\tau^- \rightarrow \phi\pi^-\nu_\tau$ and $\tau^- \rightarrow \phi K^-\nu_\tau$,” Phys. Rev. Lett. **100** (2008) 011801 [arXiv:0707.2981 [hep-ex]].
226. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the CP-Violating Asymmetries in $B^0 \rightarrow K_s^0\pi^0$ and of the Branching Fraction of $B^0 \rightarrow K^0\pi^0$,” Phys. Rev. D **77** (2008) 012003 [arXiv:0707.2980 [hep-ex]].
227. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the $\tau^- \rightarrow K^-\pi^0\nu_\tau$ Branching Fraction,” Phys. Rev. D **76**, 051104 (2007) [arXiv:0707.2922 [hep-ex]].
228. B. Aubert *et al.* [BABAR Collaboration], “Study of $B^0 \rightarrow \pi^0\pi^0$, $B \rightarrow \pi\pi^0$, and $B \rightarrow K\pi^0$ Decays, and Isospin Analysis of $B \rightarrow \pi\pi$ Decays,” Phys. Rev. D **76**, 091102 (2007) [arXiv:0707.2798 [hep-ex]].
229. B. Aubert *et al.* [BaBar Collaboration], “Evidence for the $B^0 \rightarrow p\bar{p}K^{*0}$ and $B^+ \rightarrow \eta_c K^{*+}$ decays and Study of the Decay Dynamics of B Meson Decays into ppbar Final States,” Phys. Rev. D **76**, 092004 (2007) [arXiv:0707.1648 [hep-ex]].
230. B. Aubert *et al.* [BABAR Collaboration], “Search for Prompt Production of χ_c and $X(3872)$ in e^+e^- Annihilations,” Phys. Rev. D **76**, 071102 (2007) [arXiv:0707.1633 [hep-ex]].
231. B. Aubert *et al.* [BABAR Collaboration], “Observation of $B^- \rightarrow D_s^{(*)+}K^-\pi^-$ and $\overline{B}^0 \rightarrow D_s^+K_S\pi^-$ and Search for $\overline{B}^0 \rightarrow D_s^{*+}K_S\pi^-$ and $B^- \rightarrow D_s^{(*)+}K^-K^-$,” Phys. Rev. Lett. **100** (2008) 171803 [arXiv:0707.1043 [hep-ex]].
232. B. Aubert *et al.* [BABAR Collaboration], “Branching fraction and CP-violation charge asymmetry measurements for B -meson decays to ηK^\pm , $\eta\pi^\pm$, $\eta'K$, $\eta'\pi^\pm$, ωK , and $\omega\pi^\pm$,” Phys. Rev. D **76**, 031103 (2007) [arXiv:0706.3893 [hep-ex]].
233. B. Aubert *et al.* [BABAR Collaboration], “Search for the Decays $B^0 \rightarrow e^+e^-\gamma$ and $B^0 \rightarrow \mu^+\mu^-\gamma$,” Phys. Rev. D **77** (2008) 011104 [arXiv:0706.2870 [hep-ex]].
234. B. Aubert *et al.* [The BaBar Collaboration], “Search for the decay $B^+ \rightarrow \overline{K}^{*0}(892)K^+$,” Phys. Rev. D **76**, 071103 (2007) [arXiv:0706.1059 [hep-ex]].
235. B. Aubert *et al.* [BABAR Collaboration], “Determination of the Form Factors for the Decay $B^0 \rightarrow D^{*-}\ell^+\nu_\ell$ and of the CKM Matrix Element $|V_{cb}|$,” Phys. Rev. D **77** (2008) 032002 [arXiv:0705.4008 [hep-ex]].
236. B. Aubert *et al.* [Babar Collaboration], “A Study of B^0 to $\rho^+\rho^-$ Decays and Constraints on the CKM Angle α ,” Phys. Rev. D **76**, 052007 (2007) [arXiv:0705.2157 [hep-ex]].
237. B. Aubert *et al.* [BABAR Collaboration], “A search for $B^+ \rightarrow \tau^+\nu$,” Phys. Rev. D **76**, 052002 (2007) [arXiv:0705.1820 [hep-ex]].
238. B. Aubert *et al.* [BaBar Collaboration], “Measurement of CP-Violating Asymmetries in $B^0 \rightarrow D^{(*)\pm}D^\mp$,” Phys. Rev. Lett. **99**, 071801 (2007) [arXiv:0705.1190 [hep-ex]].
239. B. Aubert *et al.* [BABAR Collaboration], “Search for D^0 - \overline{D}^0 mixing using doubly flavor tagged semileptonic decay modes,” Phys. Rev. D **76**, 014018 (2007) [arXiv:0705.0704 [hep-ex]].
240. B. Aubert *et al.* [BABAR Collaboration], “Search for $B^0 \rightarrow \phi(K^+\pi^-)$ decays with large $K^+\pi^-$ invariant mass,” Phys. Rev. D **76**, 051103 (2007) [arXiv:0705.0398 [hep-ex]].
241. B. Aubert *et al.* [BABAR Collaboration], “Amplitude Analysis of the decay $D^0 \rightarrow K^-K^+\pi^0$,” Phys. Rev. D **76**, 011102 (2007) [arXiv:0704.3593 [hep-ex]].
242. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the absolute branching fraction of $D^0 \rightarrow K^-\pi^+$,” Phys. Rev. Lett. **100** (2008) 051802 [arXiv:0704.2080 [hep-ex]].
243. B. Aubert *et al.* [BABAR Collaboration], “Branching fraction and charge asymmetry measurements in $B \rightarrow J/\psi\pi\pi$ decays,” Phys. Rev. D **76**, 031101 (2007) [arXiv:0704.1266 [hep-ex]].
244. B. Aubert *et al.* [BABAR Collaboration], “Measurement of decay amplitudes of $B \rightarrow J/\psi K^*$, $\psi(2S)K^*$, and $\chi_{c1}K^*$ with an angular analysis,” Phys. Rev. D **76**, 031102 (2007) [arXiv:0704.0522 [hep-ex]].

245. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the hadronic form-factor in $D^0 \rightarrow K^- e^+ \nu_e$ 1,” Phys. Rev. D **76** (2007) 052005 [arXiv:0704.0020 [hep-ex]].
246. B. Aubert *et al.* [BABAR Collaboration], “The $e^+ e^- \rightarrow K^+ K^- \pi^+ \pi^-$, $K^+ K^- \pi^0 \pi^0$ and $K^+ K^- K^+ K^-$ Cross Sections Measured with Initial-State Radiation,” Phys. Rev. D **76**, 012008 (2007) [arXiv:0704.0630 [hep-ex]].
247. B. Aubert *et al.* [BABAR Collaboration], “Search for neutral B -meson decays to $a_0 \pi$, $a_0 K$, $\eta \rho^0$, and ηf_0 ,” Phys. Rev. D **75**, 111102 (2007) [arXiv:hep-ex/0703038].
248. B. Aubert *et al.* [BABAR Collaboration], “Production and decay of Ω_c^0 ,” Phys. Rev. Lett. **99**, 062001 (2007) [arXiv:hep-ex/0703030].
249. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the relative branching fractions of $\bar{B} \rightarrow D/D^*/D^{**}\ell^-\bar{\nu}_\ell$ decays in events with a fully reconstructed B meson,” Phys. Rev. D **76**, 051101 (2007) [arXiv:hep-ex/0703027].
250. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the time-dependent CP asymmetry in $B^0 \rightarrow D_{CP}^{(*)0} h^0$ decays,” Phys. Rev. Lett. **99**, 081801 (2007) [arXiv:hep-ex/0703019].
251. B. Aubert *et al.* [BABAR Collaboration], “Search for the rare decay $B \rightarrow \pi \ell^+ \ell^-$,” Phys. Rev. Lett. **99**, 051801 (2007) [arXiv:hep-ex/0703018].
252. B. Aubert *et al.* [BABAR Collaboration], “Observation of CP violation in $B^0 \rightarrow K^+ \pi^-$ and $B^0 \rightarrow \pi^+ \pi^-$,” Phys. Rev. Lett. **99**, 021603 (2007) [arXiv:hep-ex/0703016].
253. B. Aubert *et al.* [BABAR Collaboration], “Measurement of CP-violating asymmetries in $B^0 \rightarrow (\rho \pi)^0$ using a time-dependent Dalitz plot analysis,” Phys. Rev. D **76**, 012004 (2007) [arXiv:hep-ex/0703008].
254. B. Aubert *et al.* [BABAR Collaboration], “Measurement of CP Asymmetries in $B^0 \rightarrow K_s^0 K_s^0 K_s^0$ Decays,” Phys. Rev. D **76**, 091101 (2007) [arXiv:hep-ex/0702046].
255. B. Aubert *et al.* [BaBar Collaboration], “Observation of $B^+ \rightarrow \rho^+ K^0$ and measurement of its branching fraction and charge asymmetry,” Phys. Rev. D **76**, 011103 (2007) [arXiv:hep-ex/0702043].
256. B. Aubert *et al.* [BABAR Collaboration], “Measurement of CP asymmetry in $B^0 \rightarrow K_s^0 \pi^0 \pi^0$ decays,” Phys. Rev. D **76**, 071101 (2007) [arXiv:hep-ex/0702010].
257. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the $B^\pm \rightarrow \rho^\pm \pi^0$ branching fraction and direct CP asymmetry,” Phys. Rev. D **75**, 091103 (2007) [arXiv:hep-ex/0701035].
258. B. Aubert *et al.* [BABAR Collaboration], “Measurements of CP-violating asymmetries in $B^0 \rightarrow a_1(1260)^\pm \pi^\mp$ decays,” Phys. Rev. Lett. **98**, 181803 (2007) [arXiv:hep-ex/0612050].
259. B. Aubert *et al.* [BABAR Collaboration], “Evidence for $B^0 \rightarrow \rho^0 \rho^0$ decay and implications for the CKM angle α ,” Phys. Rev. Lett. **98**, 111801 (2007) [arXiv:hep-ex/0612021].
260. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the $B^0 \rightarrow \pi^- \ell^+ \nu$ form-factor shape and branching fraction, and determination of $|V_{ub}|$ with a loose neutrino reconstruction technique,” Phys. Rev. Lett. **98**, 091801 (2007) [arXiv:hep-ex/0612020].
261. B. Aubert *et al.* [BABAR Collaboration], “Branching fraction measurements of $B^+ \rightarrow \rho^+ \gamma$, $B^0 \rightarrow \rho^0 \gamma$, and $B^0 \rightarrow \omega \gamma$,” Phys. Rev. Lett. **98**, 151802 (2007) [arXiv:hep-ex/0612017].
262. B. Aubert *et al.* [BABAR Collaboration], “Measurement of B decays to $\phi K \gamma$,” Phys. Rev. D **75**, 051102 (2007) [arXiv:hep-ex/0611037].
263. B. Aubert *et al.* [BABAR Collaboration], “Evidence for the rare decay $B^+ \rightarrow D_s^+ \pi^0$,” Phys. Rev. Lett. **98**, 171801 (2007) [arXiv:hep-ex/0611030].
264. B. Aubert *et al.* [BABAR Collaboration], “Observation of the exclusive reaction $e^+ e^- \rightarrow \phi \eta$ at $\sqrt{s} = 10.58$ GeV,” Phys. Rev. D **74**, 111103 (2006) [arXiv:hep-ex/0611028].
265. B. Aubert *et al.* [BABAR Collaboration], “Vector-tensor and vector-vector decay amplitude analysis of $B^0 \rightarrow \phi K^{*0}$,” Phys. Rev. Lett. **98**, 051801 (2007) [arXiv:hep-ex/0610073].

266. B. Aubert *et al.* [BABAR Collaboration], “Search for lepton flavor violating decays $\tau^\pm \rightarrow \ell^\pm \pi^0, \ell^\pm \eta, \ell^\pm \eta'$,” Phys. Rev. Lett. **98**, 061803 (2007) [arXiv:hep-ex/0610067].
267. B. Aubert *et al.* [BABAR Collaboration], “Evidence of a broad structure at an invariant mass of 4.32 GeV/c² in the reaction $e^+e^- \rightarrow \pi^+\pi^-\psi(2S)$ measured at BaBar,” Phys. Rev. Lett. **98**, 212001 (2007) [arXiv:hep-ex/0610057].
268. B. Aubert *et al.* [BABAR Collaboration], “Branching fraction measurement of $\bar{B}^0 \rightarrow D^{(*)+}\pi^-, B^- \rightarrow D^{(*)0}\pi^-$ and isospin analysis of $\bar{B} \rightarrow D^{(*)}\pi$ decays,” Phys. Rev. D **75**, 031101 (2007) [arXiv:hep-ex/0610027].
269. B. Aubert *et al.* [BABAR Collaboration], “A structure at 2175-MeV in $e^+e^- \rightarrow \phi f_0(980)$ observed via initial-state radiation,” Phys. Rev. D **74**, 091103 (2006) [arXiv:hep-ex/0610018].
270. B. Aubert *et al.* [BABAR Collaboration], “Observation of CP violation in $B^0 \rightarrow \eta' K^0$ decays,” Phys. Rev. Lett. **98**, 031801 (2007) [arXiv:hep-ex/0609052].
271. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the absolute branching fractions $B \rightarrow D\pi, D^*\pi, D^{**}\pi$ with a missing mass method,” Phys. Rev. D **74**, 111102 (2006) [arXiv:hep-ex/0609033].
272. B. Aubert *et al.* [BABAR Collaboration], “Observation of $B^+ \rightarrow \phi\phi K^+$ and evidence for $B^0 \rightarrow \phi\phi K^0$ below η_c threshold,” Phys. Rev. Lett. **97**, 261803 (2006) [arXiv:hep-ex/0609027].
273. B. Aubert *et al.* [BABAR Collaboration], “Inclusive Λ_c production in e^+e^- annihilations at $\sqrt{s} = 10.54$ GeV and in $\Upsilon(4S)$ decays,” Phys. Rev. D **75**, 012003 (2007) [arXiv:hep-ex/0609004].
274. B. Aubert *et al.* [BABAR Collaboration], “Observation of an excited charm baryon Ω_c^* decaying to $\Omega_c^0\gamma$,” Phys. Rev. Lett. **97**, 232001 (2006) [arXiv:hep-ex/0608055].
275. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the CP asymmetry and branching fraction of $B^0 \rightarrow \rho^0 K^0$,” Phys. Rev. Lett. **98**, 051803 (2007) [arXiv:hep-ex/0608051].
276. B. Aubert *et al.* [BABAR Collaboration], “Observation of $B^+ \rightarrow \bar{K}^0 K^+$ and $B^0 \rightarrow K^0 \bar{K}^0$,” Phys. Rev. Lett. **97**, 171805 (2006) [arXiv:hep-ex/0608036].
277. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the branching fraction and time-dependent CP asymmetry in the decay $B^0 \rightarrow D^{*+}D^{*-}K_S^0$,” Phys. Rev. D **74** (2006) 091101 [arXiv:hep-ex/0608016].
278. B. Aubert *et al.* [BABAR Collaboration], “Precise branching ratio measurements of the decays $D^0 \rightarrow \pi^-\pi^+\pi^0$ and $D^0 \rightarrow K^-K^+\pi^0$,” Phys. Rev. D **74** (2006) 091102 [arXiv:hep-ex/0608009].
279. B. Aubert *et al.* [BABAR Collaboration], “Search for D^0 - \bar{D}^0 mixing and branching-ratio measurement in the decay $D^0 \rightarrow K^+\pi^-\pi^0$,” Phys. Rev. Lett. **97**, 221803 (2006) [arXiv:hep-ex/0608006].
280. B. Aubert *et al.* [BABAR Collaboration], “Measurement of branching fractions and charge asymmetries in B decays to an η meson and a K^* meson,” Phys. Rev. Lett. **97** (2006) 201802 [arXiv:hep-ex/0608005].
281. B. Aubert *et al.* [BABAR Collaboration], “Improved measurements of the branching fractions for $B^0 \rightarrow \pi^+\pi^-$ and $B^0 \rightarrow K^+\pi^-$, and a search for $B^0 \rightarrow K^+K^-$,” Phys. Rev. D **75**, 012008 (2007) [arXiv:hep-ex/0608003].
282. B. Aubert *et al.* [BABAR Collaboration], “Branching fraction measurements of charged B decays to $K^{*+}K^+K^-$, $K^{*+}\pi^+K^-$, $K^{*+}K^+\pi^-$ and $K^{*+}\pi^+\pi^-$ final states,” Phys. Rev. D **74** (2006) 051104 [arXiv:hep-ex/0607113].
283. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the ratio $\mathcal{B}(B^+ \rightarrow X e\nu)/\mathcal{B}(B^0 \rightarrow X e\nu)$,” Phys. Rev. D **74** (2006) 091105 [arXiv:hep-ex/0607111].
284. B. Aubert *et al.* [BABAR Collaboration], “Observation of $B \rightarrow \eta' K^*$ and evidence for $B^+ \rightarrow \eta'\rho^+$,” Phys. Rev. Lett. **98**, 051802 (2007) [arXiv:hep-ex/0607109].
285. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the pseudoscalar decay constant $f(D_s)$ using charm-tagged events in e^+e^- collisions at $\sqrt{s} = 10.58$ GeV,” Phys. Rev. Lett. **98**, 141801 (2007) [arXiv:hep-ex/0607094].

286. B. Aubert *et al.* [BABAR Collaboration], “Measurements of branching fraction, polarization, and charge asymmetry of $B^\pm \rightarrow \rho^\pm \rho^0$ and a search for $B^\pm \rightarrow \rho^\pm f_0(980)$,” Phys. Rev. Lett. **97**, 261801 (2006) [arXiv:hep-ex/0607092].
287. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the $B \rightarrow \pi \ell \nu$ branching fraction and determination of $|V_{ub}|$ with tagged B mesons,” Phys. Rev. Lett. **97** (2006) 211801 [arXiv:hep-ex/0607089].
288. B. Aubert *et al.* [BaBar Collaboration], “Measurement of the branching fraction and photon energy moments of $B \rightarrow X_s \gamma$ and $A_{CP}(B \rightarrow X_{s+d} \gamma)$,” Phys. Rev. Lett. **97** (2006) 171803 [arXiv:hep-ex/0607071].
289. B. Aubert *et al.* [BaBar Collaboration], “Searches for B^0 decays to ηK^0 , $\eta\eta$, $\eta'\eta'$, $\eta\phi$, and $\eta'\phi$,” Phys. Rev. D **74** (2006) 051106 [arXiv:hep-ex/0607063].
290. B. Aubert *et al.* [BABAR Collaboration], “Measurements of branching fractions, polarizations, and direct CP-violation asymmetries in $B \rightarrow \rho K^*$ and $B \rightarrow f_0(980)K^*$ decays,” Phys. Rev. Lett. **97** (2006) 201801 [arXiv:hep-ex/0607057].
291. B. Aubert *et al.* [BABAR Collaboration], “Search for $B^+ \rightarrow X(3872)K^+$, $X(3872) \rightarrow J/\psi \gamma$,” Phys. Rev. D **74** (2006) 071101 [arXiv:hep-ex/0607050].
292. B. Aubert *et al.* [BABAR Collaboration], “Search for the reactions $e^+e^- \rightarrow \mu^+\tau^-$ and $e^+e^- \rightarrow e^+\tau^-$,” Phys. Rev. D **75**, 031103 (2007) [arXiv:hep-ex/0607044].
293. B. Aubert *et al.* [BABAR Collaboration], “Measurements of the decays $B^0 \rightarrow \overline{D}^0 p\bar{p}$, $B^0 \rightarrow \overline{D}^{*0} p\bar{p}$, $B^0 \rightarrow D^- p\bar{p}\pi^+$, and $B^0 \rightarrow D^{*-} p\bar{p}\pi^+$,” Phys. Rev. D **74** (2006) 051101 [arXiv:hep-ex/0607039].
294. B. Aubert *et al.* [BABAR Collaboration], “Observation of e^+e^- annihilations into the $C = +1$ hadronic final states $\rho^0\rho^0$ and $\phi\rho^0$,” Phys. Rev. Lett. **97** (2006) 112002 [arXiv:hep-ex/0606054].
295. B. Aubert *et al.* [BABAR Collaboration], “Search for the decay of a B^0 or \overline{B}^0 meson to $\overline{K}^{*0} K^0$ or $K^{*0} \overline{K}^0$,” Phys. Rev. D **74** (2006) 072008 [arXiv:hep-ex/0606050].
296. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the spin of the Ω^- hyperon at BABAR,” Phys. Rev. Lett. **97** (2006) 112001 [arXiv:hep-ex/0606039].
297. B. Aubert *et al.* [BABAR Collaboration], “Search for the decay $B^0 \rightarrow K_S^0 K_S^0 K_L^0$,” Phys. Rev. D **74** (2006) 032005 [arXiv:hep-ex/0606031].
298. B. Aubert *et al.* [BABAR Collaboration], “Search for doubly charmed baryons Ξ_{cc}^+ and Ξ_{cc}^{++} in BABAR,” Phys. Rev. D **74** (2006) 011103 [arXiv:hep-ex/0605075].
299. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the $D^+ \rightarrow \pi^+\pi^0$ and $D^+ \rightarrow K^+\pi^0$ branching fractions,” Phys. Rev. D **74** (2006) 011107 [arXiv:hep-ex/0605044].
300. B. Aubert *et al.* [BABAR Collaboration], “Search for $B^+ \rightarrow \phi\pi^+$ and $B^0 \rightarrow \phi\pi^0$ decays,” Phys. Rev. D **74** (2006) 011102 [arXiv:hep-ex/0605037].
301. B. Aubert *et al.* [BABAR Collaboration], “Study of $B \rightarrow D^{(*)} D_{sJ}^{(*)}$ decays and measurement of D_s^- and $D_{sJ}(2460)$ branching fractions,” Phys. Rev. D **74** (2006) 031103 [arXiv:hep-ex/0605036].
302. B. Aubert *et al.* [BaBar Collaboration], “Search for the decay $B^0 \rightarrow a_1^\pm \rho^\mp$,” Phys. Rev. D **74** (2006) 031104 [arXiv:hep-ex/0605024].
303. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the η and η' transition form factors at $q^2 = 112 \text{ GeV}^2$,” Phys. Rev. D **74** (2006) 012002 [arXiv:hep-ex/0605018].
304. B. Aubert *et al.* [BABAR Collaboration], “ B meson decays to ωK^* , $\omega\rho$, $\omega\omega$, $\omega\phi$, and ωf_0 ,” Phys. Rev. D **74** (2006) 051102 [arXiv:hep-ex/0605017].
305. B. Aubert *et al.* [BaBar Collaboration], “Search for B meson decays to $\eta'\eta' K$,” Phys. Rev. D **74** (2006) 031105 [arXiv:hep-ex/0605008].
306. B. Aubert *et al.* [BABAR Collaboration], “Dalitz plot analysis of the decay $B^\pm \rightarrow K^\pm K^\pm K^\mp$,” Phys. Rev. D **74** (2006) 032003 [arXiv:hep-ex/0605003].

307. B. Aubert *et al.* [BABAR Collaboration], “Measurement of branching fractions and CP-violating charge asymmetries for B meson decays to $D^{(*)}\overline{D}^{(*)}$, and implications for the CKM angle γ ,” Phys. Rev. D **73** (2006) 112004 [arXiv:hep-ex/0604037].
308. B. Aubert *et al.* [BABAR Collaboration], “Observation of $\Upsilon(4S)$ decays to $\pi^+\pi^-\Upsilon(1S)$ and $\pi^+\pi^-\Upsilon(2S)$,” Phys. Rev. Lett. **96** (2006) 232001 [arXiv:hep-ex/0604031].
309. B. Aubert *et al.* [BABAR Collaboration], “A study of the $D_{sJ}^*(2317)^+$ and $D_{sJ}(2460)^+$ mesons in inclusive $c\bar{c}$ production near $\sqrt{s} = 10.6$ GeV,” Phys. Rev. D **74** (2006) 032007 [arXiv:hep-ex/0604030].
310. B. Aubert *et al.* [BaBar Collaboration], “Measurement of the $B^- \rightarrow D^0 K^{*-}$ branching fraction,” Phys. Rev. D **73** (2006) 111104 [arXiv:hep-ex/0604017].
311. B. Aubert *et al.* [BABAR Collaboration], “Measurement of $\overline{B}^0 \rightarrow D^{(*)0} \overline{K}^{(*)0}$ branching fractions,” Phys. Rev. D **74** (2006) 031101 [arXiv:hep-ex/0604016].
312. B. Aubert *et al.* [BABAR Collaboration], “Search for the decay $\tau^- \rightarrow 3\pi^- 2\pi^+ 2\pi^0 \nu_\tau$,” Phys. Rev. D **73** (2006) 112003 [arXiv:hep-ex/0604014].
313. B. Aubert *et al.* [BABAR Collaboration], ‘Observation of decays $B^0 \rightarrow D_s^{(*)+} \pi^-$ and $B^0 \rightarrow D_s^{(*)-} K^+$,” Phys. Rev. Lett. **98**, 081801 (2007) [arXiv:hep-ex/0604012].
314. B. Aubert *et al.* [BABAR Collaboration], “Study of the decay $\overline{B}^0 \rightarrow D^{*+} \omega \pi^-$,” Phys. Rev. D **74** (2006) 012001 [arXiv:hep-ex/0604009].
315. B. Aubert *et al.* [BABAR Collaboration], “Measurements of branching fractions, rate asymmetries, and angular distributions in the rare decays $B \rightarrow K\ell^+\ell^-$ and $B \rightarrow K^*\ell^+\ell^-$,” Phys. Rev. D **73** (2006) 092001 [arXiv:hep-ex/0604007].
316. B. Aubert *et al.* [BABAR Collaboration], “Search for the charmed pentaquark candidate $\Theta_c(3100)^0$ in e^+e^- annihilations at $\sqrt{s} = 10.58$ GeV,” Phys. Rev. D **73** (2006) 091101 [arXiv:hep-ex/0604006].
317. B. Aubert *et al.* [BABAR Collaboration], “Measurement of branching fractions in radiative B decays to $\eta K\gamma$ and search for B decays to $\eta' K\gamma$,” Phys. Rev. D **74** (2006) 031102 [arXiv:hep-ex/0603054].
318. B. Aubert *et al.* [BABAR Collaboration], “Observation of a charmed baryon decaying to $D^0 p$ at a mass near 2.94 GeV/c²,” Phys. Rev. Lett. **98**, 012001 (2007) [arXiv:hep-ex/0603052].
319. B. Aubert *et al.* [BABAR Collaboration], “Observation of B^0 meson decay to $a_1(1260)^\pm \pi^\mp$,” Phys. Rev. Lett. **97** (2006) 051802 [arXiv:hep-ex/0603050].
320. B. Aubert *et al.* [BABAR Collaboration], “Measurements of CP-violating asymmetries and branching fractions in B decays to ωK and $\omega\pi$,” Phys. Rev. D **74** (2006) 011106 [arXiv:hep-ex/0603040].
321. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the time-dependent CP asymmetry in the $B^0 \rightarrow \phi K^0$ decay,” Phys. Rev. Lett. **93**, 071801 (2004) [arXiv:hep-ex/0403026].
322. B. Aubert *et al.* [BABAR Collaboration], “Branching fraction limits for B^0 decays to $\eta'\eta$, $\eta'\pi^0$ and $\eta\pi^0$,” Phys. Rev. D **73** (2006) 071102 [arXiv:hep-ex/0603013].
323. B. Aubert *et al.* [BaBar Collaboration], “Measurements of the branching fraction and time-dependent CP asymmetries of $B^0 \rightarrow J/\psi \pi^0$ decays,” Phys. Rev. D **74** (2006) 011101 [arXiv:hep-ex/0603012].
324. B. Aubert *et al.* [BABAR Collaboration], “Measurements of the $B \rightarrow D^*$ form factors using the decay $\overline{B}^0 \rightarrow D^{*+} e^- \bar{\nu}_e$,” Phys. Rev. D **74** (2006) 092004 [arXiv:hep-ex/0602023].
325. B. Aubert *et al.* [BABAR Collaboration], “The $e^+e^- \rightarrow 3(\pi^+\pi^-), 2(\pi^+\pi^-\pi^0)$ and $K^+K^- 2(\pi^+\pi^-)$ cross sections at center-of-mass energies from production threshold to 4.5 GeV measured with initial-state radiation,” Phys. Rev. D **73** (2006) 052003 [arXiv:hep-ex/0602006].
326. B. Aubert *et al.* [BABAR Collaboration], “Determinations of $|V_{ub}|$ from inclusive semileptonic B decays with reduced model dependence,” Phys. Rev. Lett. **96** (2006) 221801 [arXiv:hep-ex/0601046].
327. B. Aubert *et al.* [BABAR Collaboration], “Measurements of A_c^+ branching fractions of Cabibbo-suppressed decay modes involving Λ and Σ^0 ,” Phys. Rev. D **75**, 052002 (2007) [arXiv:hep-ex/0601017].

328. B. Aubert *et al.* [BABAR Collaboration], “Search for rare quark-annihilation decays $B^- \rightarrow D_s^{(*)-} \phi$,” Phys. Rev. D **73** (2006) 011103 [arXiv:hep-ex/0512028].
329. B. Aubert *et al.* [BABAR Collaboration], “Search for the rare decays $B^0 \rightarrow D_s^{(*)+} a_{0(2)}^-$,” Phys. Rev. D **73** (2006) 071103 [arXiv:hep-ex/0512031].
330. B. Aubert *et al.* [BABAR Collaboration], “Search for rare quark-annihilation decays, $B^- \rightarrow D_s^{(*)-} \phi$,” Phys. Rev. D **73** (2006) 011103 [arXiv:hep-ex/0512028].
331. B. Aubert *et al.* [BABAR Collaboration], “A study of $e^+e^- \rightarrow p\bar{p}$ using initial state radiation with BABAR,” Phys. Rev. D **73** (2006) 012005 [arXiv:hep-ex/0512023].
332. B. Aubert *et al.* [BABAR Collaboration], “A search for the rare decay $B^0 \rightarrow \tau^+\tau^-$ at BABAR,” Phys. Rev. Lett. **96** (2006) 241802 [arXiv:hep-ex/0511015].
333. B. Aubert *et al.* [BABAR Collaboration], “Measurements of the absolute branching fractions of $B^\pm \rightarrow K^\pm X_{c\bar{c}}$,” Phys. Rev. Lett. **96** (2006) 052002 [arXiv:hep-ex/0510070].
334. B. Aubert *et al.* [BABAR Collaboration], “Search for the W -exchange decays $B^0 \rightarrow D_s^{(*)-} D_s^{(*)+}$,” Phys. Rev. D **72**, 111101 (2005) [arXiv:hep-ex/0510051].
335. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the inclusive electron spectrum in charmless semileptonic B decays near the kinematic endpoint and determination of $|V_{ub}|$,” Phys. Rev. D **73** (2006) 012006 [arXiv:hep-ex/0509040].
336. B. Aubert *et al.* [BABAR Collaboration], “Measurement of branching fractions and resonance contributions for $B^0 \rightarrow \overline{D}0K^+\pi^-$ and search for $B^0 \rightarrow D^0K^+\pi^-$ decays,” Phys. Rev. Lett. **96**, 011803 (2006) [arXiv:hep-ex/0509036].
337. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the branching ratios $\Gamma(D_s^{*+} \rightarrow D_s^+\pi^0)/\Gamma(D_s^{*+} \rightarrow D_s^+\gamma)$ and $\Gamma(D^{*0} \rightarrow D^0\pi^0)/\Gamma(D^{*0} \rightarrow D^0\gamma)$,” Phys. Rev. D **72**, 091101 (2005) [arXiv:hep-ex/0508039].
338. B. Aubert *et al.* [BABAR Collaboration], “Measurements of neutral B decay branching fractions to $K_S^0\pi^+\pi^-$ final states and the charge asymmetry of $B^0 \rightarrow K^{*+}\pi^-$,” Phys. Rev. D **73** (2006) 031101 [arXiv:hep-ex/0508013].
339. B. Aubert *et al.* [BABAR Collaboration], “Search for lepton flavor violation in the decay $\tau^\pm \rightarrow e^\pm\gamma$,” Phys. Rev. Lett. **96** (2006) 041801 [arXiv:hep-ex/0508012].
340. B. Aubert *et al.* [BABAR Collaboration], “Search for decays of $B^0 \rightarrow e^+e^-$, $B^0 \rightarrow \mu^+\mu^-$, $B^0 \rightarrow e^\pm\mu^\mp$,” Phys. Rev. Lett. **94**, 221803 (2005).
341. B. Aubert *et al.* [BABAR Collaboration], “Measurements of the $B \rightarrow X_s\gamma$ branching fraction and photon spectrum from a sum of exclusive final states,” arXiv:hep-ex/0508004. Phys. Rev. D **72**, 052004 (2005)
342. B. Aubert *et al.* [BABAR Collaboration], “Study of $J/\psi\pi^+\pi^-$ states produced in $B^0 \rightarrow J/\psi\pi^+\pi^-K^0$ and $B^- \rightarrow J/\psi\pi^+\pi^-K^-$,” Phys. Rev. D **73**, 011101 (2006) [arXiv:hep-ex/0507090].
343. B. Aubert *et al.* [BABAR Collaboration], “A search for the decay $B^+ \rightarrow \tau^+\nu_\tau$,” Phys. Rev. D **73** (2006) 057101 [arXiv:hep-ex/0507069].
344. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the \overline{B}^0 lifetime and the $B^0\text{-}\overline{B}^0$ oscillation frequency using partially reconstructed $\overline{B}^0 \rightarrow D^{*+}\ell^-\bar{\nu}_\ell$ decays,” Phys. Rev. D **73** (2006) 012004 [arXiv:hep-ex/0507054].
345. B. Aubert *et al.* [BaBar Collaboration], “Measurement of the time-dependent CP-violating asymmetry in $B^0 \rightarrow K_S^0\pi^0\gamma$ decays,” Phys. Rev. D **72**, 051103 (2005) [arXiv:hep-ex/0507038].
346. B. Aubert *et al.* [BABAR Collaboration], “An amplitude analysis of the decay $B^\pm \rightarrow \pi^\pm\pi^\pm\pi^\mp$,” Phys. Rev. D **72**, 052002 (2005) [arXiv:hep-ex/0507025].
347. B. Aubert *et al.* [BaBar Collaboration], “Evidence for $B^+ \rightarrow \overline{K}^0K^+$ and $B^0 \rightarrow K^0\overline{K}^0$, and measurement of the branching fraction and search for direct CP violation in $B^+ \rightarrow K^0\pi^+$,” Phys. Rev. Lett. **95**, 221801 (2005) [arXiv:hep-ex/0507023].

348. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the $B^+ \rightarrow p\bar{p}K^+$ branching fraction and study of the decay dynamics,” Phys. Rev. D **72**, 051101 (2005) [arXiv:hep-ex/0507012].
349. B. Aubert *et al.* [BABAR Collaboration], “A precision measurement of the Λ_c^+ baryon mass,” Phys. Rev. D **72**, 052006 (2005) [arXiv:hep-ex/0507009].
350. B. Aubert *et al.* [BABAR Collaboration], “Dalitz-plot analysis of the decays $B^\pm \rightarrow K^\pm\pi^\mp\pi^\pm$,” Phys. Rev. D **72**, 072003 (2005) [arXiv:hep-ex/0507004].
351. B. Aubert *et al.* [BABAR Collaboration], “Study of $B \rightarrow \pi\ell\nu$ and $B \rightarrow \rho\ell\nu$ decays and determination of $|V_{ub}|$,” Phys. Rev. D **72**, 051102 (2005) [arXiv:hep-ex/0507003].
352. B. Aubert *et al.* [BaBar Collaboration], “Measurement of time-dependent CP asymmetries and the CP-odd fraction in the decay $B^0 \rightarrow D^{*+}D^{*-}$,” Phys. Rev. Lett. **95**, 151804 (2005) [arXiv:hep-ex/0506082].
353. B. Aubert *et al.* [BABAR Collaboration], “Observation of a broad structure in the $\pi^+\pi^-J/\psi$ mass spectrum around $4.26 \text{ GeV}/c^2$,” Phys. Rev. Lett. **95**, 142001 (2005) [arXiv:hep-ex/0506081].
354. B. Aubert *et al.* [BABAR Collaboration], “Search for the rare decay $\bar{B}^0 \rightarrow D^{*0}\gamma$,” Phys. Rev. D **72**, 051106 (2005) [arXiv:hep-ex/0506070].
355. B. Aubert *et al.* [BaBar Collaboration], “Search for lepton-flavor and lepton-number violation in the decay $\tau \rightarrow \ell^\mp h^\pm h'^-$,” Phys. Rev. Lett. **95**, 191801 (2005) [arXiv:hep-ex/0506066].
356. B. Aubert *et al.* [BABAR Collaboration], “Measurement of double charmonium production in e^+e^- annihilations at $\sqrt{s} = 10.6 \text{ GeV}$,” Phys. Rev. D **72**, 031101 (2005) [arXiv:hep-ex/0506062].
357. B. Aubert *et al.* [BABAR Collaboration], “Determination of $|V_{ub}|$ from measurements of the electron and neutrino momenta in inclusive semileptonic B decays,” Phys. Rev. Lett. **95**, 111801 (2005) [arXiv:hep-ex/0506036].
358. B. Aubert *et al.* [BABAR Collaboration], “Search for the decay $\tau^- \rightarrow 4\pi^-3\pi^+(\pi^0)\nu_\tau$,” Phys. Rev. D **72**, 012003 (2005) [arXiv:hep-ex/0506007].
359. B. Aubert *et al.* [BABAR Collaboration], “Search for the rare decays $B^+ \rightarrow D^{(*)+}K_S^0$,” Phys. Rev. D **72**, 011102 (2005) [arXiv:hep-ex/0505099].
360. B. Aubert *et al.* [BABAR Collaboration], “Measurement of time-dependent CP asymmetries in $B^0 \rightarrow D^{(*)\pm}D^\mp$ decays,” Phys. Rev. Lett. **95**, 131802 (2005) [arXiv:hep-ex/0505092].
361. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the branching fraction and decay rate asymmetry of $B^- \rightarrow D(\pi^+\pi^-\pi^0)K^-$,” Phys. Rev. D **72**, 071102 (2005) [arXiv:hep-ex/0505084].
362. B. Aubert *et al.* [the BABAR Collaborations], “Study of the $\tau^- \rightarrow 3h^-2h^+\nu_\tau$ decay,” Phys. Rev. D **72**, 072001 (2005) [arXiv:hep-ex/0505004].
363. B. Aubert *et al.* [BABAR Collaboration], “Production and decay of Ξ_c^0 at BABAR,” Phys. Rev. Lett. **95**, 142003 (2005) [arXiv:hep-ex/0504014].
364. B. Aubert *et al.* [BABAR Collaboration], “Evidence for the decay $B^\pm \rightarrow K^{*\pm}\pi^0$,” Phys. Rev. D **71**, 111101 (2005) [arXiv:hep-ex/0504009].
365. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the branching fraction of $\Upsilon(4S) \rightarrow B^0\bar{B}^0$,” Phys. Rev. Lett. **95**, 042001 (2005) [arXiv:hep-ex/0504001].
366. B. Aubert *et al.* [BABAR Collaboration], “Improved measurement of the CKM angle alpha using $B^0(\bar{B}^0) \rightarrow \rho^+\rho^-$ decays,” Phys. Rev. Lett. **95**, 041805 (2005) [arXiv:hep-ex/0503049].
367. B. Aubert *et al.* [BABAR Collaboration], “Measurement of branching fractions and charge asymmetries in B^+ decays to $\eta\pi^+$, ηK^+ , $\eta\rho^+$ and $\eta'\pi^+$, and search for B^0 decays to ηK^0 and $\eta\omega$,” Phys. Rev. Lett. **95**, 131803 (2005) [arXiv:hep-ex/0503035].
368. B. Aubert *et al.* [BABAR Collaboration], “Search for $B \rightarrow J/\psi D$ decays,” Phys. Rev. D **71**, 091103 (2005) [arXiv:hep-ex/0503021].
369. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the branching fraction and the CP-violating asymmetry for the decay $B^0 \rightarrow K_S^0\pi^0$,” Phys. Rev. D **71**, (2005) [arXiv:hep-ex/0503011].

370. B. Aubert *et al.*, “Measurement of the $B^0 \rightarrow D^{*-} D_s^{*+}$ and $D_s^+ \rightarrow \phi \pi^+$ branching fractions,” Phys. Rev. D **71**, 091104 (2005) [arXiv:hep-ex/0502041].
371. B. Aubert *et al.* [BABAR Collaboration], “Search for lepton flavor violation in the decay $\tau \rightarrow \mu \gamma$,” Phys. Rev. Lett. **95**, 041802 (2005) [arXiv:hep-ex/0502032].
372. B. Aubert *et al.* [BABAR Collaboration], “The $e^+ e^- \rightarrow \pi^+ \pi^- \pi^+ \pi^-$, $K^+ K^- \pi^+ \pi^-$, and $K^+ K^- K^+ K^-$ cross sections at center-of-mass energies 0.5 GeV - 4.5 GeV measured with initial-state radiation,” Phys. Rev. D **71**, 052001 (2005) [arXiv:hep-ex/0502025].
373. B. Aubert *et al.* [BaBar Collaboration], “Measurements of branching fractions and time-dependent CP-violating asymmetries in $B \rightarrow \eta' K$ decays,” Phys. Rev. Lett. **94**, 191802 (2005) [arXiv:hep-ex/0502017].
374. B. Aubert *et al.* [BABAR Collaboration], “Search for strange-pentaquark production in $e^+ e^-$ annihilation at $\sqrt{s} = 10.58$ GeV,” Phys. Rev. Lett. **95**, 042002 (2005) [arXiv:hep-ex/0502004].
375. B. Aubert *et al.* [BABAR Collaboration], “A search for CP violation and a measurement of the relative branching fraction in $D^+ \rightarrow K^- K^+ \pi^+$ decays,” Phys. Rev. D **71**, 091101 (2005) [arXiv:hep-ex/0501075].
376. B. Aubert *et al.* [BaBar Collaboration], “Improved measurements of CP-violating asymmetry amplitudes in $B^0 \rightarrow \pi^+ \pi^-$ decays,” Phys. Rev. Lett. **95**, 151803 (2005) [arXiv:hep-ex/0501071].
377. B. Aubert *et al.* [BABAR Collaboration], “Search for factorization-suppressed $B \rightarrow \chi_c K^{(*)}$ decays,” Phys. Rev. Lett. **94**, 171801 (2005) [arXiv:hep-ex/0501061].
378. B. Aubert *et al.* [BABAR Collaboration], “Search for the radiative decay $B \rightarrow \phi \gamma$,” Phys. Rev. D **72**, 091103 (2005) [arXiv:hep-ex/0501038].
379. B. Aubert *et al.* [BABAR Collaboration], “Limit on the $B^0 \rightarrow \rho^0 \rho^0$ branching fraction and implications for the CKM angle α ,” Phys. Rev. Lett. **94**, 131801 (2005) [arXiv:hep-ex/0412067].
380. B. Aubert *et al.* [BABAR Collaboration], “Measurement of branching fractions and charge asymmetries for exclusive B decays to charmonium,” Phys. Rev. Lett. **94**, 141801 (2005) [arXiv:hep-ex/0412062].
381. B. Aubert *et al.* [BaBar Collaboration], “Search for a charged partner of the $X(3872)$ in the B meson decay $B \rightarrow X^- K$, $X^- \rightarrow J/\psi \pi^- \pi^0$,” Phys. Rev. D **71**, 031501 (2005) [arXiv:hep-ex/0412051].
382. B. Aubert *et al.* [BABAR Collaboration], “Measurement of branching fraction and Dalitz distribution for $B^0 \rightarrow D^{(*)\pm} K^0 \pi^\mp$ decays,” Phys. Rev. Lett. **95**, 171802 (2005) [arXiv:hep-ex/0412040].
383. B. Aubert *et al.* [BABAR Collaboration], “Branching fractions and CP asymmetries in $B^0 \rightarrow \pi^0 \pi^0$, $B^+ \rightarrow \pi^+ \pi^0$ and $B^+ \rightarrow K^+ \pi^0$ decays and isospin analysis of the $B \rightarrow \pi \pi$ system,” Phys. Rev. Lett. **94**, 181802 (2005) [arXiv:hep-ex/0412037].
384. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the ratio $\mathcal{B}(B^- \rightarrow D^{*0} K^-)/\mathcal{B}(B^- \rightarrow D^{*0} \pi^-)$ and of the CP asymmetry of $B^- \rightarrow D_{CP+}^{*0} K^-$ decays,” Phys. Rev. D **71**, 031102 (2005) [arXiv:hep-ex/0411091].
385. B. Aubert *et al.* [BABAR Collaboration], “A search for the decay $B^+ \rightarrow K^+ \nu \bar{\nu}$,” Phys. Rev. Lett. **94**, 101801 (2005) [arXiv:hep-ex/0411061].
386. B. Aubert *et al.* [BABAR Collaboration], “Measurements of B meson decays to ωK^* and $\omega \rho$,” Phys. Rev. D **71**, 031103 (2005) [arXiv:hep-ex/0411054].
387. B. Aubert *et al.* [BABAR Collaboration], “Ambiguity-free measurement of $\cos 2\beta$: Time-integrated and time-dependent angular analyses of $B \rightarrow J/\psi K \pi$,” Phys. Rev. D **71**, 032005 (2005) [arXiv:hep-ex/0411016].
388. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the branching fractions for inclusive B^- and \bar{B}^0 decays to flavor-tagged D , D_s and Λ_c ,” Phys. Rev. D **70**, 091106 (2004) [arXiv:hep-ex/0408113].
389. B. Aubert *et al.* [BABAR Collaboration], “Study of $e^+ e^- \rightarrow \pi^+ \pi^- \pi^0$ process using initial state radiation with BaBar,” Phys. Rev. D **70**, 072004 (2004) [arXiv:hep-ex/0408078].

390. B. Aubert *et al.* [BABAR Collaboration], “Measurement of neutral B decay branching fractions to $K_S^0\pi^+\pi^-$ final states,” Phys. Rev. D **70**, 091103 (2004) [arXiv:hep-ex/0408054].
391. B. Aubert *et al.* [BABAR Collaboration], “Study of $B \rightarrow D_{sJ}^{(*)+}\bar{D}^{(*)}$ decays,” Phys. Rev. Lett. **93**, 181801 (2004) [arXiv:hep-ex/0408041].
392. B. Aubert *et al.* [BABAR Collaboration], “Search for flavor-changing neutral current and lepton flavor violating decays of $D^0 \rightarrow \ell^+\ell^-$,” Phys. Rev. Lett. **93**, 191801 (2004) [arXiv:hep-ex/0408023].
393. B. Aubert *et al.* [BABAR Collaboration], “Search for the decay $B^0 \rightarrow J/\psi\gamma$,” Phys. Rev. D **70**, 091104 (2004) [arXiv:hep-ex/0408018].
394. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the $B^0 \rightarrow \phi K^{*0}$ decay amplitudes,” Phys. Rev. Lett. **93**, 231804 (2004) [arXiv:hep-ex/0408017].
395. B. Aubert *et al.* [BABAR Collaboration], “Search for the rare leptonic decay $B^- \rightarrow \tau^-\bar{\nu}_\tau$,” Phys. Rev. Lett. **95**, 041804 (2005) [arXiv:hep-ex/0407038].
396. B. Aubert *et al.* [BABAR Collaboration], “Search for B -meson decays to two-body final states with $a_0(980)$ mesons,” Phys. Rev. D **70**, 111102 (2004) [arXiv:hep-ex/0407013].
397. B. Aubert *et al.* [BABAR Collaboration], “Measurement of branching fractions, and CP and isospin asymmetries, for $B \rightarrow K^*\gamma$,” Phys. Rev. D **70**, 112006 (2004) [arXiv:hep-ex/0407003].
398. B. Aubert *et al.* [BABAR Collaboration], “Measurements of the branching fraction and CP-violation asymmetries in $B^0 \rightarrow f_0(980)K_S^0$,” Phys. Rev. Lett. **94**, 041802 (2005) [arXiv:hep-ex/0406040].
399. B. Aubert *et al.* [BABAR Collaboration], “Study of the $B \rightarrow J/\psi K^-\pi^+\pi^-$ decay and measurement of the $B \rightarrow X(3872)K^-$ branching fraction,” Phys. Rev. D **71**, 071103 (2005) [arXiv:hep-ex/0406022].
400. B. Aubert *et al.* [BABAR Collaboration], “Measurement of time-dependent CP-violating asymmetries in $B^0 \rightarrow K^{*0}\gamma$ ($K^{*0} \rightarrow K_S^0\pi^0$) decays,” Phys. Rev. Lett. **93**, 201801 (2004) [arXiv:hep-ex/0405082].
401. B. Aubert *et al.* [BABAR Collaboration], “Search for B^0 decays to invisible final states and to $\nu\bar{\nu}\gamma$,” Phys. Rev. Lett. **93**, 091802 (2004) [arXiv:hep-ex/0405071].
402. B. Aubert *et al.* [BABAR Collaboration], “A measurement of the total width, the electronic width, and the mass of the $\Upsilon(10580)$ resonance,” Phys. Rev. D **72**, 032005 (2005) [arXiv:hep-ex/0405025].
403. B. Aubert *et al.* [BABAR Collaboration], “Study of the decay $B^0(\bar{B}^0) \rightarrow \rho^+\rho^-$, and constraints on the CKM angle α ,” Phys. Rev. Lett. **93**, 231801 (2004) [arXiv:hep-ex/0404029].
404. B. Aubert *et al.* [BABAR Collaboration], “Determination of the branching fraction for $B \rightarrow X_c\ell\nu$ decays and of $|V_{cb}|$ from hadronic mass and lepton energy moments,” Phys. Rev. Lett. **93**, 011803 (2004) [arXiv:hep-ex/0404017].
405. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the $B \rightarrow X_s\ell^+\ell^-$ branching fraction with a sum over exclusive modes,” Phys. Rev. Lett. **93**, 081802 (2004) [arXiv:hep-ex/0404006].
406. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the ratio of decay amplitudes for $\bar{B}^0 \rightarrow J/\psi K^{*0}$ and $B^0 \rightarrow J/\psi K^{*0}$,” Phys. Rev. Lett. **93**, 081801 (2004) [arXiv:hep-ex/0404005].
407. B. Aubert *et al.* [BABAR Collaboration], “Searches for B^0 decays to combinations of charmless isoscalar mesons,” Phys. Rev. Lett. **93**, 181806 (2004) [arXiv:hep-ex/0403046].
408. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the direct CP asymmetry in $b \rightarrow s\gamma$ decays,” Phys. Rev. Lett. **93**, 021804 (2004) [arXiv:hep-ex/0403035].
409. B. Aubert *et al.* [BABAR Collaboration], “Measurements of moments of the hadronic mass distribution in semileptonic B decays,” Phys. Rev. D **69**, 111103 (2004) [arXiv:hep-ex/0403031].
410. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the electron energy spectrum and its moments in inclusive $B \rightarrow X_e\nu$ decays,” Phys. Rev. D **69**, 111104 (2004) [arXiv:hep-ex/0403030].
411. B. Aubert *et al.* [BABAR Collaboration], “ B meson decays to $\eta(')K^*$, $\eta(')\rho$, $\text{eta(')}\pi^0$, $\omega\pi^0$, and $\phi\pi^0$,” Phys. Rev. D **70**, 032006 (2004) [arXiv:hep-ex/0403025].

412. B. Aubert *et al.* [BABAR Collaboration], “Branching fraction measurements of $B \rightarrow \eta_c K$ decays,” Phys. Rev. D **70**, 011101 (2004) [arXiv:hep-ex/0403007].
413. B. Aubert *et al.* [BaBar Collaboration], “Search for the decay $B^0 \rightarrow p\bar{p}$,” Phys. Rev. D **69**, 091503 (2004) [arXiv:hep-ex/0403003].
414. B. Aubert *et al.* [BABAR Collaboration], “Measurements of CP violating asymmetries in $B^0 \rightarrow K_S^0 \pi^0$ decays,” Phys. Rev. Lett. **93**, 131805 (2004) [arXiv:hep-ex/0403001].
415. B. Aubert *et al.* [BABAR Collaboration], “Observation of the decay $B \rightarrow J/\psi \eta K$ and search for $X(3872) \rightarrow J/\psi \eta$,” Phys. Rev. Lett. **93**, 041801 (2004) [arXiv:hep-ex/0402025].
416. B. Aubert *et al.* [BABAR Collaboration], “Study of $B^\pm \rightarrow J/\psi \pi^\pm$ and $B^\pm \rightarrow J/\psi K^\pm$ decays: Measurement of the ratio of branching fractions and search for direct CP violation,” Phys. Rev. Lett. **92**, 241802 (2004) [arXiv:hep-ex/0401035].
417. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the B^+/B^0 production ratio from the $\Upsilon(4S)$ meson using $B^+ \rightarrow J/\psi K^+$ and $B^0 \rightarrow J/\psi K_S^0$ decays,” Phys. Rev. D **69**, 071101 (2004) [arXiv:hep-ex/0401028].
418. B. Aubert *et al.* [BABAR Collaboration], “Study of high momentum η' production in $B \rightarrow \eta' X_s$,” Phys. Rev. Lett. **93**, 061801 (2004) [arXiv:hep-ex/0401006].
419. B. Aubert *et al.* [BABAR Collaboration], “Search for the rare leptonic decay $B^+ \rightarrow \mu^+ \nu_\mu$,” Phys. Rev. Lett. **92**, 221803 (2004) [arXiv:hep-ex/0401002].
420. B. Aubert *et al.* [BABAR Collaboration], “Measurements of branching fractions and CP-violating asymmetries in B meson decays to charmless two-body states containing a K^0 ,” Phys. Rev. Lett. **92**, 201802 (2004) [arXiv:hep-ex/0312055].
421. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the branching fraction for $B^- \rightarrow D^0 K^{*-}$,” Phys. Rev. D **69**, 051101 (2004) [arXiv:hep-ex/0312051].
422. B. Aubert *et al.* [BABAR Collaboration], “Search for lepton flavor violation in the decay $\tau^- \rightarrow \ell^- \ell^+ \ell^-$,” Phys. Rev. Lett. **92**, 121801 (2004) [arXiv:hep-ex/0312027].
423. B. Aubert *et al.* [BABAR Collaboration], “Measurement of branching fractions and charge asymmetries in $B^\pm \rightarrow \rho^0 m \pi^0$ and $B^\pm \rightarrow \rho^0 \pi^\pm$ decays, and search for $B^0 \rightarrow \rho^0 \pi^0$,” Phys. Rev. Lett. **93**, 051802 (2004) [arXiv:hep-ex/0311049].
424. B. Aubert *et al.* [BABAR Collaboration], “Measurements of the mass and width of the η_c meson and of an $\eta_c(2S)$ candidate,” Phys. Rev. Lett. **92**, 142002 (2004) [arXiv:hep-ex/0311038].
425. B. Aubert *et al.* [BABAR Collaboration], “Observation of the decay $B^0 \rightarrow \rho^+ \rho^-$ and measurement of the branching fraction and polarization,” Phys. Rev. D **69**, 031102 (2004) arXiv:hep-ex/0311017.
426. B. Aubert *et al.* [BABAR Collaboration], “Observation of $B^0 \rightarrow \omega K^0$, $B^+ \rightarrow \eta \pi^+$, and $B^+ \rightarrow \eta K^+$ and study of related decays,” Phys. Rev. Lett. **92**, 061801 (2004) arXiv:hep-ex/0311016.
427. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the average ϕ multiplicity in B meson decay,” Phys. Rev. D **69**, 052005 (2004) arXiv:hep-ex/0311008.
428. B. Aubert *et al.* [BABAR Collaboration], “Observation of a narrow meson decaying to $D_s^+ \pi^0 \gamma$ at a mass of 2.458 GeV/c²,” Phys. Rev. D **69**, 031101 (2004) arXiv:hep-ex/0310050.
429. B. Aubert *et al.* [BABAR Collaboration], “Measurement of branching fractions of color-suppressed decays of the \bar{B}^0 meson to $D^{(*)0} \pi^0$, $D^{(*)0} \eta$, $D^{(*)0} \omega$, and $D^0 \eta'$,” Phys. Rev. D **69**, 032004 (2004) arXiv:hep-ex/0310028.
430. B. Aubert *et al.* [BABAR Collaboration], “ J/ψ production via initial state radiation in $e^+ e^- \rightarrow \mu^+ \mu^- \gamma$ at an $e^+ e^-$ center-of-mass energy near 10.6 GeV,” Phys. Rev. D **69**, 011103 (2004) arXiv:hep-ex/0310027.
431. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the branching fraction for $B^\pm \rightarrow \chi_{c0} K^\pm$,” Phys. Rev. D **69**, 071103 (2004) arXiv:hep-ex/0310015.

432. B. Aubert *et al.* [BABAR Collaboration], “Measurement of $\sin(2\beta)$ using hadronic J/ψ decays,” Phys. Rev. D **69**, 052001 (2004) arXiv:hep-ex/0309039.
433. B. Aubert *et al.* [BABAR Collaboration], “Measurements of branching fractions in $B \rightarrow \phi K$ and $B \rightarrow \phi\pi$ and search for direct CP violation in $B^\pm \rightarrow \phi K^\pm$,” Phys. Rev. D **69**, 011102 (2004) arXiv:hep-ex/0309025.
434. B. Aubert *et al.* [BABAR Collaboration], “Measurements of the branching fractions of charged B decays to $K^\pm\pi^\mp\pi^\pm$ final states,” Phys. Rev. D **70**, 092001 (2004) [arXiv:hep-ex/0308065].
435. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the branching fraction and polarization for the decay $B^- \rightarrow D^{*0}K^{*-}$,” Phys. Rev. Lett. **92**, 141801 (2004) arXiv:hep-ex/0308057.
436. B. Aubert *et al.* [BABAR Collaboration], “Evidence for the rare decay $B \rightarrow K^*\ell^+\ell^-$ and measurement of the $B \rightarrow K\ell^+\ell^-$ branching fraction,” Phys. Rev. Lett. **91**, 221802 (2003) [arXiv:hep-ex/0308042].
437. B. Aubert *et al.* [BABAR Collaboration], “Observation of the decay $B^0 \rightarrow \pi^0\pi^0$,” Phys. Rev. Lett. **91**, 241801 (2003) arXiv:hep-ex/0308012.
438. B. Aubert *et al.* [BABAR Collaboration], “Measurement of branching fractions and CP-violating charge asymmetries in $B^+ \rightarrow \rho^+\pi^0$ and $B^+ \rightarrow \rho^0\pi^+$ decays, and search for $B^0 \rightarrow \rho^0\pi^0$,” arXiv:hep-ex/0307087.
439. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the inclusive charmless semileptonic branching ratio of B mesons and determination of $|V_{ub}|$,” Phys. Rev. Lett. **92**, 071802 (2004) arXiv:hep-ex/0307062.
440. B. Aubert *et al.* [BABAR Collaboration], “Rates, polarizations, and asymmetries in charmless vector-vector B meson decays,” Phys. Rev. Lett. **91**, 171802 (2003) [arXiv:hep-ex/0307026].
441. B. Aubert *et al.* [BABAR Collaboration], “Measurement of time-dependent CP asymmetries and the CP-odd fraction in the decay $B^0 \rightarrow D^{*+}D^{*-}$,” Phys. Rev. Lett. **91**, 131801 (2003) [arXiv:hep-ex/0306052].
442. B. Aubert *et al.* [BABAR Collaboration], “Search for the radiative decays $B \rightarrow \rho\gamma$ and $B^0 \rightarrow \omega\gamma$,” Phys. Rev. Lett. **92**, 111801 (2004) arXiv:hep-ex/0306038.
443. B. Aubert *et al.* [BABAR Collaboration], “Measurements of branching fractions and CP-violating asymmetries in $B^0 \rightarrow \rho^\pm h^\mp$ decays,” Phys. Rev. Lett. **91**, 201802 (2003) [arXiv:hep-ex/0306030].
444. B. Aubert *et al.* [BABAR Collaboration], “Limits on D^0 - \bar{D}^0 mixing and CP violation from the ratio of lifetimes for decay to $K^-\pi^+$, K^-K^+ and $\pi^-\pi^+$,” Phys. Rev. Lett. **91**, 121801 (2003) [arXiv:hep-ex/0306003].
445. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the branching fractions for the exclusive decays of B^0 and B^+ to $\overline{D}^{(*)}D^{(*)}K$,” Phys. Rev. D **68**, 092001 (2003) [arXiv:hep-ex/0305003].
446. B. Aubert *et al.* [BABAR Collaboration], “Rare B decays into states containing a J/ψ meson and a meson with $s\bar{s}$ quark content,” Phys. Rev. Lett. **91**, 071801 (2003) [arXiv:hep-ex/0304014].
447. B. Aubert *et al.* [BABAR Collaboration], “Search for D^0 - \bar{D}^0 mixing and a measurement of the doubly Cabibbo-suppressed decay rate in $D^0 \rightarrow K\pi$ decays,” Phys. Rev. Lett. **91**, 171801 (2003) [arXiv:hep-ex/0304007].
448. B. Aubert *et al.* [BABAR Collaboration], “Measurements of the branching fractions and charge asymmetries of charmless three-body charged B decays,” Phys. Rev. Lett. **91**, 051801 (2003) [arXiv:hep-ex/0304006].
449. B. Aubert *et al.* [BABAR Collaboration], “Measurements of CP-violating asymmetries and branching fractions in B meson decays to $\eta'K$,” Phys. Rev. Lett. **91**, 161801 (2003) [arXiv:hep-ex/0303046].
450. B. Aubert *et al.* [BABAR Collaboration], “Evidence for $B^+ \rightarrow J/\psi p\bar{\Lambda}$ and search for $B^0 \rightarrow J/\psi p\bar{p}$,” Phys. Rev. Lett. **90**, 231801 (2003) [arXiv:hep-ex/0303036].
451. B. Aubert *et al.* [BABAR Collaboration], “Observation of the decay $B^\pm \rightarrow \pi^\pm\pi^0$, study of $B^\pm \rightarrow K^\pm\pi^0$, and search for $B^0 \rightarrow \pi^0\pi^0$,” Phys. Rev. Lett. **91**, 021801 (2003) [arXiv:hep-ex/0303028].

452. B. Aubert *et al.* [BABAR Collaboration], “Study of time-dependent CP asymmetry in neutral B decays to $J/\psi\pi^0$,” Phys. Rev. Lett. **91**, 061802 (2003) [arXiv:hep-ex/0303018].
453. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the branching fraction and CP-violating asymmetries in neutral B decays to $D^{*\pm}D^{\mp}$,” Phys. Rev. Lett. **90**, 221801 (2003) [arXiv:hep-ex/0303004].
454. B. Aubert *et al.* [BABAR Collaboration], “Measurement of $B^0 \rightarrow D_s^{(*)+}D^{*-}$ branching fractions and $B^0 \rightarrow D_s^{(*)+}D^{*-}$ polarization with a partial reconstruction technique,” Phys. Rev. D **67**, 092003 (2003) [arXiv:hep-ex/0302015].
455. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the CKM matrix element $|V_{ub}|$ with $B \rightarrow \rho e\nu$ decays,” Phys. Rev. Lett. **90**, 181801 (2003) [arXiv:hep-ex/0301001].
456. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the B^0 meson lifetime with partial reconstruction of $B^0 \rightarrow D^{*-}\pi^+$ and $B^0 \rightarrow D^{*-}\rho^+$ decays,” Phys. Rev. D **67**, 091101 (2003) [arXiv:hep-ex/0212012].
457. B. Aubert *et al.* [BABAR Collaboration], “A study of the rare decays $B^0 \rightarrow D_s^{(*)+}\pi^-$ and $B^0 \rightarrow D_s^{(*)-}K^+$,” Phys. Rev. Lett. **90**, 181803 (2003) [arXiv:hep-ex/0211053].
458. B. Aubert *et al.* [BABAR Collaboration], “A measurement of the $B^0 \rightarrow J/\psi\pi^+\pi^-$ branching fraction,” Phys. Rev. Lett. **90**, 091801 (2003) [arXiv:hep-ex/0209013].
459. B. Aubert *et al.* [BABAR Collaboration], “Study of inclusive production of charmonium mesons in B decay,” Phys. Rev. D **67**, 032002 (2003) [arXiv:hep-ex/0207097].
460. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the branching fraction for inclusive semileptonic B meson decays,” Phys. Rev. D **67**, 031101 (2003) [arXiv:hep-ex/0208018].
461. B. Aubert *et al.* [BABAR Collaboration], “Measurements of branching fractions and CP-violating asymmetries in $B^0 \rightarrow \pi^+\pi^-, K^+\pi^-, K^+K^-$ decays,” Phys. Rev. Lett. **89**, 281802 (2002) [arXiv:hep-ex/0207055].
462. B. Aubert *et al.* [BaBar Collaboration], “Measurement of the branching fraction and CP content for the decay $B^0 \rightarrow D^{*+}D^{*-}$,” Phys. Rev. Lett. **89**, 061801 (2002) [arXiv:hep-ex/0203008].
463. B. Aubert *et al.* [BABAR Collaboration], “Search for T and CP violation in $B^0-\bar{B}^0$ mixing with inclusive dilepton events,” Phys. Rev. Lett. **88**, 231801 (2002) [arXiv:hep-ex/0202041].
464. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the B^0 lifetime with partially reconstructed $B^0 \rightarrow D^{*-}\ell^+\nu_\ell$ decays,” Phys. Rev. Lett. **89**, 011802 (2002) [Erratum-ibid. **89**, 169903 (2002)] [arXiv:hep-ex/0202005].
465. B. Aubert *et al.* [BABAR Collaboration], “Measurement of D_s^+ and D_s^{*+} production in B meson decays and from continuum e^+e^- annihilation at $\sqrt{s} = 10.6$ GeV,” Phys. Rev. D **65**, 091104 (2002) [arXiv:hep-ex/0201041].
466. B. Aubert *et al.* [BABAR Collaboration], “Search for the rare decays $B \rightarrow K\ell^+\ell^-$ and $B \rightarrow K^*\ell^+\ell^-$,” Phys. Rev. Lett. **88**, 241801 (2002) [arXiv:hep-ex/0201008].
467. B. Aubert *et al.* [BABAR collaboration], “Measurement of the $B^0-\bar{B}^0$ oscillation frequency with inclusive dilepton events,” Phys. Rev. Lett. **88**, 221803 (2002) [arXiv:hep-ex/0112045].
468. B. Aubert *et al.* [BABAR Collaboration], “Direct CP violation searches in charmless hadronic B meson decays,” Phys. Rev. D **65**, 051101 (2002) [arXiv:hep-ex/0111087].
469. B. Aubert *et al.* [BABAR Collaboration], “Measurement of $B \rightarrow K^*\gamma$ branching fractions and charge asymmetries,” Phys. Rev. Lett. **88**, 101805 (2002) [arXiv:hep-ex/0110065].
470. B. Aubert *et al.* [BABAR Collaboration], “Study of CP-violating asymmetries in $B^0 \rightarrow \pi^+\pi^-, K^+\pi^-$ decays,” Phys. Rev. D **65**, 051502 (2002) [arXiv:hep-ex/0110062].
471. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the branching fractions for $\psi(2S) \rightarrow e^+e^-$ and $\psi(2S) \rightarrow \mu^+\mu^-$,” Phys. Rev. D **65**, 031101 (2002) [arXiv:hep-ex/0109004].

472. B. Aubert *et al.* [BABAR Collaboration], “Measurements of the branching fractions of exclusive charmless B meson decays with η' or ω mesons,” Phys. Rev. Lett. **87**, 221802 (2001) [arXiv:hep-ex/0108017].
473. B. Aubert *et al.* [BABAR Collaboration], “Study of $B^\pm \rightarrow J/\psi\pi^\pm$ and $B^\pm \rightarrow J/\psi K^\pm$ decays: Measurement of the ratio of branching fractions and search for direct CP-violating charge asymmetries,” Phys. Rev. D **65**, 091101 (2002) [arXiv:hep-ex/0108009].
474. B. Aubert *et al.* [BABAR Collaboration], “Search for the decay $B^0 \rightarrow \gamma\gamma$,” Phys. Rev. Lett. **87**, 241803 (2001) [arXiv:hep-ex/0107068].
475. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the $B \rightarrow J/\psi K^*(892)$ decay amplitudes,” Phys. Rev. Lett. **87**, 241801 (2001) [arXiv:hep-ex/0107049].
476. B. Aubert *et al.* [BABAR Collaboration], “Measurement of branching fractions for exclusive B decays to charmonium final states,” Phys. Rev. D **65**, 032001 (2002) [arXiv:hep-ex/0107025].
477. B. Aubert *et al.* [BABAR Collaboration], “Measurement of J/ψ production in continuum e^+e^- annihilations near $\sqrt{s} = 10.6$ GeV,” Phys. Rev. Lett. **87**, 162002 (2001) [arXiv:hep-ex/0106044].
478. B. Aubert *et al.* [BABAR Collaboration], “Measurement of branching fractions and search for CP-violating charge asymmetries in charmless two-body B decays into pions and kaons,” Phys. Rev. Lett. **87**, 151802 (2001) [arXiv:hep-ex/0105061].
479. B. Aubert *et al.* [BABAR Collaboration], “Measurement of the decays $B \rightarrow \phi K$ and $B \rightarrow \phi K^*$,” Phys. Rev. Lett. **87**, 151801 (2001) [arXiv:hep-ex/0105001].

COLABORACIÓN DELPHI

480. P. Abreu *et al.* [DELPHI Collaboration], “Measurement of the B_s^0 lifetime and study of B_s^0 - \overline{B}_s^0 oscillations using $D_s\ell$ events,” Eur. Phys. J. C **16**, 555 (2000) [arXiv:hep-ex/0107077].
481. P. Abreu *et al.* [DELPHI Collaboration], “A study of the Lorentz structure in τ decays,” Eur. Phys. J. C **16**, 229 (2000) [arXiv:hep-ex/0107076].
482. P. Abreu *et al.* [DELPHI Collaboration], “Search for Heavy Stable and Long-Lived Particles in e^+e^- Collisions at $\sqrt{s} = 189$ GeV,” Phys. Lett. B **478**, 65 (2000) [arXiv:hep-ex/0103038].
483. P. Abreu *et al.* [DELPHI Collaboration], “Search for supersymmetric partners of top and bottom quarks at $\sqrt{s} = 189$ GeV,” Phys. Lett. B **496**, 59 (2000) [arXiv:hep-ex/0103034].
484. P. Abreu *et al.* [DELPHI Collaboration], “Study of Dimuon Production in Photon-Photon Collisions and Measurement of QED Photon Structure Functions at LEP,” Eur. Phys. J. C **19**, 15 (2001) [arXiv:hep-ex/0105084].
485. P. Abreu *et al.* [DELPHI Collaboration], “Photon Events with Missing Energy at $\sqrt{s} = 183$ to 189 GeV,” Eur. Phys. J. C **17**, 53 (2000) [arXiv:hep-ex/0103044].
486. P. Abreu *et al.* [DELPHI Collaboration], “Study of B_s^0 - \overline{B}_s^0 oscillations and B_s^0 lifetimes using hadronic decays of B_s^0 mesons,” Eur. Phys. J. C **18**, 229 (2000) [arXiv:hep-ex/0105077].
487. P. Abreu *et al.* [DELPHI Collaboration], “Rapidity-rank structure of $p\bar{p}$ pairs in hadronic Z^0 decays,” Phys. Lett. B **490**, 61 (2000) [arXiv:hep-ex/0105050].
488. P. Abreu *et al.* [DELPHI Collaboration], “Update of the search for charginos nearly mass-degenerate with the lightest neutralino,” Phys. Lett. B **485**, 95 (2000) [arXiv:hep-ex/0103035].
489. P. Abreu *et al.* [DELPHI Collaboration], “Cross-sections and leptonic forward-backward asymmetries from the Z^0 running of LEP,” Eur. Phys. J. C **16**, 371 (2000).
490. P. Abreu *et al.* [DELPHI Collaboration], “Searches for neutral Higgs bosons in e^+e^- collisions around $\sqrt{s} = 189$ GeV,” Eur. Phys. J. C **17**, 187 (2000) [Addendum-ibid. C **17**, 549 (2000)] [arXiv:hep-ex/0104020].

491. P. Abreu *et al.* [DELPHI Collaboration], “Identified Charged Particles in Quark and Gluon Jets,” *Eur. Phys. J. C* **17**, 207 (2000) [arXiv:hep-ex/0106063].
492. P. Abreu *et al.* [DELPHI Collaboration], “Search for charginos in e^+e^- interactions at $\sqrt{s} = 189$ GeV,” *Phys. Lett. B* **479**, 129 (2000) [arXiv:hep-ex/0104027].
493. P. Abreu *et al.* [DELPHI Collaboration], “Determination of $|V_{ub}|/|V_{cb}|$ with DELPHI at LEP,” *Phys. Lett. B* **478**, 14 (2000) [arXiv:hep-ex/0105054].
494. P. Abreu *et al.* [DELPHI Collaboration], “Measurement of the $\bar{B} \rightarrow D^{(*)}\pi\ell\bar{\nu}_\ell$ branching fraction,” *Phys. Lett. B* **475**, 407 (2000) [arXiv:hep-ex/0105052].
495. P. Abreu *et al.* [DELPHI Collaboration], “ A_b polarization in Z^0 decays at LEP,” *Phys. Lett. B* **474**, 205 (2000).
496. P. Abreu *et al.* [DELPHI Collaboration], “Two-dimensional analysis of the Bose-Einstein correlations in e^+e^- annihilation at the Z^0 peak,” *Phys. Lett. B* **471**, 460 (2000).
497. P. Abreu *et al.* [DELPHI Collaboration], “Upper limit for the decay $B^- \rightarrow \tau^-\bar{\nu}_\tau$ and measurement of the $b \rightarrow \tau\bar{\nu}_\tau X$ branching ratio,” *Phys. Lett. B* **496**, 43 (2000).
498. P. Abreu *et al.* [DELPHI Collaboration], “A precise measurement of the τ polarisation at LEP-1,” *Eur. Phys. J. C* **14**, 585 (2000).
499. P. Abreu *et al.* [DELPHI Collaboration], “Measurement of the gluon fragmentation function and a comparison of the scaling violation in gluon and quark jets,” *Eur. Phys. J. C* **13**, 573 (2000).
500. P. Abreu *et al.* [DELPHI Collaboration], “Consistent measurements of α_s from precise oriented event shape distributions,” *Eur. Phys. J. C* **14**, 557 (2000) [arXiv:hep-ex/0002026].
501. P. Abreu *et al.* [DELPHI Collaboration], “Measurement of the strange quark forward-backward asymmetry around the Z^0 peak,” *Eur. Phys. J. C* **14**, 613 (2000).
502. P. Abreu *et al.* [DELPHI Collaboration], “Search for chargino pair production in scenarios with gravitino LSP and stau NLSP at \sqrt{s} approx. 183 GeV at LEP,” *Phys. Lett. B* **466**, 61 (1999).
503. P. Abreu *et al.* [DELPHI Collaboration], “Measurement of the mass of the W boson using direct reconstruction at $\sqrt{s} = 183$ GeV,” *Phys. Lett. B* **462**, 410 (1999).
504. P. Abreu *et al.* [DELPHI Collaboration], “Search for charged Higgs bosons at LEP 2,” *Phys. Lett. B* **460**, 484 (1999).
505. P. Abreu *et al.* [DELPHI Collaboration], “Determination of $P(c \rightarrow D^{*+})$ and $BR(c \rightarrow \ell^+)$ at LEP1,” *Eur. Phys. J. C* **12**, 209 (2000).
506. P. Abreu *et al.* [DELPHI Collaboration], “Measurements of the trilinear gauge boson couplings WWV ($V = \gamma, Z$) in e^+e^- collisions at 183 GeV,” *Phys. Lett. B* **459**, 382 (1999).
507. P. Abreu *et al.* [DELPHI Collaboration], “A search for invisible Higgs bosons produced in e^+e^- interactions at LEP2 energies,” *Phys. Lett. B* **459**, 367 (1999).
508. P. Abreu *et al.* [DELPHI Collaboration], “Search for the Higgs boson in events with isolated photons at LEP II,” *Phys. Lett. B* **458**, 431 (1999).
509. P. Abreu *et al.* [DELPHI Collaboration], “Energy dependence of inclusive spectra in e^+e^- annihilation,” *Phys. Lett. B* **459**, 397 (1999).
510. P. Abreu *et al.* [DELPHI collaboration], “Multiplicity fluctuations in one- and two-dimensional angular intervals compared with analytic (QCD) calculations,” *Phys. Lett. B* **457**, 368 (1999) [arXiv:hep-ph/9905367].
511. P. Abreu *et al.* [DELPHI Collaboration], “Energy dependence of event shapes and of α_s at LEP-2,” *Phys. Lett. B* **456**, 322 (1999).
512. P. Abreu *et al.* [DELPHI Collaboration], “Measurements of the leptonic branching fractions of the τ ,” *Eur. Phys. J. C* **10**, 201 (1999).

513. P. Abreu *et al.* [DELPHI Collaboration], “ W pair production cross-section and W branching fractions in e^+e^- interactions at 183 GeV,” Phys. Lett. B **456**, 310 (1999).
514. P. Abreu *et al.* [DELPHI Collaboration], “Search for supersymmetry with R-parity violating L L anti-E couplings at $\sqrt{s} = 183$ GeV,” Eur. Phys. J. C **13**, 591 (2000).
515. P. Abreu *et al.* [DELPHI Collaboration], “Measurement of the lifetime of b -baryons,” Eur. Phys. J. C **10**, 185 (1999).
516. P. Abreu *et al.* [DELPHI Collaboration], “Search for charginos nearly mass-degenerate with the lightest neutralino,” Eur. Phys. J. C **11**, 1 (1999) [arXiv:hep-ex/9903071].
517. P. Abreu *et al.* [DELPHI Collaboration], “Measurement of the forward backward asymmetry of c and b quarks at the Z pole using reconstructed D mesons,” Eur. Phys. J. C **10**, 219 (1999) [arXiv:hep-ex/9903074].
518. P. Abreu *et al.* [DELPHI Collaboration], “Search for neutral Higgs bosons in e^+e^- collisions at $\sqrt{s} = 183$ GeV,” Eur. Phys. J. C **10**, 563 (1999).
519. P. Abreu *et al.* [DELPHI Collaboration], “Measurement and interpretation of fermion-pair production at LEP energies from 130 GeV to 172 GeV,” Eur. Phys. J. C **11**, 383 (1999).
520. P. Abreu *et al.* [DELPHI Collaboration], “The scale dependence of the hadron multiplicity in quark and gluon jets and a precise determination of $C(A)/C(F)$,” Phys. Lett. B **449**, 383 (1999) [arXiv:hep-ex/9903073].
521. P. Abreu *et al.* [DELPHI Collaboration], “Measurement of inclusive ρ^0 , $f_0(980)$, $f_2(1270)$, $K_2^*(1430)^0$ and $f_2'(1525)$ production in Z^0 decays,” Phys. Lett. B **449**, 364 (1999).
522. P. Abreu *et al.* [DELPHI Collaboration], “Study of the four-jet anomaly observed at LEP centre-of-mass energies of 130 GeV and 136 GeV,” Phys. Lett. B **448**, 311 (1999).
523. P. Abreu *et al.* [DELPHI Collaboration], “Measurement of $A(FB)(b\bar{b})$ in hadronic Z decays using a jet charge technique,” Eur. Phys. J. C **9**, 367 (1999).
524. P. Abreu *et al.* [DELPHI Collaboration], “Search for charginos, neutralinos and gravitinos in e^+e^- interactions at $\sqrt{s} = 183$ GeV,” Phys. Lett. B **446**, 75 (1999).
525. P. Abreu *et al.* [DELPHI Collaboration], “Search for leptoquarks and FCNC in e^+e^- annihilations at $\sqrt{s} = 183$ GeV,” Phys. Lett. B **446**, 62 (1999) [arXiv:hep-ex/9903072].
526. P. Abreu *et al.* [DELPHI Collaboration], “A search for heavy stable and longlived squarks and sleptons in e^+e^- collisions at energies from 130 GeV to 183 GeV,” Phys. Lett. B **444**, 491 (1998) [arXiv:hep-ex/9811007].
527. P. Abreu *et al.* [DELPHI Collaboration], “Search for lightest neutralino and stau pair production in light gravitino scenarios with stau NLSP,” Eur. Phys. J. C **7**, 595 (1999) [arXiv:hep-ex/9811006].
528. P. Abreu *et al.* [DELPHI Collaboration], “Search for composite and exotic fermions at LEP2,” Eur. Phys. J. C **8**, 41 (1999) [arXiv:hep-ex/9811005].
529. P. Abreu *et al.* [DELPHI Collaboration], “Search for pair-produced neutralinos in events with photons and missing energy from e^+e^- collisions at $\sqrt{s} = 130$ GeV to 183 GeV,” Eur. Phys. J. C **6**, 371 (1999).
530. P. Abreu *et al.* [DELPHI Collaboration], “Two-particle angular correlations in e+ e- interactions compared with QCD predictions,” Phys. Lett. B **440**, 203 (1998).
531. P. Abreu *et al.* [DELPHI Collaboration], “Search for scalar fermions and long-lived scalar leptons at centre-of-mass energies of 130 GeV to 172 GeV,” Eur. Phys. J. C **6**, 385 (1999).
532. P. Abreu *et al.* [DELPHI Collaboration], “A search for η_c' production in photon photon fusion at LEP,” Phys. Lett. B **441**, 479 (1998).
533. P. Abreu *et al.* [DELPHI Collaboration], “Measurement of $|V_{cs}|$ using W decays at LEP2,” Phys. Lett. B **439**, 209 (1998).

534. P. Abreu *et al.* [DELPHI Collaboration], “ $p\bar{t}^\pm$, K^\pm , p and \bar{p} production in $Z^0 \rightarrow q\bar{q}$, $Z^0 \rightarrow b\bar{b}$, $Z^0 \rightarrow u\bar{u}, d\bar{d}, s\bar{s}$,” *Eur. Phys. J. C* **5**, 585 (1998).
535. P. Abreu *et al.* [DELPHI Collaboration], “Measurement of the $e^+e^- \rightarrow \gamma\gamma(\gamma)$ cross section at the LEP energies,” *Phys. Lett. B* **433**, 429 (1998).
536. P. Abreu *et al.* [DELPHI Collaboration], “First evidence for a charm radial excitation, D^{*+} ,” *Phys. Lett. B* **426**, 231 (1998).
537. P. Abreu *et al.* [DELPHI Collaboration], “A Study of the hadronic resonance structure in the decay $\tau \rightarrow 3\pi\nu_\tau$,” *Phys. Lett. B* **426**, 411 (1998).
538. P. Abreu *et al.* [DELPHI Collaboration], “Measurement of the inclusive charmless and double-charm B branching ratios,” *Phys. Lett. B* **426**, 193 (1998).
539. P. Abreu *et al.* [DELPHI Collaboration], “Measurement of trilinear gauge couplings in e^+e^- collisions at 161 GeV and 172 GeV,” *Phys. Lett. B* **423**, 194 (1998).
540. P. Abreu *et al.* [DELPHI Collaboration], “Measurement of the W pair cross-section and of the W mass in e^+e^- interactions at 172 GeV,” *Eur. Phys. J. C* **2**, 581 (1998).
541. P. Abreu *et al.* [DELPHI Collaboration], “Search for charged Higgs bosons in e^+e^- collisions at $\sqrt{s} = 172$ GeV,” *Phys. Lett. B* **420**, 140 (1998).
542. P. Abreu *et al.* [DELPHI Collaboration], “ $m(b)$ at $M(Z)$,” *Phys. Lett. B* **418**, 430 (1998).
543. P. Abreu *et al.* [DELPHI Collaboration], “Charged particle multiplicity in $e^+e^- \rightarrow q\bar{q}$ events at 161 GeV and 172 GeV and from the decay of the W boson,” *Phys. Lett. B* **416**, 233 (1998).
544. W. Adam *et al.* [DELPHI Collaboration], “Search for $B_s^0\overline{B}_s^0$ oscillations,” *Phys. Lett. B* **414**, 382 (1997).
545. P. Abreu *et al.* [DELPHI Collaboration], “Measurement of the triple gluon vertex from double quark tagged 4-jet events,” *Phys. Lett. B* **414**, 401 (1997).
546. P. Abreu *et al.* [DELPHI Collaboration], “Measurement of the quark and gluon fragmentation functions in Z^0 hadronic decays,” *Eur. Phys. J. C* **6**, 19 (1999).
547. P. Abreu *et al.* [DELPHI Collaboration], “Search for charginos, neutralinos and gravitinos at LEP,” *Eur. Phys. J. C* **1**, 1 (1998).
548. P. Abreu *et al.* [DELPHI Collaboration], “Search for neutral and charged Higgs bosons in e^+e^- collisions at $\sqrt{s} = 161$ GeV and 172 GeV,” *Eur. Phys. J. C* **2**, 1 (1998).
549. P. Abreu *et al.* [DELPHI Collaboration], “Observation of charge-ordering in particle production in hadronic Z^0 decay,” *Phys. Lett. B* **407**, 174 (1997).
550. P. Abreu *et al.* [DELPHI Collaboration], “Measurement of the spin density matrix for the ρ^0 , $K^*(892)^0$ and ϕ produced in Z^0 decays,” *Phys. Lett. B* **406**, 271 (1997).
551. P. Abreu *et al.* [DELPHI Collaboration], “Measurement of $B_d^0\overline{B}_d^0$ oscillations,” *Z. Phys. C* **76**, 579 (1997).
552. P. Abreu *et al.* [DELPHI Collaboration], “A study of the reaction $e^+e^- \rightarrow \mu^+\mu^-\gamma$ (ISR) at LEP and search for new physics at annihilation energies near 80 GeV,” *Z. Phys. C* **75**, 581 (1997).
553. P. Abreu *et al.* [DELPHI Collaboration], “Measurement of the transverse spin correlation in $Z \rightarrow \tau^+\tau^-$ decays,” *Phys. Lett. B* **404**, 194 (1997).
554. P. Abreu *et al.* [DELPHI Collaboration], “Measurement of correlations between pions from different W 's in $e^+e^- \rightarrow W^+W^-$ events,” *Phys. Lett. B* **401**, 181 (1997).
555. P. Abreu *et al.* [DELPHI Collaboration], “Rapidity correlations in Λ baryon and proton production in hadronic Z^0 decays,” *Phys. Lett. B* **416**, 247 (1998).
556. P. Abreu *et al.* [DELPHI Collaboration], “Measurement and interpretation of the W pair cross-section in e^+e^- interactions at 161 GeV,” *Phys. Lett. B* **397**, 158 (1997).

557. P. Abreu *et al.* [DELPHI Collaboration], “Identified particles in quark and gluon jets,” Phys. Lett. B **401**, 118 (1997).
558. P. Abreu *et al.* [DELPHI Collaboration], “Search for stable heavy charged particles in e^+e^- collisions at $\sqrt{s} = 130$ GeV to 136 GeV, 161 GeV and 172 GeV,” Phys. Lett. B **396**, 315 (1997).
559. P. Abreu *et al.* [DELPHI Collaboration], “A measurement of α_s from the scaling violation in e^+e^- annihilation,” Phys. Lett. B **398**, 194 (1997).
560. P. Abreu *et al.* [DELPHI Collaboration], “Search for neutral heavy leptons produced in Z decays,” Z. Phys. C **74**, 57 (1997) [Erratum-ibid. C **75**, 580 (1997)].
561. P. Abreu *et al.* [DELPHI Collaboration], “Search for the B_c meson,” Phys. Lett. B **398**, 207 (1997).
562. P. Abreu *et al.* [DELPHI Collaboration], “Search for excited leptons in e^+e^- collisions at $\sqrt{s} = 161$ GeV,” Phys. Lett. B **393**, 245 (1997).
563. P. Abreu *et al.* [DELPHI Collaboration], “A precise measurement of the B_d^0 meson lifetime using a new technique,” Z. Phys. C **74**, 19 (1997) [Erratum-ibid. C **75**, 579 (1997)].
564. W. Adam *et al.* [DELPHI Collaboration], “Search for pair production of heavy objects in 4-jet events at $\sqrt{s} = 130$ GeV - 136 GeV,” Z. Phys. C **73**, 1 (1996).
565. P. Abreu *et al.* [DELPHI Collaboration], “An upper limit for $Br(Z^0 \rightarrow ggg)$ from symmetric 3-jet Z^0 hadronic decays,” Phys. Lett. B **389**, 405 (1996).
566. P. Abreu *et al.* [DELPHI Collaboration], “Measurement of event shape and inclusive distributions at $\sqrt{s} = 130$ GeV and 136 GeV,” Z. Phys. C **73**, 229 (1997).
567. P. Abreu *et al.* [DELPHI Collaboration], “Search for lepton flavour number violating Z^0 decays,” Z. Phys. C **73**, 243 (1997).
568. P. Abreu *et al.* [DELPHI Collaboration], “Tuning and test of fragmentation models based on identified particles and precision event shape data,” Z. Phys. C **73**, 11 (1996).
569. P. Abreu *et al.* [DELPHI Collaboration], “Search for neutralinos, scalar leptons and scalar quarks in e^+e^- interactions at $\sqrt{s} = 130$ GeV and 136 GeV,” Phys. Lett. B **387**, 651 (1996).
570. W. Adam *et al.* [DELPHI Collaboration], “Study of rare b decays with the DELPHI detector at LEP,” Z. Phys. C **72**, 207 (1996).
571. P. Abreu *et al.* [DELPHI Collaboration], “Measurement of inclusive $K^*(892)^0$, $\phi(1020)$ and $K_2^*(1430)^0$ production in hadronic Z decays,” Z. Phys. C **73**, 61 (1996).
572. P. Abreu *et al.* [DELPHI Collaboration], “Search for high mass $\gamma\gamma$ resonances in $e^+e^- \rightarrow \ell+\ell-\gamma\gamma$, $\nu\bar{\nu}\gamma\gamma$ and $q\bar{q}\gamma\gamma$ at LEP I,” Z. Phys. C **72**, 179 (1996).
573. P. Abreu *et al.* [DELPHI Collaboration], “Search for the lightest chargino at $\sqrt{s} = 130$ GeV and 136 GeV in DELPHI,” Phys. Lett. B **382**, 323 (1996).
574. P. Abreu *et al.* [DELPHI Collaboration], “Study of radiative leptonic events with hard photons and search for excited charged leptons at $\sqrt{s} = 130$ GeV to 136 GeV,” Phys. Lett. B **380**, 480 (1996).
575. W. Adam *et al.* [DELPHI Collaboration], “Search for anomalous production of single photons at $\sqrt{s} = 130$ GeV and 136 GeV,” Phys. Lett. B **380**, 471 (1996).
576. P. Abreu *et al.* [DELPHI Collaboration], “Kaon interference in the hadronic decays of the Z^0 ,” Phys. Lett. B **379**, 330 (1996).
577. P. Abreu *et al.* [DELPHI Collaboration], “First study of the interference between initial and final state radiation at the Z resonance,” Z. Phys. C **72**, 31 (1996).
578. P. Abreu *et al.* [DELPHI Collaboration], “Mean lifetime of the B_s^0 meson,” Z. Phys. C **71**, 11 (1996).
579. P. Abreu *et al.* [DELPHI Collaboration], “First measurement of $f_2'(1525)$ production in Z^0 hadronic decays,” Phys. Lett. B **379**, 309 (1996).
580. P. Abreu *et al.* [DELPHI Collaboration], “Determination of the average lifetime of b baryons,” Z. Phys. C **71**, 199 (1996).

581. P. Abreu *et al.* [DELPHI Collaboration], “Search for exclusive decays of the Λ_b baryon and measurement of its mass,” Phys. Lett. B **374**, 351 (1996).
582. P. Abreu *et al.* [DELPHI Collaboration], “Determination of $|V_{cb}|$ from the semileptonic decay $B^0 \rightarrow D^{*-} \ell \nu$,” Z. Phys. C **71**, 539 (1996).
583. W. Adam *et al.* [DELPHI Collaboration], “Production of Σ^0 and Ω^- in Z decays,” Z. Phys. C **70**, 371 (1996).
584. P. Abreu *et al.* [DELPHI Collaboration], “Updated precision measurement of the average lifetime of B hadrons,” Phys. Lett. B **377**, 195 (1996).
585. P. Abreu *et al.* [DELPHI Collaboration], “Measurement of the B_d^0 oscillation frequency using kaons, leptons and jet charge,” Z. Phys. C **72**, 17 (1996).
586. P. Abreu *et al.* [DELPHI Collaboration], “Search for new phenomena using single photon events in the DELPHI detector at LEP,” Z. Phys. C **74**, 577 (1997).
587. P. Abreu *et al.* [DELPHI Collaboration], “Charged particle multiplicity in e^+e^- interactions at $\sqrt{s} = 130$ GeV,” Phys. Lett. B **372**, 172 (1996).
588. P. Abreu *et al.* [DELPHI Collaboration], “Energy dependence of the differences between the quark and gluon jet fragmentation,” Z. Phys. C **70**, 179 (1996).
589. P. Abreu *et al.* [DELPHI Collaboration], “A Precise measurement of the τ lepton lifetime,” Phys. Lett. B **365**, 448 (1996).
590. P. Abreu *et al.* [DELPHI Collaboration], “Search for promptly produced heavy quarkonium states in hadronic Z decays,” Z. Phys. C **69**, 575 (1996).
591. W. Adam *et al.* [DELPHI Collaboration], “Measurement of inclusive π^0 production in hadronic Z^0 decays,” Z. Phys. C **69**, 561 (1996).
592. P. Abreu *et al.* [DELPHI Collaboration], “Measurement of $\Delta^{++}(1232)$ production in hadronic Z decays,” Phys. Lett. B **361**, 207 (1995).
593. P. Abreu *et al.* [DELPHI Collaboration], “Upper limits on the branching ratios $\tau \rightarrow \mu\gamma$ and $\tau \rightarrow e\gamma$,” Phys. Lett. B **359**, 411 (1995).
594. P. Abreu *et al.* [DELPHI Collaboration], “A Measurement of the τ leptonic branching fractions,” Phys. Lett. B **357**, 715 (1995).
595. P. Abreu *et al.* [DELPHI Collaboration], “Study of prompt photon production in hadronic Z^0 decays,” Z. Phys. C **69**, 1 (1995).
596. P. Abreu *et al.* [DELPHI Collaboration], “Search for exclusive charmless B meson decays with the DELPHI detector at LEP,” Phys. Lett. B **357**, 255 (1995).
597. P. Abreu *et al.* [DELPHI Collaboration], “A Measurement of the photon structure function $F_2(\gamma)$ at an average q^2 of 12 GeV^2/c^4 ,” Z. Phys. C **69**, 223 (1996).
598. P. Abreu *et al.* [DELPHI Collaboration], “Observation of short range three particle correlations in e^+e^- annihilations at LEP energies,” Phys. Lett. B **355**, 415 (1995).
599. P. Abreu *et al.* [DELPHI Collaboration], “Lifetime and production rate of beauty baryons from Z decays,” Z. Phys. C **68**, 375 (1995).
600. P. Abreu *et al.* [DELPHI Collaboration], “A Measurement of B^+ and B^0 lifetimes using $\overline{D}\ell^+$ events,” Z. Phys. C **68**, 13 (1995).
601. W. Adam *et al.* [DELPHI Collaboration], “Lifetimes of charged and neutral B hadrons using event topology,” Z. Phys. C **68**, 363 (1995).
602. P. Abreu *et al.* [DELPHI Collaboration], “ B^* production in Z decays,” Z. Phys. C **68**, 353 (1995).
603. P. Abreu *et al.* [DELPHI Collaboration], “Strange baryon production in Z hadronic decays,” Z. Phys. C **67**, 543 (1995).

604. P. Abreu *et al.* [DELPHI Collaboration], “Inclusive measurements of the K^\pm and p/\bar{p} production in hadronic Z^0 decays,” Nucl. Phys. B **444**, 3 (1995).
605. P. Abreu *et al.* [DELPHI Collaboration], “Measurements of the τ polarization in Z^0 decays,” Z. Phys. C **67**, 183 (1995).
606. P. Abreu *et al.* [DELPHI Collaboration], “Production of strange B baryons decaying into $\Xi^\mp\ell^\mp$ pairs at LEP,” Z. Phys. C **68**, 541 (1995).
607. P. Abreu *et al.* [DELPHI Collaboration], “Production of charged particles, K_S^0 , K^\pm , p and Λ in $Z \rightarrow b\bar{b}$ events and in the decay of b hadrons,” Phys. Lett. B **347**, 447 (1995).
608. P. Abreu *et al.* [DELPHI Collaboration], “First measurement of the strange quark asymmetry at the Z^0 peak,” Z. Phys. C **67**, 1 (1995).
609. P. Abreu *et al.* [DELPHI Collaboration], “Search for heavy neutral Higgs bosons in two doublet models,” Z. Phys. C **67**, 69 (1995).
610. P. Abreu *et al.* [DELPHI Collaboration], “Observation of orbitally excited B mesons,” Phys. Lett. B **345**, 598 (1995).
611. P. Abreu *et al.* [DELPHI Collaboration], “Measurement of the forward - backward asymmetry of charm and bottom quarks at the Z pole using $D^{*\pm}$ mesons,” Z. Phys. C **66**, 341 (1995).
612. P. Abreu *et al.* [DELPHI Collaboration], “First evidence of hard scattering processes in single tagged $\gamma\gamma$ collisions,” Phys. Lett. B **342**, 402 (1995).
613. P. Abreu *et al.* [DELPHI Collaboration], “Measurement of the forward - backward asymmetry of $e^+e^- \rightarrow Z \rightarrow b\bar{b}$ using prompt leptons and a lifetime tag,” Z. Phys. C **65**, 569 (1995).
614. P. Abreu *et al.* [DELPHI Collaboration], “Measurement of time dependent B_d^0 - \bar{B}_d^0 mixing,” Phys. Lett. B **338**, 409 (1994).
615. P. Abreu *et al.* [DELPHI Collaboration], “Production characteristics of K^0 and light meson resonances in hadronic decays of the Z^0 ,” Z. Phys. C **65**, 587 (1995).
616. P. Abreu *et al.* [DELPHI Collaboration], “ J/ψ production in the hadronic decays of the Z ,” Phys. Lett. B **341**, 109 (1994).
617. P. Abreu *et al.* [DELPHI Collaboration], “A Study of radiative muon pair events at Z^0 energies and limits on an additional Z' gauge boson,” Z. Phys. C **65**, 603 (1995).
618. P. Abreu *et al.* [DELPHI Collaboration], “Charged kaon production in τ decays at LEP,” Phys. Lett. B **334**, 435 (1994).
619. P. Abreu *et al.* [DELPHI Collaboration], “Search for pair produced heavy scalars in Z^0 decays,” Z. Phys. C **64**, 183 (1994).
620. P. Abreu *et al.* [DELPHI Collaboration], “Measurement of the B^0 - \bar{B}^0 mixing parameter in DELPHI,” Phys. Lett. B **332**, 488 (1994).
621. P. Abreu *et al.* [DELPHI Collaboration], “Search for the standard model Higgs boson in Z^0 decays,” Nucl. Phys. B **421**, 3 (1994).
622. P. Abreu *et al.* [DELPHI Collaboration], “Measurement of the $e^+e^- \rightarrow \gamma\gamma(\gamma)$ cross-section at LEP energies,” Phys. Lett. B **327**, 386 (1994).
623. P. Abreu *et al.* [DELPHI Collaboration], “Improved measurements of cross-sections and asymmetries at the Z^0 resonance,” Nucl. Phys. B **418**, 403 (1994).
624. P. Abreu *et al.* [DELPHI Collaboration], “A Precision measurement of the average lifetime of B hadrons,” Z. Phys. C **63**, 3 (1994).
625. P. Abreu *et al.* [DELPHI Collaboration], “A Measurement of the B_s^0 meson mass,” Phys. Lett. B **324**, 500 (1994).
626. P. Abreu *et al.* [DELPHI Collaboration], “Measurements of the line shape of the Z^0 and determination of electroweak parameters from its hadronic and leptonic decays,” Nucl. Phys. B **417**, 3 (1994) [Erratum-ibid. B **426**, 244 (1994)].

627. P. Abreu *et al.* [DELPHI Collaboration], “Study of hard scattering processes in multi - hadron production from $\gamma\gamma$ collisions at LEP,” Z. Phys. C **62**, 357 (1994).
628. P. Abreu *et al.* [DELPHI Collaboration], “Interference of neutral kaons in the hadronic decays of the Z^0 ,” Phys. Lett. B **323**, 242 (1994).
629. P. Abreu *et al.* [DELPHI Collaboration], “Invariant mass dependence of particle correlations in hadronic final states from the decay of the Z^0 ,” Z. Phys. C **63**, 17 (1994).
630. P. Abreu *et al.* [DELPHI Collaboration], “Measurement of the B^0 - \bar{B}^0 mixing using the average electric charge of hadron jets in Z^0 decays,” Phys. Lett. B **322**, 459 (1994).