Computer tools in particle physics

- Lecture 2 : MicrOmegas -

Avelino Vicente
IFIC – CSIC / U. Valencia

Curso de doctorado de la U. València

IFIC
May 22-26 2017

# MicrOmegas

MicrOmegas   [Bélanger, Boudjema, Pukhov, Semenov]

- **Name of the tool:** `MicrOmegas`

- **Authors:** Genevive Blanger, Fawzi Boudjema, Alexander Pukhov and Andrei Semenov (micromegas@lapth.cnrs.fr)

- **Type of code:** `C` and `Fortran`

- **Website:** https://lapth.cnrs.fr/micromegas/

MicrOmegas

MicrOmegas   [Bélanger, Boudjema, Pukhov, Semenov]

MicrOmegas routines ← Main program

Model

[provided by SARAH]

[examples provided by SARAH]

MicrOmegas

MicrOmegas [Bélanger, Boudjema, Pukhov, Semenov]

- Dark matter relic density ($\Omega_{DM} h^2$)

- Direct detection rates

- Indirect detection rates

Chuck Norris fact of the day

Chuck Norris lost his virginity before his dad

Dark matter in the scotogenic model

The lightest particle charged under Z_2 is stable: dark matter candidate

Fermion Dark Matter: N_1

- It can only be produced via Yukawa interactions
- Potential problems with lepton flavor violation: is it compatible with the current bounds?

Scalar Dark Matter: the lightest neutral η scalar, η_R or η_I

- It also has gauge interactions
- Not correlated to lepton flavor violation

Scotogenic: benchmark point

BS1 benchmark point

$$\lambda_1 = 0.26 \qquad \lambda_2 = 0.5 \qquad \lambda_3 = 0.5$$

$$\lambda_4 = -0.5 \qquad \lambda_5 = 8 \cdot 10^{-11} \qquad m_\eta^2 = 1.85 \cdot 10^5 \, \text{GeV}^2$$

$$M_N = \begin{pmatrix} 345 \, \text{GeV} & 0 & 0 \\ 0 & 4800 \, \text{GeV} & 0 \\ 0 & 0 & 6800 \, \text{GeV} \end{pmatrix}$$

$$Y_N = \begin{pmatrix} 0.0172495 & 0.300325 & 0.558132 \\ -0.891595 & 1.00089 & 0.744033 \\ -1.39359 & 0.207173 & 0.253824 \end{pmatrix}$$

Scotogenic: benchmark point

$$\lambda_1 = 0.26 \qquad \lambda_2 = 0.5 \qquad \lambda_3 = 0.5$$

$$\lambda_4 = -0.5 \qquad \lambda_5 = 8 \cdot 10^{-11} \qquad m_\eta^2 = 5 \cdot 10^4 \, \text{GeV}^2$$

$$M_N = \begin{pmatrix} 345 \, \text{GeV} & 0 & 0 \\ 0 & 4800 \, \text{GeV} & 0 \\ 0 & 0 & 6800 \, \text{GeV} \end{pmatrix}$$

$$Y_N = \begin{pmatrix} 0.0172495 & 0.300325 & 0.558132 \\ -0.891595 & 1.00089 & 0.744033 \\ -1.39359 & 0.207173 & 0.253824 \end{pmatrix}$$