

Summary plots 1

February 21, 2022

List of Figures

1	Re(n_ℓ)	2
2	Scalar masses	2
3	Re(n_ℓ) vs Masses	3
4	Re(n_ℓ) vs. $\tan\beta$	4
5	Masses vs. $\tan\beta$	4
6	BR's of scalars (1)	5
7	BR's of scalars (2)	6
8	$[pp]_{\text{ggF}} \rightarrow S \rightarrow \ell^+\ell^-$	7
9	$[pp] \rightarrow H^\pm(tb) \rightarrow \ell\nu$	7
10	δa_τ	8

Plots with constraints

- Small regions (following previous paper) around

$$\delta a_\mu = (2.5 \pm 0.6) \times 10^{-9}, \quad \delta a_e = (-8.7 \pm 3.6) \times 10^{-13},$$

- perturbativity requirement

$$|\text{Re}(n_\ell)| < 250 \text{ GeV}.$$

- Red regions correspond to the requirement of an excess in $pp_{\text{ggF}} \rightarrow S \rightarrow \tau^+\tau^-$; the excess can arise from H, A or from both.




Figure 1: $\text{Re}(n_\ell)$




Figure 2: Scalar masses




Figure 3: $\text{Re}(n_\ell)$ vs Masses




Figure 4: $\text{Re}(n_\ell)$ vs. $\tan\beta$




Figure 5: Masses vs. $\tan\beta$




Figure 6: BR's of scalars (1)




Figure 7: BR's of scalars (2)




Figure 8: $[pp]_{\text{ggF}} \rightarrow S \rightarrow \ell^+ \ell^-$




Figure 9: $[pp] \rightarrow H^\pm(tb) \rightarrow \ell \nu$




Figure 10: δa_τ